		WAILE	WELL NECOND	Form WWC-5	KSA 8	2a-1212			
LOCATION OF WA	TER WELL:	Fraction	VVVV II.J		tion Number	er Township N	lumber	Range Nur	nber
County: Thomas		SE 1/4	XXXXXX SV		31	<u> </u>	<u>_(S)</u> _	R 33	XXV)
		•	Idress of well if locate	•					
Colby, N			anklin Avenua					Wall #∂MW	_ 1
•			. Bureau of		ediatio				
RR#, St. Address, Bo			ilding 740	T. Winn		Board of	Agriculture, I	Division of Water	Resources
City, State, ZIP Code									
LOCATE WELL'S	OCATION WITH	DEPTH OF CO	OMPLETED WELL	1350). ft. ELEV	ATION: .NA			
AN "X" IN SECTIO			vater Encountered						
ī T	\ \	VELL'S STATIC	WATER LEVEL10	2.15. ft. b	elow land s	surface measured or	n mo/day/yr	. 5/22/95	
		Pump	test data: Well water	er was	ft.	after	. hours pu	mping	apm
NW	NE E		1D gpm: Well water						
'.			ter.7.75in. to						
w 1			O BE USED AS:	5 Public water				Injection well	
- i	i "	1 Domestic	3 Feedlot			9 Dewatering	•	•	low)
SW	SE	2 Irrigation	4 Industrial			10 Monitoring we			
!	X	3	acteriological sample	· ·					
<u> </u>			acteriological sample	submitted to D	-				
7 705 05 01 1111		nitted	E Mariaba inco	0.0		Vater Well Disinfect			
TYPE OF BLANK			5 Wrought iron	8 Concre				d Clamped	
1 Steel	3 RMP (SR)		6 Asbestos-Cement		(specify be			ed	
2 PVC	4 ABS		7 Fiberglass					aded	
			95 ft., Dia						
Casing height above	and surface	···- - 6.0····	in., weight		lb	s./ft. Wall thickness	or gauge N	oSch40.	
TYPE OF SCREEN (R PERFORATION	MATERIAL:		7 PV	<u>C</u>	10 As	bestos-ceme	ent	
1 Steel	3 Stainless s	steel	5 Fiberglass	8 RM	1P (SR)	11 Ot	ner (specify)		
2 Brass	4 Galvanized	t steel	6 Concrete tile	9 AB	S	12 No	ne used (op	en hole)	
SCREEN OR PERFO	RATION OPENINGS	S ARE:	5 Gauz	ed wrapped		8 Saw cut		11 None (open	hole)
1 Continuous sl	ot 3 Mill	slot 0.01"	6 Wire	wrapped		9 Drilled holes			
2 Louvered shu	tter 4 Key	punched	7 Torcl	n cut		10 Other (specif	y)		
SCREEN-PERFORAT	ED INTERVALS:	From	C C 4 +-				-		4
			. ₩	130	0.Qft., F	rom	ft. t	0	m.
GRAVEL PA	ACK INTERVALS:	From	ft. to .		ft., F	rom	ft. t	o	ft.
GRAVEL PA	ACK INTERVALS:	From			ft., F 5 . () ft., F	rom	ft. t	o	ft. ft.
		From From		136	ft., F 5 . 0 ft., F ft., F	rom	ft. t	o o	
GROUT MATERIA	L: 1 Neat cer	From From From	ft. to . 92.0 ft. to . ft. to . ft. to . 2 Cement grout	3 Bento	ft., F 5()ft., F ft., F	rom	ft. t	o	
GROUT MATERIA Grout Intervals: 3 Fro	L: 1 Neat cer	From. From From ment to 10.		3 Bento	ft., F	rom	ft. t	o	
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s	L: 1 Neat cer	FromFromment	ft. to . 92.0 ft. to . ft. to . ft. to . 2 Cement grout 6. ft., 2From	3 Bento	ft., F ft., F onite to (rom	ft. t. ft. t. ft. t. ft. t	oooo	
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank	L: 1 Neat cer om92.0. ft. ource of possible co	From. From ment to 40 contamination:	ft. to . 92.0 ft. to . ft. to . ft. to . 2 Cement grout 6. ft., 2From	3 Bento	ft., F ft., F onite to (10 Liv 11 Fu	rom	ft. t ft. t ft. t ft. t	oo ft. tobandoned water voii well/Gas well	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: © Fro What is the nearest s 1 Septic tank 2 Sewer lines	L: 1 Neat cer om. 93.0 ft. ource of possible co 4 Lateral 5 Cess p	From. From ment to 10 contamination: lines	ft. to 92.0 ft. to ft. to 2 Cement grout 7 Pit privy 8 Sewage lag	3 Bento	ft., F 5. Qft., F ft., F onite to	rom	ft. t ft. t ft. t ft. t	oooo	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set	L: 1 Neat cer om92.0 .ft. ource of possible co	From. From ment to 10 contamination: lines	ft. to . 92.0 ft. to . ft. to . ft. to . 2 Cement grout 6. ft., 2From	3 Bento	ft., F 5. Qft., F ft., F onite to	rom	14 A 15 C 16 C	oo ft. tobandoned water voii well/Gas well	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well?	L: 1 Neat cer om. 93.0 ft. ource of possible co 4 Lateral 5 Cess p	From. From ment to 10. ontamination: lines ool ge pit	ft. to ft. to ft. to ft. to Cement grout ft. to Prom 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento 10.0 ft.	ft., F ft., F ft., F nnite to	rom	14 A 15 C	of the to the standard water with the standard water with the standard water with the standard water well-gas well well-gas well well-gas well water (specify below the standard water wat	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: ☐ Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO	L: 1 Neat cer om 92.0 ft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag	From. From ment to 10 contamination: lines	ft. to ft. to ft. to ft. to Cement grout ft. to Prom 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento 10.0 ft.	ft., F tt., F tt., F to	rom	14 A 15 C 16 C 10 D	o	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: © Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 36	L: 1 Neat cer om	From. From ment to 10. ontamination: lines ool ge pit	ft. to ft. to ft. to ft. to Cement grout ft. to Prom 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento 10.0 ft.	10 Liv 11 Fue 12 Fee 13 Ins How n	rom	14 A 15 C 16 C 16 C 17 C 18 C 18 C 18 C 18 C	o	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 36 36 46	L: 1 Neat cer om 93.0 ft ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sendy Clay	From. From. From ment	ft. to ft. to ft. to ft. to Cement grout ft. to Prom 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento 40.0 ft.	10 Liv 11 Fu 12 Fe 13 Ins How n 10 S6	rom 4 Other 10.0 ft., From estock pens el storage tilizer storage ecticide storage nany feet? Sentonite Bentonite	14 A 15 C 16 C 16 C 17 C 18 C 18 C 18 C 18 C	o	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 36 35 46 45 45 78	L: 1 Neat cer om. 92.0 ft. ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Sand	From. From. From ment 2 ontamination: lines cool ge pit LITHOLOGIC L	ft. to ft. to ft. to ft. to Cement grout ft. to Prom 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento 10.0 ft.	10 Liv 11 Fue 12 Fee 13 Ins How n	rom	14 A 15 C 16 C 16 C 17 C 18 C 18 C 18 C 18 C	o	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 36 35 46 45 75 76 106	L: 1 Neat cer om. 92.0 ft. ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Sandy Clay	From. From. From ment 2 to 10 contamination: lines cool ge pit LITHOLOGIC L	ft. to ft. to ft. to ft. to Cement grout ft. to Prom 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento 40.0 ft.	10 Liv 11 Fu 12 Fe 13 Ins How n 10 S6	rom 4 Other 10.0 ft., From estock pens el storage tilizer storage ecticide storage nany feet? Sentonite Bentonite	14 A 15 C 16 C 16 C 17 C 18 C 18 C 18 C 18 C	o	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 36 35 46 45 45 78	L: 1 Neat cer om. 92.0 ft. ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Sand	From. From. From ment 2 to 10 contamination: lines cool ge pit LITHOLOGIC L	ft. to ft. to ft. to ft. to Cement grout ft. to Prom 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento 40.0 ft.	10 Liv 11 Fu 12 Fe 13 Ins How n 10 S6	rom 4 Other 10.0 ft., From estock pens el storage tilizer storage ecticide storage nany feet? Sentonite Bentonite	14 A 15 C 16 C 16 C 17 C 18 C 18 C 18 C 18 C	o	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 36 35 46 45 75 76 106	L: 1 Neat cer om. 92.0 ft. ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Sandy Clay	From. From. From ment 2 to 10 contamination: lines cool ge pit LITHOLOGIC L	ft. to ft. to ft. to ft. to Cement grout ft. to Prom 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento 40.0 ft.	10 Liv 11 Fu 12 Fe 13 Ins How n 10 S6	rom 4 Other 10.0 ft., From estock pens el storage tilizer storage ecticide storage nany feet? Sentonite Bentonite	14 A 15 C 16 C 16 C 17 C 18 C 18 C 18 C 18 C	o	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 36 35 46 45 75 76 106	L: 1 Neat cer om. 92.0 ft. ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Sandy Clay	From. From. From ment 2 to 10 contamination: lines cool ge pit LITHOLOGIC L	ft. to ft. to ft. to ft. to Cement grout ft. to Prom 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento 40.0 ft.	10 Liv 11 Fu 12 Fe 13 Ins How n 10 S6	rom 4 Other 10.0 ft., From estock pens el storage tilizer storage ecticide storage nany feet? Sentonite Bentonite	14 A 15 C 16 C 16 C 17 C 18 C 18 C 18 C 18 C	o	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 36 35 46 45 75 76 106	L: 1 Neat cer om. 92.0 ft. ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Sandy Clay	From. From. From ment 2 to 10 contamination: lines cool ge pit LITHOLOGIC L	ft. to ft. to ft. to ft. to Cement grout ft. to Prom 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento 40.0 ft.	10 Liv 11 Fu 12 Fe 13 Ins How n 10 S6	rom 4 Other 10.0 ft., From estock pens el storage tilizer storage ecticide storage nany feet? Sentonite Bentonite	14 A 15 C 16 C 16 C 17 C 18 C 18 C 18 C 18 C	o	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 36 35 46 46 75 76 106	L: 1 Neat cer om. 92.0 ft. ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Sandy Clay	From. From. From ment 2 to 10 contamination: lines cool ge pit LITHOLOGIC L	ft. to ft. to ft. to ft. to Cement grout ft. to Prom 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento 40.0 ft.	10 Liv 11 Fu 12 Fe 13 Ins How n 10 S6	rom 4 Other 10.0 ft., From estock pens el storage tilizer storage ecticide storage nany feet? Sentonite Bentonite	14 A 15 C 16 C 16 C 17 C 18 C 18 C 18 C 18 C	o	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 36 35 46 46 75 76 106	L: 1 Neat cer om. 92.0 ft. ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Sandy Clay	From. From. From ment 2 to 10 contamination: lines cool ge pit LITHOLOGIC L	ft. to ft. to ft. to ft. to Cement grout ft. to Prom 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento 40.0 ft.	10 Liv 11 Fu 12 Fe 13 Ins How n 10 S6	rom 4 Other 10.0 ft., From estock pens el storage tilizer storage ecticide storage nany feet? Sentonite Bentonite	14 A 15 C 16 C 16 C 17 C 18 C 18 C 18 C 18 C	o	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 36 35 46 46 75 76 106	L: 1 Neat cer om. 92.0 ft. ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Sandy Clay	From. From. From ment 2 to 10 contamination: lines cool ge pit LITHOLOGIC L	ft. to ft. to ft. to ft. to Cement grout ft. to Prom 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento 40.0 ft.	10 Liv 11 Fu 12 Fe 13 Ins How n 10 S6	rom 4 Other 10.0 ft., From estock pens el storage tilizer storage ecticide storage nany feet? Sentonite Bentonite	14 A 15 C 16 C 16 C 17 C 18 C 18 C 18 C 18 C	o	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 36 35 46 45 75 76 106	L: 1 Neat cer om. 92.0 ft. ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Sandy Clay	From. From. From ment 2 to 10 contamination: lines cool ge pit LITHOLOGIC L	ft. to ft. to ft. to ft. to Cement grout ft. to Prom 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento 40.0 ft.	10 Liv 11 Fu 12 Fe 13 Ins How n 10 S6	rom 4 Other 10.0 ft., From estock pens el storage tilizer storage ecticide storage nany feet? Sentonite Bentonite	14 A 15 C 16 C 16 C 17 C 18 C 18 C 18 C 18 C	o	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 36 35 46 45 75 76 106	L: 1 Neat cer om. 92.0 ft. ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Sandy Clay	From. From. From ment 2 to 10 contamination: lines cool ge pit LITHOLOGIC L	ft. to ft. to ft. to ft. to Cement grout ft. to Prom 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento 40.0 ft.	10 Liv 11 Fu 12 Fe 13 Ins How n 10 S6	rom 4 Other 10.0 ft., From estock pens el storage tilizer storage ecticide storage nany feet? Sentonite Bentonite	14 A 15 C 16 C 16 C 17 C 18 C 18 C 18 C 18 C	o	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 36 35 46 45 75 76 106	L: 1 Neat cer om. 92.0 ft. ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Sandy Clay	From. From. From ment 2 to 10 contamination: lines cool ge pit LITHOLOGIC L	ft. to ft. to ft. to ft. to Cement grout ft. to Prom 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento 40.0 ft.	10 Liv 11 Fu 12 Fe 13 Ins How n 10 S6	rom 4 Other 10.0 ft., From estock pens el storage tilizer storage ecticide storage nany feet? Sentonite Bentonite	14 A 15 C 16 C 16 C 17 C 18 C 18 C 18 C 18 C	o	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 36 35 46 45 75 76 106	L: 1 Neat cer om. 92.0 ft. ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Sandy Clay	From. From. From ment 2 to 10 contamination: lines cool ge pit LITHOLOGIC L	ft. to ft. to ft. to ft. to Cement grout ft. to Prom 7 Pit privy 8 Sewage lag 9 Feedyard	3 Bento 40.0 ft.	10 Liv 11 Fu 12 Fe 13 Ins How n 10 S6	rom 4 Other 10.0 ft., From estock pens el storage tilizer storage ecticide storage nany feet? Sentonite Bentonite	14 A 15 C 16 C 16 C 17 C 18 C 18 C 18 C 18 C	o	ft. ft. ft. ft. well
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 36 35 46 45 78 76 106 106 135	L: 1 Neat cer om. 92.0 ft. ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Send Sandy Clay Clayey Send	From. From. From ment	ft. to ft.	3 Bento 10.0 ft.	10 Liv 11 Fu 12 Fe 13 Ins How n 10 C	rom 4 Other 3.0. ft., From estock pens el storage tilizer storage enticide storage nany feet? Bentonite Concrete	ft. t ft. t ft. t 14 A 15 C 16 C 16 C UUGGING I Pellets grout/s	o	ftftft. well w)
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 36 35 46 45 78 76 106 106 135	L: 1 Neat cer om. 92.0 ft. ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Sand Sandy Clay Clayey Sand Clayey Sand	From. From. From. From. The second of the se	ft. to ft. to ft. to ft. to Comment grout From Pit privy Sewage lag Feedyard Feedyard COG COG COG CON: This water well v	3 Bento 3 Bento 10.0 ft.	10 Liv 11 Fue 13 Ins How n 10 Cted, (2) re	rom 4 Other 3.0. ft., From estock pens el storage tilizer storage enticide storage nany feet? Bentonite Concrete	ft. t ft. t ft. t 14 A 15 C 16 C 16 C UUGGING I Pellets grout/s	o	t and was
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO 0 36 35 46 45 78 76 106 106 135	L: 1 Neat cer om. 92.0 ft. ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Sand Sandy Clay Clayey Sand Clayey Sand OR LANDOWNER'S	From. From. From. From. The second of the se	ft. to 192	3 Bento 3 Bento 10.0 ft.	10 Liv 11 Funds	rom 4 Other 10.0 ft., From estock pens el storage ecticide storage enany feet? Sentonite Concrete constructed, or (3) cord is true to the b	ft. t ft. t ft. t ft. t 14 A 15 C 16 C D.O LUGGING I Pellets Grout/s	t tobandoned water will well/Gas well other (specify below). NTERVALS Lunny der my jurisdiction owledge and believen.	t and was
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 36 35 46 45 78 76 106 106 135 7 CONTRACTOR'S completed on (mo/dar Water Well Contracto	L: 1 Neat cer om. 92.0 ft. ource of possible co 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Sand Sandy Clay Clayey Sand Clayey Sand OR LANDOWNER'S //year) 5/21/93 's License No	From From From Ment Story 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	ft. to ft.	3 Bento 3 Bento 10.0 ft.	to	rom rom 4 Other 3.0. ft., From estock pens el storage etilizer storage ecticide storage nany feet? Bentonite Concrete Concrete constructed, or (3) cord is true to the b d on (mo/dat/yr)	fi. t. ft. f	t tobandoned water will well/Gas well other (specify below). NTERVALS Lunny der my jurisdiction owledge and believen.	t and was
GROUT MATERIA Grout Intervals: 3 Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 36 35 46 45 75 76 106 106 135 7 CONTRACTOR'S completed on (mo/day Water Well Contracto under the business nearest	L: 1 Neat cer om. 92.0 ft ource of possible of 4 Lateral 5 Cess p wer lines 6 Seepag Loess Sandy Clay Clayey Sand Sandy Clay Clayey Sand Clayey Sand Clayey Sand Sandy Clay Clayey Sand Sandy Clay Clayey Sand Sandy Clay Clayey Sand Sandy Clay Clayey Sand	From From From Ment Sto 10 contamination: lines sool ge pit LITHOLOGIC I	ft. to ft.	3 Bento 10.0 ft. PROM 92 86 10 40 Vell Record was	to	rom 4 Other 3.0. ft., From estock pens el storage tilizer storage ecticide storage nany feet? Bentonite Concrete Concrete don (mo/da/yr) nature) Tom Tom A Other A Ot	fit it fit. it	tt to	the state of the s