

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Thomas	NE NW 1/4 SW 1/4 SE 1/4	31	T 7 S	R 33 E/W

Distance and direction from nearest town or city street address of well if located within city?

285 E. 4th Street TAG 0051586

2 WATER WELL OWNER:	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	Application Number:
City, State, ZIP Code :	

Tom Walschmidt

RR#, St. Address, Box # :

City, State, ZIP Code :

Service O.I. 1**285 E 4th St****Colby, KS 67701**

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL	ft. ELEVATION:
	125	
	Depth(s) Groundwater Encountered	109 ft.
	WELL'S STATIC WATER LEVEL	ft. below land surface measured on mo/day/yr
	Pump test data: Well water was	ft. after hours pumping gpm
Est. Yield gpm: Well water was	ft. after hours pumping gpm	
WELL WATER TO BE USED AS:	5 Public water supply	8 Air conditioning
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)
		10 Monitoring well
		11 Injection well
		12 Other (Specify below)
		Art Spargel A.S.-3
Was a chemical/bacteriological sample submitted to Department? Yes	No	X
Water Well Disinfected? Yes	No	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC	4 ABS	7 Fiberglass		Threaded
Blank casing diameter	4 in. to 123 ft.	Dia	in. to	ft.
Casing height above land surface	5 in., weight	2 lbs./ft.	Wall thickness or guage No.	Sch 40
TYPE OF SCREEN OR PERFORATION MATERIAL:	1 Steel	3 Stainless Steel	5 Fiberglass	8 RMP (SR)
	2 Brass	4 Galvanized Steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	0.620"	5 Guazed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes	10 Other (specify)
2 Louvered shutter	4 Key punched	7 Torch cut		
SCREEN-PERFORATED INTERVALS:	From 123 ft. to 125 ft.	From	ft. to	ft.
GRAVEL PACK INTERVALS:	From 121 ft. to 125 ft.	From	ft. to	ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
GROUT INTERVALS:	From 0 ft. to 121 ft.	From	ft. to	ft.
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
Direction from well? N				13 Insecticide storage
				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)
				How many feet? 5

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	concrete fill			
2	35	silty clay			
35	55	sand w/ silty clay			
55	60	silty clay			
60	78	sand w/ clay or caliche & gravel			
78	87	silty clay			
87	95	sand w/ gravel, silty clay, caliche			
95	110	silty clay & caliche w/ sand & gravel			
110	125	sand w/ gravel & caliche			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1/13/05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 554 This Water Well Record was completed on (mo/day/yr) 2/14/05 under the business name of Woofter Pump & Well by (signature) J. Woofter
--