		KECUKD		-5 Div	ision of V	Vater Reso	ources App. No.			
Tl	homas	WATER WELL:	1 1/5 L 1/4 5 E	4 NE4	Section N	lumber	Township Number	Range Number R 33 □E ☑W		
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here ☒.						Latitude: (in decimal degrees)				
וו א נפד						Longitude: (in decimal degrees)				
Block 40 2 WATER WELL OWNER Stan Wancura					Elevation:					
					Datum: □ WGS 84, □ NAD 83, □ NAD 27					
RR#, St. Address, Box # 690 E 2 nd City, State, ZIP Code Colby, KS 67701					Collection Method: ☐ GPS unit (Make/Model:					
City, State, Zir Code Coloy, RS 07701					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
						Est. Accuracy: $\square < 3 \text{ m}, \square 3-5 \text{ m}, \square 5-15 \text{ m}, \square > 15 \text{ m}$				
3 LOCATE WELL										
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 250 ft.										
	SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft									
SEC 1										
ļ ,	N									
			np test data: Well wat							
⊢nw	'		gpm: Well wat							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well										
"							ply			
	′—— s,E —		Industrial Domest							
	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☒ No									
	s	If yes, mo/o	day/yr sample was submi	itted						
1 mile Water Well Disinfected? ⊠ Yes □ No										
5 TYPE OF CASING USED: Steel X PVC Cother										
CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter 4.5 in. to 210 ft. Diameter in. to ft. Diameter in to										
Casing diameter 4.5 in. to 210 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 18 in., Weight 2.38 lbs./ft. Wall thickness or gauge No248										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☒ Saw cut ☐ Other (specify)										
□ Louvered shutter □ Key punched □ Wire wrapped ☒ Saw cut □ Other (specify)										
SCREEN-PERFORATED INTERVALS: From 210 ft. to 250 ft., From ft. to ft.										
From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 20 ft. to 250 ft., From ft. to ft.										
ONAVEL FACK INTERVALS. FIGH 40 II. IO 430 II., From II. IO II.										
From ft. to ft., From ft. to ft.										
6 GROUT MATERIAL: □ Neat cement Cement grout ☑ Bentonite □ Other Grout Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to ft.										
What is the nearest source of possible contamination:										
Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)										
	wer lines	☐ Cesspool					doned water well	iner (speerly serow)		
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None										
Direction from well Distance from well										
FROM	TO	LITHO	LOGIC LOG	FROM	ТО	LITHO	LOG (cont.) or PLUC	GING INTERVALS		
0		Surface		144	155		and w/clay & caliche			
2	25	Loess		155	180		some med sand w/o			
25	33	Clay		180	189		e w/clay strks & san			
33		Clay w/caliche str		189	195		and w/clay & caliche			
38			sand w/clay & calich		205		med sand w/clay &			
		Lenses		205	231		some med sand w/o			
53		Caliche w/clay str		231	236		some med sand s/cl	lay & caliche lens		
60		Clay & caliche w/f		236	246		med sand			
66		Sandy clay w/clay		246	260	Yellow	ochre/black shale			
92 144 Fine & med sand w/clay & caliche strks										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 10/17/11 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 554 . This Water Well Record was completed on (mo/day/year) 11/8/11										
		of Woofter Pum		by (cionate	rccold Wa	as comple	ted on (mo/day/year) 1	1/0/11		
			•					·		
INSTRUCTIONS: Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) & Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheke.gov/waterwell/index.html										

Check: ☐ White Copy, ☐ Blue Copy, ☐ Pink Copy