

	WELL R		WWC-5 1255	DI	vision of Water			
					ources App. N			
1 LOCATION OF WATER WELL: County:			Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$	Section Number		r Township Numbe T S	er Range Number $R \square E \square W$	
2 WELL OWNER: Last Name: 74								
					rection from nearest town or intersection): If at owner's address, check here:			
Address:								
Address:								
City: State: ZIP: 3 LOCATE WELL 4 DEDTH OF GOVERNMENT 6								
WITH "			APLETED WELL: .		t. 5 Latitu	de:	(decimal degrees)	
SECTION BOX. Depth(s) Groundwater Encountered: 1)								
N	2) ft. 3) ft., or 4) [WELL'S STATIC WATER LEVEL:					: 🗌 WGS 84 🛛 NAD		
			below land surface, measured on (mo-day-yr			Source for Landude/Longitude.		
NW	NE	above land surface			(WAAS enabled? Yes No)			
			Pump test data: Well water was ft.			\Box Land Survey \Box Topographic Map		
w	E	after hour			Online Mapper:			
X - sw	SE	Well v						
			after hours pumping gpi mated Yield:gpm			6 Elevation:ft. Ground Level TOC		
			in. to ft. and			Source: Land Survey GPS Topographic Map		
1 r	nile		in. to		□ Other			
7 WELL WATER TO BE USED AS:								
1. Domestic: 5. Dublic Water Supply: well ID								
			ng: how many wells?			11. Test Hole: well ID		
			echarge: well ID			\Box Cased \Box Uncased \Box Geotechnical		
	□ Livestock 8. □ Monitoring: well ID 2. □ Irrigation 9. Environmental Remediation: well							
3. ☐ Feedlot						b) Open Loop 🔲 Surface Discharge 🗌 Inj. of Water		
4. 🔲 Industr		Recovery						
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? \Box Yes \Box No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)								
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage								
Separ Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well								
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well								
Other (Specify) Direction from well? ft.								
10 FROM	m well? TO			FROM			PLUGGING INTERVALS	
IU FROM	10	LITHOLO	GICLUG	FROM	10	LITHO. LOG (cont.) or	PLUGOING INTERVALS	
					1 1			
	Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year) under the business name of								
under the b	usiness name	e of		· · · · · · · · · · · · · · · · · · ·	and I cha	00 f1		
KS Departm		Send one copy to WATER W nd Environment, Bureau of V						
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								