USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	ounty 12 Fraction			Section number		Township number	Range number		
1. Location of well:	Theomeu	SW 1/4 NW 1/4 NW				τ 7 s	R 33	E/W	
2. Distance and direction from nearest town or city: 2 N				. Owner of well: Mike Linden					
Street address of well location if in city: Colley #5,				City, state, zip code: R. Colby K5					
4. Locate with "X" in section below: Sketch map:					<u>K</u>	6. Bore hole dia. 9 in. Well depth 240 ft.	Completion date 2	4-25	-
NW NE						7 Cable tool Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary  8. Use: Domestic Public supply Industry			
E   E   E   E   E   E   E   E   E   E						Irrigation Air conditioning Stock Lawn Oil field water Other			
						9. Casing: Material         Height: Above or below           Threaded         Surface         in.           RMP         PVC         Weight         lbs./ft.			
5. Type and color of material From T					То	Dia in. to ft. dept Dia. <u>5</u> in. to <u>240</u> ft. dept	h Wall Thickness: inche h gage No. <u>200</u>	s or	
						10. Screen: Manufacturer's no	ame		
Leep seel.				0	47	Type Puc	_ Dia		
sandy clery				47	60			ft.	
m. grand				60	76	Gravel pack? Size ran	nd nge of material	<u>ZZ</u> ft.	
sandy clay & S.S.				76	105	11. Static water level: ft. below land surf	mo./d face Date <u>2-4-7</u>		
m. ground				105	121	12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m.			
grand				121	/ <u>3</u> C	ft. after hrs. pumping g.p.m.  Estimated maximum yield g.p.m.			
Sandy clay				130	144	13. Water sample submitted: mo./day/yr. Yes No Date			
migranel + sandy clay				144	15/	14. Well head completion:			
Line sand				151	162	Pitless adapter 12 Inches above grade  15. Well grouted?			
geranel				162	165	With: Neat cement Bentonite Concrete  Depth: From ft. to ft.			
sandy clay				165	127	16. Nearest source of possible contamination: ft. 200 Direction Court Type Contamination			
Line yand				127	195	Well disinfected upon complet		No	Kas
sandy clay				195	204	17. Pump:  Manufacturer's name 370  Model number 3866	Not installed	I	w W
Line sand + sandy clay				204	229	Length of drop pipe 210	ft. capacity 2		<b>(</b> ₹)~
ym, gravel				129	238	Type: Submersible	Turbine		ı
	(Use a second st	neet if needed)		238	240	Jet Centrifugal	Reciprocat	ring	× ×
18. Elevation:	19. Remarks:	CK S				20. Water well contractor's co This well was drilled under my		port	" PQ
Тородгарну:						is true to the best of my knowl	edge and belief.	8	3 ≥
Hill Slope						Business name License No.			
Upland Valley						Signed Authorized repr	holf Date 2-	28	2 2 2