		WATER	WELL RECORD F	orm WWC-5	KSA 82	2a-1212			
1 LOCATION OF WAT	ER WELL:	Fraction			tion Numbe		mber	Range Number	
	homas		SE ¼ SW	1/4	31		S	R 33 EW)	
Distance and direction from nearest town or city street address of well if located within city?									
2 WATER WELL OW	NER: Pyrami	d Oil							
RR#, St. Address, Box # : Board of Agriculture, Division of Water Resources									
City State 7IP Code (Collby Va 67701									
3 LOCATE WELL'S LO	CATION WITHIAL	DEPTH OF COM	ADIETED WELL	125	# ELEV	ATION			
AN "X" IN SECTION									
-		ELLIC CTATIO M	ATED LEVEL 10	2 18	π.	2	π. 3		
<b>†</b>   i	;   1 ***								
Pump test data: Well water was ft. after hours pumping gpm									
Est. Yield gpm: Well water was ft. after hours pumping gpm									
* W 1	I I E Bore Hole Diameter 8 in. to 125 ft., and in. to ft.								
<b>₹</b>	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								
sw	SE	1 Domestic	3 Feedlot 6	Oil field wat	er supply	9 Dewatering	12	Other (Specify below)	
I X	1	2 Irrigation							
	ı Wa	as a chemical/bac	teriological sample su	bmitted to De	partment?	YesNoX	; If yes,	mo/day/yr sample was sub-	
<u> </u>	mi	tted			W	ater Well Disinfected	? Yes	No X	
5 TYPE OF BLANK C	ASING USED:	5	Wrought iron	8 Concre	te tile	CASING JOIN	ITS: Glued	I Clamped	
1 Steel	3 RMP (SR)	6	Asbestos-Cement	9 Other	specify belo	ow)	Welde	ed	
	4 ABS		Fiberglass					ided. X	
			•						
Blank casing diameter in. to									
TYPE OF SCREEN OF			, weight	7 PV			stos-ceme	1	
1 Steel	3 Stainless st		Fiberglass		-			1	
					P (SR)				
2 Brass	4 Galvanized		Concrete tile	9 AB	5		used (op	· .	
SCREEN OR PERFORATION OPENINGS ARE:			5 Gauzed wrapped			8 Saw cut		11 None (open hole)	
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes								ļ	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PAG	K INTERVALS:	From	90 ft. to	1 2.5	5ft., Fr	om	ft. to	o	
			ft. to						
6 GROUT MATERIAL	1 Neat cem	nent 2	Cement grout	3 Bento	nite 4	1 Other			
Grout intervals: From	n 0 ft.	to 8 7	ft., From	7 ft. ·	to	0 ft., From		ft. to	
What is the nearest so	urce of possible cor	ntamination:			10 Live	stock pens	14 AI	bandoned water well	
1 Septic tank 4 Lateral lines		ines	7 Pit privy		11 Fuel storage		15 O	il well/Gas well	
2 Sewer lines 5 Cess pool			8 Sewage lagoon		12 Fertilizer storage 16 Other (specify b			ther (specify below)	
	er lines 6 Seepage		9 Feedyard		13 Insecticide storage Removed Fuel Storage				
Direction from well?	or miles o despage	, p.,	o . ooaya.o			any feet?			
FROM TO		LITHOLOGIC LO	G	FROM	TO		JGGING II	NTERVALS	
	Asphalt			111	118	Med. Sand			
0 2	Backfill			118	118.5		,		
2 7				118.5	125	Med. Sand			
7 34				110.3	123	nea. bana			
34 36	Clayey Sa			f ·					
44 49									
	Fine Sand								
			Some Sand						
60 74	Med. Sand	w/Some (	Clay						
74 80	Sandy Cla	y w/Calid	che & Some	Sand					
80 92	Med. Sand	& Grave	l w/a Few C	lay Sti	cks.				
92 96	Tight Sand	w/Clay 8	Caliche S	trks.					
96 98	Caliche w	/Clay & S	Some Sand						
98 108	Med. Sand	& Grave	1						
	Sandy Cla								
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)									
completed on (mo/day/ Water Well Contractor's	year)	5.4	TFE: \$87-4 \$84.	Donne			91.2-		
				necord wa					
under the business nar	· · · · · · · · · · · · · · · · · · ·		STATE OF THE PARTY			ature) ouy (			
INSTRUCTIONS: Use type	pewriter or ball point pen.	PLEASE PRESS FIRM	<u>LY</u> and <u>PRINT</u> clearly. Pleas 001. Telephone: 913-296-554	e lilt in blanks, t	inderline or circ	ole the correct lanswers. Se	nd top three	copies to Kansas Department	
or meatin and Environme	ant, bureau di water, 105	iona, nalisas 00020-00	A	O OCHIO OHIS IO	THE PERSON NAMED IN	STATE OF THE PORT OF THE PORT	,000 1000103		