

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Thomas		NE 1/4 SE 1/4 SW 1/4		31		T 7 S		R 33 EW	
Distance and direction from nearest town or city street address of well if located within city?									
2 WATER WELL OWNER: Pyramid Oil									
RR#, St. Address, Box # :					Board of Agriculture, Division of Water Resources				
City, State, ZIP Code : Colby, Ks. 67701					MW#8		Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 125 ft. ELEVATION:							
		Depth(s) Groundwater Encountered 1. . ft. 2. . ft. 3. . ft. WELL'S STATIC WATER LEVEL 99.39 ft. below land surface measured on mo/day/yr Pump test data: Well water was . ft. after . hours pumping . gpm Est. Yield . gpm: Well water was . ft. after . hours pumping . gpm Bore Hole Diameter 8 in. to 125 ft. and . in. to . ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 <u>Monitoring well</u> Was a chemical/bacteriological sample submitted to Department? Yes . No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes . No X							
		5 TYPE OF BLANK CASING USED:							
		1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . Clamped . 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded . 7 Fiberglass Threaded. X Blank casing diameter 4 in. to 95 ft. Dia . in. to . ft. Dia . in. to . ft. Casing height above land surface 0 in., weight 2.071 lbs./ft. Wall thickness or gauge No. .237							
		TYPE OF SCREEN OR PERFORATION MATERIAL:							
		1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) . 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 <u>Saw cut</u> 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) .							
SCREEN-PERFORATED INTERVALS: From 95 ft. to 125 ft. From . ft. to . ft.									
GRAVEL PACK INTERVALS: From 90 ft. to 125 ft. From . ft. to . ft.									
6 GROUT MATERIAL: 1 Neat cement 2 <u>Cement grout</u> 3 <u>Bentonite</u> 4 Other .									
Grout Intervals: From 0 ft. to 87 ft. From 87 ft. to 90 ft. From . ft. to . ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Removed Fuel Storage									
Direction from well?					How many feet?				
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS				
0	.4	Brick							
.4	.8	Sand							
.8	20	Loess							
20	42	Clay w/Caliche Strks.							
42	46	Med. Sand							
46	58	Sandy Clay w/Caliche Strks.							
58	68	Med. Sand w/Clay Strks.							
68	80	Sandy Clay w/Caliche Strks.							
80	88	Med. Sand & Gravel							
88	96	Sandy Clay							
96	98	Caliche							
98	125	Fine to Med. Sand w/Clay Strks.							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-13-94 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/yr) 9-12-94									
under the business name of Woofter Pump & Well, Inc. by (signature) <i>[Signature]</i>									
INSTRUCTIONS Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5445. Send one to WATER WELL OWNER and retain one for your records.									