

Distance and direction from nearest town or city street address of well if located within city?

2

WATER WELL OWNER: Pyramid Oil

RR#, St. Address, Box # :

City, State, ZIP Code

Colby, Ks. 67701

Board of Agriculture, Division of Water Resources

MW #10

Application Number:

3

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

1 Mile

N

W

E

S

NW

NE

SW

SE

X

4

DEPTH OF COMPLETED WELL

125

ft.

ELEVATION:

Depth(s) Groundwater Encountered

1

ft.

2

ft.

3

ft.

WELL'S STATIC WATER LEVEL

101.03

ft. below land surface measured on mo/day/yr

Pump test data:

Well water was

ft. after

hours pumping

gpm

Est. Yield

gpm:

Well water was

ft. after

hours pumping

gpm

Bore Hole Diameter

8

in. to

125

ft., and

in. to

ft.

WELL WATER TO BE USED AS:

5 Public water supply

8 Air conditioning

11 Injection well

1 Domestic

3 Feedlot

6 Oil field water supply

9 Dewatering

12 Other (Specify below)

2 Irrigation

4 Industrial

7 Lawn and garden only

10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes

No

X

If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes

No

X

5

TYPE OF BLANK CASING USED:

1 Steel

3 RMP (SR)

6 Asbestos-Cement

9 Other (specify below)

2 PVC

4 ABS

7 Fiberglass

CASING JOINTS: Glued

Clamped

Welded

Threaded

X

Blank casing diameter

4

in. to

95

ft., Dia

in. to

ft., Dia

in. to

ft.

Casing height above land surface

0

in., weight

2.071

lbs./ft. Wall thickness or gauge No.

237

TYPE OF SCREEN OR PERFORATION MATERIAL:

7 PVC

10 Asbestos-cement

1 Steel

3 Stainless steel

5 Fiberglass

8 RMP (SR)

11 Other (specify)

2 Brass

4 Galvanized steel

6 Concrete tile

9 ABS

12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

5 Gauzed wrapped

8 Saw cut

11 None (open hole)

1 Continuous slot

3 Mill slot

6 Wire wrapped

9 Drilled holes

2 Louvered shutter

4 Key punched

7 Torch cut

10 Other (specify)

SCREEN-PERFORATED INTERVALS:

From

95

ft. to

125

ft., From

ft. to

ft.

From

ft. to

ft., From

ft. to

ft.

GRAVEL PACK INTERVALS:

From

90

ft. to

125

ft., From

ft. to

ft.

From

ft. to

ft., From

ft. to

ft.

6

GROUT MATERIAL:

1 Neat cement

2 Cement grout

3 Bentonite

4 Other

Grout Intervals: From

0

ft. to

87

ft., From

87

ft. to

90

ft., From

ft. to

ft.

What is the nearest source of possible contamination:

10 Livestock pens

14 Abandoned water well

1 Septic tank

4 Lateral lines

7 Pit privy

11 Fuel storage

15 Oil well/Gas well

2 Sewer lines

5 Cess pool

8 Sewage lagoon

12 Fertilizer storage

16 Other (specify below)

3 Watertight sewer lines

6 Seepage pit

9 Feedyard

13 Insecticide storage

Removed Fuel Storage

Direction from well?

How many feet?

FROM

TO

LITHOLOGIC LOG

FROM

TO

PLUGGING INTERVALS

0

.4

Cement

.4

20

Loess

20

45

Clay w/Caliche

45

54

Med. Sand & Gravel w/Clay Str

54

65

Fine Sand w/Clay Strk.

65

69

Fine to Med. Sand

69

75

Caliche w/some Sand & Clay

75

76

Sandy Clay w/Caliche Strks.

76

83

Sandy Clay, Caliche & Some Sand

83

90

Med. Sand & Gravel w/ a few Clay Strks.

90

91

Sandy Clay & Caliche

91

99.5

Sandy Clay & Caliche w/Sand Strks.

99.5

130

Med. Sand & Gravel w/Clay Strks.

7

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)

7-19-94

and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's License No.

554

This Water Well Record was completed on (mo/day/yr)

9-12-94

under the business name of

Woofter Pump & Well, Inc.

by (signature)

Jay G. Woofter

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.