			WATER W	ELL RECORD F	orm WWC-5	KSA 82a	-1212			
1 LOCATI	ON OF WAT	TER WELL:	Fraction		Sec	tion Number	Townshi	p Number	Range Num	iber
County: Thomas				W 14 SE	1/4	31	T	7 s	R 33	E/W
Distance a	ind direction	from nearest town o	or city street addre	ss of well if located	within city?					
40	5 East	4th, Colby, K	Cansas							
		NER: Hi Plai		ive Associat	ion					
	Address, Bo		•				Board	of Agriculture, I	Division of Water F	Resources
	ZIP Code		Kansas 677	'01				ation Number:		
		OCATION WITH 4			100	# ELEVA				
AN "X"	IN SECTION									
<b></b>		1 De	pin(s) Groundwate	er Encountered 1.	1999 · WA	n. 2			NI A	
Ŧ 1	¦	I I I WE		TER LEVEL N						
_	- NW	NE	•	t data: Well water					. •	
	1			gpm: Well water						
Bore Hole Diameter 8in. to100								in.	to	tt.
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Inject							Injection well			
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering								Other (Specify beli		
-	- SW	XE	2 Irrigation	4 Industrial 7	Lawn and g	arden only 1	0 Monitoring	well	V.E.W	
		Wa	s a chemical/bacte	eriological sample su	bmitted to De	epartment? Ye	sNo.	X; If yes,	mo/day/yr sample	was sub
<u>.</u>			ned				er Well Disinfe		No X	
5 TYPE (	DE BLANK (	CASING USED:	5 '	Wrought iron	8 Concre	ete tile	CASING	JOINTS: Glued	JClamped	1
1 St		3 RMP (SR)		Asbestos-Cement		(specify below			ed	
_		4 ABS	_	Fiberglass			·, 		adedX	
(2) PV	· C	2in.		•						
-	-	and surface		weight						<i></i>
TYPE OF	SCREEN O	R PERFORATION M	•		(7) PV			Asbestos-ceme		
1 St	eel	3 Stainless ste	-			IP (SR) 11 Other (specify)				· • · · · · ·
2 Br		4 Galvanized :				S	12	None used (op	•	
SCREEN	OR PERFOR	RATION OPENINGS					8 Saw cut		11 None (open h	nole)
1 Cc	ntinuous slo	ot (3)Mill si	ot 6 Wire wrapped				9 Drilled not	es		
2 Lo	uvered shut	ter 4 Key p	ounched	7 Torch o	out		10 Other (sp	ecify)		· ·
SCREEN-	PERFORAT	ED INTERVALS:	From 9.5	ft. to	100	ft., Fron	n	ft. t	o <i>.</i>	
				ft. to		ft., Fron	n	ft. t	o. <i></i> . <i></i>	ft.
(	BRAVEL PA	CK INTERVALS:	From 9.3	ft. to	100	ft., Fron	n	, ,	o <i></i>	ft.
			From	tt. to		ft., Fron	n	ft. l	0	ft.
6 GROUT	MATERIAL	: 1 Neat cem	ent (2)C	ement grout	3 Bento	nite 4				
Grout Inte	vals: Fro	m0ft.	to 90	ft., From 90	) ft.	to 93	ft., From	1	ft. to	ft.
	e nearest so	ource of possible con	tamination:	,			ock pens		bandoned water w	
		4 Lateral lin				(11) Fuel storage 15 Oil weil/Gas well			il weil/Gas well	
1 Septic tank 4 Lateral ling 2 Sewer lines 5 Cess poor						12 Fertilizer storage 16 Other (specify below)				w)
							icide storage	10 0	the (specify below	•,
	-	er lines 6 Seepage	pit	9 Peedyalu			-	20	· · · · · · · · · · · · · · · · · · ·	
Direction f		North	LITHOLOGIC LOG		FROM	How man	iy teet?	PLUGGING II	VTERVALS	
FROM	6"		LITHOLOGIC LOC		- FROW	<del></del>		· LOGGING II	V: 14 / 14/1	
0		Concrete	. 1							
6"	3'	Dark brown o			<del> </del>			<del> </del>		
3	43	Light brown								
43	47	Gray brown o			<u> </u>					
47	53	Red browncla								
53	65	Very fine to	o fine sand							
65_	75	Fine to coar	rse sand						day tanggan Albania Anglikanan kanalahan	
75	95	Very fine to	o fine sand							
95	100	Red brown sa								
	1									
								7OB1D		
					<del> </del>			lushmount	-	
							<u>1</u>	TUSTINOUTIO		
										MELTHANAS
		OR LANDOWNER'S								
		/year)	-28-94			and this record	d is true to the	best of my kno	wiedge and belief.	Kansas
Mater Mai										
1		s License No	OZ/	This Water Wel	Record wa	s completed or	n (mo/day/xr)			
1	l Contractor business na	O-h-O	Services, Inc.	This Water Wel	Record wa	s completed or by (signatu		e fell		