

CORRECTION(S) TO WATER WELL RECORD (Form WWC-5)

(to rectify lacking or incorrect information)

LOCATION OF WATER WELL: County: <u>Thomas</u>	Fraction <u>SW</u> $\frac{1}{4}$ <u>SW</u> $\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$	Section <u>36</u>	Township T <u>7</u> S	Range R <u>34</u> ☐ E ☒ W
---	---	----------------------	--------------------------	---

Owner: City of Colby

Location was listed as:
Sec. 36 T 7 S R 34 ☐ E ☒ W
Fraction: SW SW SE

Location changed to:
Sec. 36 T 7 S R 34 ☐ E ☒ W
Fraction: SW SW SE SE

Other changes: Initial statements: _____

Changed to: _____

Comments: Constructed record of MW 11

Verification method: Interactive Map and correspondents with MILCO Environmental Services, Inc.

initials: DRL date: 11-17-2016
Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number																																																																																																	
County: Thomas		SW ¼ SW ¼ SE ¼		36		T 7 S		R 34 E/W																																																																																																	
Distance and direction from nearest town or city street address of well if located within city? Colby Public Power, Colby, Kansas																																																																																																									
2 WATER WELL OWNER: City of Colby RR#, St. Address, Box # : 585N. Franklin City, State, ZIP Code : Colby, Kansas 67701 Board of Agriculture, Division of Water Resources Application Number:																																																																																																									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 141 ft. ELEVATION: 3164.41																																																																																																							
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL . . 122.09 . . ft. below land surface measured on mo/day/yr . . 1-8-99 Pump test data: Well water was . . . NA . . ft. after hours pumping gpm Est. Yield . . NA . . gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter . . . 12 . . in. to 143 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No ☒ ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No ☒																																																																																																							
		5 TYPE OF BLANK CASING USED:																																																																																																							
		1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded ☒ Blank casing diameter 4 in. to 101 ft. Dia in. to ft. Dia in. to ft. Casing height above land surface -3.48 in. weight Sch 40 lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 101 ft. to 141 ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 98 ft. to 143 ft. From ft. to ft. From ft. to ft. From ft. to ft.																																																																																																							
		6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other																																																																																																							
		Grout Intervals: From 0 ft. to 92 ft. From 92 ft. to 98 ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) . . . Former Tank Basin . . . Direction from well? West How many feet? 50																																																																																																							
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr><td>0</td><td>1</td><td>Gravel, Clay Sand (Fill),</td><td></td><td></td><td></td></tr> <tr><td>1</td><td>7</td><td>Clay, Brown</td><td></td><td></td><td></td></tr> <tr><td>7</td><td>32</td><td>Silt, Brown</td><td></td><td></td><td></td></tr> <tr><td>32</td><td>37</td><td>Clay, Red Brown</td><td></td><td></td><td></td></tr> <tr><td>37</td><td>64</td><td>Sand, Brown</td><td></td><td></td><td></td></tr> <tr><td>64</td><td>73</td><td>Sand, Brown-Red Brown</td><td></td><td></td><td></td></tr> <tr><td>73</td><td>76</td><td>Clay, Gray Brown</td><td></td><td></td><td></td></tr> <tr><td>76</td><td>81</td><td>Clay, Gray Brown</td><td></td><td></td><td></td></tr> <tr><td>81</td><td>85</td><td>Sand, Brown</td><td></td><td></td><td></td></tr> <tr><td>85</td><td>102</td><td>Sand, Brown</td><td></td><td></td><td></td></tr> <tr><td>102</td><td>112</td><td>Sand, Red Brown</td><td></td><td></td><td></td></tr> <tr><td>112</td><td>117</td><td>Clay, Red Brown</td><td></td><td></td><td></td></tr> <tr><td>117</td><td>126</td><td>Sand, Brown-Gray Brown</td><td></td><td></td><td>MW11, Tag #, Flushmount</td></tr> <tr><td>126</td><td>135</td><td>Sand, Red Brown</td><td></td><td></td><td>Project Name: Colby Public Power</td></tr> <tr><td>135</td><td>143</td><td>Sand, Red Brown</td><td></td><td></td><td>GeoCore # 740, KDHE # A6 097 40187</td></tr> </tbody> </table>										FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	1	Gravel, Clay Sand (Fill),				1	7	Clay, Brown				7	32	Silt, Brown				32	37	Clay, Red Brown				37	64	Sand, Brown				64	73	Sand, Brown-Red Brown				73	76	Clay, Gray Brown				76	81	Clay, Gray Brown				81	85	Sand, Brown				85	102	Sand, Brown				102	112	Sand, Red Brown				112	117	Clay, Red Brown				117	126	Sand, Brown-Gray Brown			MW11, Tag #, Flushmount	126	135	Sand, Red Brown			Project Name: Colby Public Power	135	143	Sand, Red Brown			GeoCore # 740, KDHE # A6 097 40187
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																																																																				
0	1	Gravel, Clay Sand (Fill),																																																																																																							
1	7	Clay, Brown																																																																																																							
7	32	Silt, Brown																																																																																																							
32	37	Clay, Red Brown																																																																																																							
37	64	Sand, Brown																																																																																																							
64	73	Sand, Brown-Red Brown																																																																																																							
73	76	Clay, Gray Brown																																																																																																							
76	81	Clay, Gray Brown																																																																																																							
81	85	Sand, Brown																																																																																																							
85	102	Sand, Brown																																																																																																							
102	112	Sand, Red Brown																																																																																																							
112	117	Clay, Red Brown																																																																																																							
117	126	Sand, Brown-Gray Brown			MW11, Tag #, Flushmount																																																																																																				
126	135	Sand, Red Brown			Project Name: Colby Public Power																																																																																																				
135	143	Sand, Red Brown			GeoCore # 740, KDHE # A6 097 40187																																																																																																				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12/17/98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/yr) 1/14/99 under the business name of Woofter Pump & Well by (signature) <i>[Signature]</i>																																																																																																									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-298-5545. Send one to WATER WELL OWNER and retain one for your records.																																																																																																									

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4

