		LL RECORD	Form WWC-5	KSA 82a- ion Number	1212 Township N	umber	Range Nui	mber
CATION OF WATER WELL:	Fraction, W 14 S	E 1/4 1) (Sect		T 7	i	R 3//	E/W
nty: homas nce and direction from nearest tow							<i></i>	
WELL OWNER MEX	le Albright.							
711	Court Terroo	e	3.		Board of	Agriculture, D	ivision of Water	Resources
	1. 115 6770	/				n Number:		
CATE WELL'S LOCATION WITH	4 DEPTH OF COMPL	ETED WELL6	o	. ft. ELEVAT	TION:		••••••	
"X" IN SECTION BOX:	Depth(s) Groundwater	Encountered 1	為 9' # he		ace measured o	n mo/day/yr	3-17-9	2
	D tont	data: \Mall wate	r was	ft. af	ter	, nours pur	nping	· · · · · Abiii
NW NE	Fot Viold	anm: Well water	r was	ft. af	ter	, nours pur	nping	···· gp
!** !	Bore Hole Diameter	In. to			ınd	. , ,	10	
W E	WELL WATER TO BE USED AS:		5 Public wate	r supply	8 Air conditioning 11 Injection well 12 Other (Specify below)			
	① Domestic	2 Enadlet	6 Oil field wat	er supply	9 Dewatering	12 (Other (Specify b	elow)
SW SE	2 Irrigation	4 Industrial	7 Lawn and g	arden only 1	0 Monitoring we	II		
	2 Irrigation Was a chemical/bacter	riological sample :	submitted to De	partment? Ye	sNo kor Woll Disinfect	; If yes, ed? Yes	mo/day/yr samp No	ne was sub-
S S SHANK CARING LICED.	mitted 5 W	/rought iron	8 Concre	ote tile	ter Well Disinfect CASING JO	DINTS: Glued	I Clampe	ed
YPE OF BLANK CASING USED:	6 A	sbestos-Cement	9 Other	(specify below	v)	Welde	ed	
1)Steel '3 RMP (S	7 F	iberglass				Threa	ided	
2 PVC 4 ABS	in. to	. ft., Dia	in. to		ft., Dia		in. to	ft.
k casing diameter	5.1. Below in.,	weight		lbs./				
E OF SCREEN OR PERFORATION	ON MATERIAL:		7 PV	C	10 A	Magina-come		
1 Steel 3 Stainles		iberglass		IP (SR)			. ,	
2 Brass 4 Galvani	ized steel 6 C	Concrete tile	9 AB	S		one used (op	en noie) 11 None (opei	n hole)
REEN OR PERFORATION OPEN	NGS ARE:		ed wrapped		8 Saw cut 9 Drilled holes		Ti None (ope	11 11010)
1 Continuous slot 3 I	Mill slot		wrapped					
	Key punched : From	7 Torcl	n cut	# Eros	m (O Other (spec	ft. t	0	
REEN-PERFORATED INTERVALS	From	It. to		# From	m	ft. t	0	ft.
		tt to		ft. Fro	m	ft. t	0	ft.
GRAVEL PACK INTERVALS	From	ft. to		ft Fro	m	ft, t	lo	ft.
GROUT MATERIAL: 1 Neal			(3) Bento		Other			• • • • • • • •
out Intervals: From	t cement 2 Ce	ft., From	9 ft.	to. 5	ft., From .		ft. to	
at is the nearest source of possible	e contamination:	•	•	10 Lives	ttock bens	17 (Danidonica mate	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel storage 15 Oil well/Gas w			oil well/Gas well	A A
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage 16 Other (specific storage None, Pastur		other (specify be	y Delow)	
3 Watertight sewer lines 6 See	epage-pit	9 Feedyard			cticide storage	JUDINE	. Pasturs	φ,φ
ection from well?			I FROM	How ma	ny feet?	PLUGGING	INTERVALS	
ROM TO	LITHOLOGIC LOG		FROM	1.50	Washed			
			<u> </u>	47	Bentor			
			130	13/1	Clay	l-1-2-		
			1 9	5	Benton	7c		
				0	Compac	ted ()	0 V + 10 PS	601/
	1 1					429 - 2 f		
	Tunteer				Nec	29/1/W/	5101	
1 11/0					W.C.	JA W	51111	
					1/2/2			
	Andrews (1981) 18 (1981) 18 (1981) 18 (1981) 18 (1981) 18 (1981) 18 (1981) 18 (1981) 18 (1981) 18 (1981) 18 (19			_	<u> </u>	A A MOR	,	
						201998		
							process	
					DIVIS	SION (
					E'NWI	SOMM	The state of the s	
					anatrusted as fir	nlunned iii	nder my lurisdict	tion and was
CONTRACTOR'S OR LANDOWN	IER'S CERTIFICATION	: This water well	was (1) constr	ucted, (2) rec	ond is true to the	best of mv k	nowledge and b	ellef. Kansas
moleted on (molday/year)	<- /- 70X			and this rec	Old is find to the	Dog Cor Inj	10/1/200	
ater Well Contractor's License No.	••••••	This Water	AABII HACOLO A	by (sign	sture)	- Te	Salas	And the second s
der the business name of				by (sign	~~~~	9-1-1-1		And the same of th