

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Thomas</u>		<u>SW 1/4 SE 1/4 SW 1/4</u>	<u>36</u>	<u>T 7 S</u>	<u>R 34 EW</u>
Distance and direction from nearest town or city street address of well if located within city? <u>1975 W 4th Street Colby KS</u>					
2 WATER WELL OWNER: <u>Ruthanne W Jacobs Vernon Jacobs</u>				Board of Agriculture, Division of Water Resources	
RR#, St. Address, Box #: <u>5515 E 61 North Street</u>				Application Number:	
City, State, ZIP Code: <u>Winchata, KS 67220</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>190</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>17</u> ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter in. to ft., and in. to ft.			
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes.....No <u>X</u> ;		If yes, mo/day/yr sample was submitted			
Water Well Disinfected? Yes <u>X</u> No					
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped			
1 Steel 3 RMP (SR)		Welded			
2 PVC 4 ABS		Threaded			
Blank casing diameter <u>4</u> in. to ft., Dia. in. to ft., Dia. in. to ft.					
Casing height above land surface <u>48</u> in., weight lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) <u>NA</u>		12 None used (open hole)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes					
2 Louvered shutter 4 Key punched <u>NA</u> 7 Torch cut <u>NA</u> 10 Other (specify) <u>NA</u>					
SCREEN-PERFORATED INTERVALS: From <u>NA</u> ft. to <u>NA</u> ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: <u>1 Neat cement</u> 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From <u>7</u> ft. to <u>140</u> ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage <u>NONE</u>					
Direction from well?		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			<u>4</u>	<u>140</u>	<u>Neat Cement</u>
			<u>15</u>	<u>5</u>	<u>Bentonite</u>
			<u>0</u>	<u>5</u>	<u>Concrete</u>
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>4/28/94</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>577</u> This Water Well Record was completed on (mo/day/yr) <u>5/2/94</u> under the business name of <u>Darrish Inc</u> by (signature) <u>Walter Darrish</u>					