LOCATION OF WAT	TER WELL:	Fraction			Section Number	Iownsi	nip Number	Han	ge Numb	er.
County: Thoma	i,s	SW 1/4	NE 1/4	NW 1/4	36	T	7 S	R	- 34	E/W
Distance and direction		•	ress of well if locat	ed within cit	y?				<del>-</del>	_
	orth of Col									
WATER WELL OW	NER: Dennis	Peterson								
RR#, St. Address, Bo	x # : 845 Che	rokee				Board	d of Agriculture,	Division of	Water Re	esource
City, State, ZIP Code	Colby.	Ke 67701				Applie	cation Number:			
LOCATE WELL'S L	OCATION WITH 4	DEPTH OF COM	MPLETED WELL	200	th FLEVA	TION:			· · · · · · · · · · · · · · · · · · ·	
AN A IN SECTION			iter Encountered							
·			ATER LEVEL							
NW X -	NE		est data: Well wat							
1			gpm: Well wa							
w			r8in. to					n. to	· · · · · · ·	ft
*	!     W	ELL WATER TO	BE USED AS:			8 Air conditi	•	Injection v	vell	
sw	SE	1 Domestic	3 Feedlot	6 Oil field	water supply	9 Dewaterin	g 12	Other (Sp	ecify belo	w)
;;;	3	2 Irrigation	4 Industrial	7 Lawn a	nd garden only	10 Monitoring	j weil			
. l i '		as a chemical/ba	cteriological sample	submitted t	Department? Y	esNo	; If yes	s, mo/day/y	r sample v	was su
		tted					nfecte <b>xt?x</b> ★/es		No	
TYPE OF BLANK (	CASING USED:	5	Wrought iron	8 Co	ncrete tile	CASING	3 JOINTS: Glue	d x (	Clamped .	
1 Steel	3 RMP (SR)		Asbestos-Cement		ner (specify below			ded		
2 PVC	4 ABS		7 Fiberglass			•		aded		
Blank casing diameter			•				· · · · · -			
Casing height above li			i., weigni∠					-, -	<i>II.</i>	
YPE OF SCREEN O			. =,,		PVC		Asbestos-cem			
1 Steel	3 Stainless st		Fiberglass		RMP (SR)		Other (specify			
2 Brass	4 Galvanized		6 Concrete tile	9	ABS		None used (o			
CREEN OR PERFO	RATION OPENINGS	ARE:	5 Gau	zed wrappe	d	8 Saw cut	_	11 None	(open ho	ole)
1 Continuous slo	ot 3 Mill s	slot	6 Wire	wrapped		9 Drilled h	oles			
2 Louvered shut	ter 4 Key	punched	7 Tord	h cut		10 Other (s	pecify)		<i>.</i> .	
	ED INTERVALO.	_ 100								
SCREEN-PERFORAT	ED INTERVALS:	From I.&U	ft. to .	200	ft., Fro	m <i></i>	, ft.	to		ft
SCREEN-PERFORAT	ED INTERVALS:		ft. to .							
	CK INTERVALS:	From			ft., Fro	m	ft.	to		ft
		From	ft. to .		ft., Fro	m	ft.	to to		ft
GRAVEL PA	CK INTERVALS:	From	ft. to	200	ft., Fro ft., Fro ft., Fro	m	ft. ft.	to to to		ft ft ft
GRAVEL PA	CK INTERVALS:	From		. 200	ft., Fro ft., Fro ft., Fro entonite 4	m	ft. ft. ft. ft. ft. ft.	toto		ft ft ft
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro	CK INTERVALS:  _: 1 Neat cerr m 4. ft.	From 1 8		. 200	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		to to		ft
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so	CK INTERVALS:  1 Neat cem  4. ft. burce of possible con	From 18	ft. to ft., From ft., From ft.,	. 200	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		totototototto	water we	ft
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank	CK INTERVALS:  1 Neat cem  2 ft. burce of possible con 4 Lateral I	From 18 From 2 to 18	ft. toft. to	3 B	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m	ft. ft. ft. om 14 /	tototoft. toft. toAbandoned	water we	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines	CK INTERVALS:  1 Neat cem  2 the purce of possible coin 4 Lateral I 5 Cess po	From	Cement grout  7 Pit privy 8 Sewage lag	3 B	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m	ft. ft. ft. 	tototoft. toAbandoned	water we s well sify below	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev	CK INTERVALS:  1 Neat cerr  2 ft.  2 curce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage	From	ft. toft. to	3 B	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well?	CK INTERVALS:  1 Neat cerr  1 Neat cerr  1 Neat cerr  1 Neat cerr  2 the course of possible corr  4 Lateral I  5 Cess power lines 6 Seepage  East	From18 From  nent 2 to18 ntamination: ines col e pit	Cement grout  7 Pit privy 8 Sewage lag 9 Feedyard	3 Begoon	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO	CK INTERVALS:  1 Neat cerr  1 Neat cerr  2 ft.  2 curce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage  East	From	Cement grout  7 Pit privy 8 Sewage lag 9 Feedyard	3 B	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m	ft. ft. ft. 	tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 50	CK INTERVALS:  1 Neat cerr  1 Neat cerr  2 ft.  2 curce of possible corr  4 Lateral I  5 Cess power lines 6 Seepage  East  top soil	From 18 From	ft. to	3 Begoon	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 50 50 70	CK INTERVALS:  1 Neat cem  2 ft.  2 curce of possible con  4 Lateral I  5 Cess po  2 rer lines 6 Seepage  East  top soil  sand and	From 18	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard OG	3 Begoon	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA  GROUT MATERIAL  Grout Intervals: Fro  Vhat is the nearest so  1 Septic tank 2 Sewer lines 3 Watertight sew  Direction from well?  FROM TO  0 50  50  70  121	CK INTERVALS:  1 Neat cem	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard OG	3 Begoon	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 50 50 70 70 121 121 126	CK INTERVALS:  1 Neat cerr  1 Neat cerr  1 Neat cerr  2 th  2 tr  3 Cess power lines 6 Seepage  East  1 top soil  1 sand and  1 sand roc	From	ft. to ft. ft. ft. ft. from ft., ft., ft.	3 Begoon	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA  GROUT MATERIAL  Grout Intervals: Fro  Vhat is the nearest so  1 Septic tank 2 Sewer lines 3 Watertight sew  Direction from well?  FROM TO  0 50  50  70  121	CK INTERVALS:  1 Neat cerr  1 Neat cerr  1 Neat cerr  2 th  2 tr  3 Cess power lines 6 Seepage  East  1 top soil  1 sand and  1 sand roc	From	ft. to ft. ft. ft. from ft., ft.	3 Begoon	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 50 50 70 70 121 121 126	CK INTERVALS:  1 Neat cerr  1 Neat cerr  1 Neat cerr  2 th  2 tr  3 Cess power lines 6 Seepage  East  1 top soil  1 sand and  1 sand roc	From	ft. to ft. ft. ft. ft. from ft., ft., ft.	3 Begoon	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 50 50 70 70 121 121 126 126 153 153 177	CK INTERVALS:  1 Neat cerr  1 Neat cerr  2 ft.  2 Cess po  3 Cess po  4 Lateral I  5 Cess po  6 Seepage  East  1 top soil  1 sand and  2 sand roc  3 sand and  5 cess po  6 sand and	From	ft. to ft. ft. ft. ft. from ft., ft., ft.	3 Begoon	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 50 50 70 70 121 121 126 126 153 153 177 177 179	CK INTERVALS:  1 Neat cerr  1 Neat cerr  2 ft.  2 Lateral I  5 Cess power lines 6 Seepage  East  top soil  sand and sandy cl sand roc sand and sand goo sand roc	From	ft. to ft. ft. ft. ft. from ft., ft., ft.	3 Begoon	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 50 50 70 70 121 121 126 126 153 153 177 177 179 179 197	CK INTERVALS:  1 Neat cer  2 ft.  2 Lateral I  5 Cess power lines 6 Seepage East  top soil sand and sandy cl sand roc sand and sand goo sand roc sand goo sand goo	From	ft. to ft. ft. ft. ft. from ft., ft., ft.	3 Begoon	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA  GROUT MATERIAL  irout Intervals: Fro  /hat is the nearest so  1 Septic tank 2 Sewer lines 3 Watertight sew  irrection from well?  FROM TO  0 50  50 70  70 121  121 126  126 153  153 177  177 179	CK INTERVALS:  1 Neat cerr  1 Neat cerr  2 ft.  2 Lateral I  5 Cess power lines 6 Seepage  East  top soil  sand and sandy cl sand roc sand and sand goo sand roc	From	ft. to ft. ft. ft. ft. from ft., ft., ft.	3 Begoon	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA  GROUT MATERIAL  irout Intervals: Fro  //hat is the nearest so  1 Septic tank 2 Sewer lines 3 Watertight sew  irection from well?  FROM TO  0 50  50 70  70 121  121 126  126 153  153 177  177 179  179 197	CK INTERVALS:  1 Neat cer  2 ft.  2 Lateral I  5 Cess power lines 6 Seepage East  top soil sand and sandy cl sand roc sand and sand goo sand roc sand goo sand goo	From	ft. to ft. ft. ft. ft. from ft., ft., ft.	3 Begoon	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 50 50 70 70 121 121 126 126 153 153 177 177 179 179 197	CK INTERVALS:  1 Neat cer  2 ft.  2 Lateral I  5 Cess power lines 6 Seepage East  top soil sand and sandy cl sand roc sand and sand goo sand roc sand goo sand goo	From	ft. to ft. ft. ft. ft. from ft., ft., ft.	3 Begoon	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 50 50 70 70 121 121 126 126 153 153 177 177 179 179 197	CK INTERVALS:  1 Neat cer  2 ft.  2 Lateral I  5 Cess power lines 6 Seepage East  top soil sand and sandy cl sand roc sand and sand goo sand roc sand goo sand goo	From	ft. to ft. ft. ft. ft. from ft., ft., ft.	3 Begoon	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 50 50 70 70 121 121 126 126 153 153 177 177 179 179 197	CK INTERVALS:  1 Neat cer  2 ft.  2 Lateral I  5 Cess power lines 6 Seepage East  top soil sand and sandy cl sand roc sand and sand goo sand roc sand goo sand goo	From	ft. to ft. ft. ft. ft. from ft., ft., ft.	3 Begoon	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA  GROUT MATERIAL  irout Intervals: Fro  //hat is the nearest so  1 Septic tank 2 Sewer lines 3 Watertight sew  irection from well?  FROM TO  0 50  50 70  70 121  121 126  126 153  153 177  177 179  179 197	CK INTERVALS:  1 Neat cer  2 ft.  2 Lateral I  5 Cess power lines 6 Seepage East  top soil sand and sandy cl sand roc sand and sand goo sand roc sand goo sand goo	From	ft. to ft. ft. ft. ft. from ft., ft., ft.	3 Begoon	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 50 50 70 70 121 121 126 126 153 153 177 177 179 179 197	CK INTERVALS:  1 Neat cer  2 ft.  2 Lateral I  5 Cess power lines 6 Seepage East  top soil sand and sandy cl sand roc sand and sand goo sand roc sand goo sand goo	From	ft. to ft. ft. ft. ft. from ft., ft., ft.	3 Begoon	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas	water wes well	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 50 50 70 70 121 121 126 126 153 153 177 177 179 179 197 197 200	CK INTERVALS:  1 Neat cer  2 ft.  2 Lateral I  5 Cess power lines 6 Seepage  East  top soil  sand and sandy cl sand roc sand and sand goo sand roc sand goo oker and	From	Cement grout  ft. to  Cement grout  ft., From  7 Pit privy 8 Sewage lag 9 Feedyard  OG  Lay strips  Ck strips	goon FROM	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m		tototoft. toAbandoned Dil well/Gas Dther (spec	water we swell eify below.	
GRAVEL PA  GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 50 50 70 70 121 121 126 126 153 153 177 177 179 179 197 197 200  CONTRACTOR'S	CK INTERVALS:  1 Neat cerr  2 ft.  2 Lateral I  5 Cess power lines 6 Seepage East  top soil sand and sandy cl sand roc sand and sand goo sand roc sand goo oker and  OR LANDOWNER'S	From	ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard OG Lay strips Ck strips N: This water well	goon FROM	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	m	ft.	to	water we swell eify below;	and wa
GRAVEL PA  GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 50 50 70 70 121 121 126 126 153 153 177 177 179 179 197 197 200  CONTRACTOR'S completed on (mo/day)	CK INTERVALS:  1 Neat cem  2 ft.  2 Lateral I  5 Cess power lines 6 Seepage East  top soil sand and sandy cl sand roc sand and sand goo sand roc sand goo oker and  OR LANDOWNER'S	From	ft. to ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard DG Lay strips Ck strips N: This water well 6-92	goon FROM	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	onstructed, or	om	to	water we swell eify below;	and wa
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 50 50 70 70 121 121 126 126 153 153 177 177 179 179 197	CK INTERVALS:  1 Neat cerr  2 ft.  2 curce of possible corr  4 Lateral I  5 Cess por  2 rer lines 6 Seepage  East  1 top soil  sand and sandy cl  sand roc sand and sand goo sand roc sand goo oker and  OR LANDOWNER'S  2 year)  3 License No	From	ft. to ft. ft., From ft., Fro	goon FROM	ft., Fro ft., Fro ft., Fro entonite 4 ft. to	onstructed, or one find the total true to too one find day/y	om	to	water we swell eify below;	