

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: THOMAS		NE ¼ SE ¼ SE ¼	7	T 7 S	R 35 EW
Distance and direction from nearest town or city street address of well if located within city? CONFIRMED BY LMD *					
2 WATER WELL OWNER: ESTHER G. TOWNSEND RR#, St. Address, Box # : 418 SMITH DR. City, State, ZIP Code : COLBY, KS 67701					
Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL. ~ UNK ~ 75' ELEVATION:			
		Depth(s) Groundwater Encountered 1 ft. 2. .ft. 3. .ft.			
		WELL'S STATIC WATER LEVEL ... DRY ... ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was .ft. after .hours pumping .gpm			
		Est. Yield .gpm; Well water was .ft. after .hours pumping .gpm			
		Bore Hole Diameter .in. to .ft., and .in. to .ft.			
		WELL WATER TO BE USED AS: ① Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED:					
① Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile		CASING JOINTS: Glued Clamped	
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)		Welded	
Blank casing diameter .in. to .ft., Dia .in. to .ft., Dia .in. to .ft.		7 Fiberglass		Threaded	
Casing height above land surface .in., weight lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)		7 PVC 10 Asbestos-cement			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)		6 Wire wrapped		9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From .ft. to .ft., From .ft. to .ft.					
GRAVEL PACK INTERVALS: From .ft. to .ft., From .ft. to .ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other HOLE PLUG					
Grout intervals: From .ft. to .ft., From .ft. to .ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well		11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)		13 Insecticide storage			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard					
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			~ 75	65	SAND
			65	5	CLAY
			5	0	HOLE PLUG
OCT 19 1989					
DIVISION OF ENVIRONMENT					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or ③ plugged under my jurisdiction and was completed on (mo/day/year) 10-9-89 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr) 10-9-89 under the business name of by (signature) Gerald Tubbs					