		R WELL RECORD FO	orm WWC-5	KSA 82a			
LOCATION OF WATER WELL:	Fraction	when we are a		ion Number			Range Number
unty: SHERMAN tance and direction from nearest to	NC 1/4		1/4	_1/	J T	S	R 42 EW
			within City?				
8N €3E	TE KITHO	RADO					
WATER WELL OWNER: TAM	ES PRITE						
#, St. Address, Box # : RT 3	BOX 72				Board of	Agriculture, [Division of Water Resource
, State, ZIP Code : Cののĵ	CX, CHALL	67735			Application	n Number:	
OCATE WELL'S LOCATION WITH N "X" IN SECTION BOX:	DEPTH OF CO	OMPLETED WELL /.4	ά.Ο	. ft. ELEVA	TION:		
N	Depth(s) Groundy	VALER ENCOUNTERED 1	 8	المالينينية	<u> </u>	IL. 3	
X! !							
NW NE	1					•	mping gpi
	1	<u> </u>					mping gpi
w !							to
	l .		Public water		8 Air conditionin	-	Injection well
sw st	(1)Domestic						Other (Specify below)
			_	-			
i i i	Was a chemical/b	acteriological sample sub	omitted to De	partment? Y	esNo	; If yes,	mo/day/yr sample was si
<u> </u>	mitted			Wa	ter Well Disinfect	ed? Yes	No
TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concre	te tile	CASING JO	INTS: Glued	I Clamped
(1) Steel 3 RMP (S	SR)	6 Asbestos-Cement	9 Other (specify below	v)	Weld	ed
2 PVC 4 ABS	•	7 Fiberglass				Threa	ided
nk casing diameter	in to 160						
ing height above land surface							
PE OF SCREEN OR PERFORATION		mi, woight	7 PVC			bestos-ceme	
		5 Fiberglass		P (SR)			
1 Steel 3 Stainles				• •			
2 Brass 4 Galvani		6 Concrete tile		•		ne used (op	
REEN OR PERFORATION OPENIN		5 Gauzed					11 None (open hole)
1 Continuous slot 3 N	Mill slot	6 Wire wr	• •		9 Drilled holes		
	Cav auachad	7 Torch c			40 Other /		
2 Louvered shutter 4 kg					• •		
	: From	ft. to			m	ft. t	o
2 Louvered shutter 4 kg	: From	ft. to			m	ft. t	
2 Louvered shutter 4 kg	: From	ft. to		ft., Fro	m	ft. t	o
2 Louvered shutter 4 k REEN-PERFORATED INTERVALS:	: From	ft. to ft. to ft. to ft. to		ft., Fro	m	ft. t ft. t	o
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS	From From From	ft. to ft. to ft. to ft. to		ft., Fro ft., Fro ft., Fro	m	ft. t ft. t ft. t	o
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat	From From From From	ft. to	3 Bentor	ft., Fro ft., Fro ft., Fro nite 4	m	ft. ti	o
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat out Intervals: From. A.M.K	From	ft. to	3 Bentor	ft., Froft., Fro ft., Fro nite 4	m	ft. t. ft. t. ft. t. ft. t. ft. t	o
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat out Intervals: From. AMA at is the nearest source of possible	From From From From cement 2 ft. to Frontamination:	ft. to	3 Bentor	ft., Froft., Fro ft., Fro nite 4 to	mm m Other ft., From .	ft. t. ft. f	o
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat out Intervals: From. AMA at is the nearest source of possible 1 Septic tank 4 Late	From From From cement ft. to contamination: eral lines	ft. to	3 Bentor	ft., Froft., Fro ft., Fro nite 4 to	mm mm Other ft., From ttock pens storage	ft. t. ft. f	o
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat but Intervals: From. J. J. J. J. at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces	From From From cement 2 ft. to contamination: eral lines s pool	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo	3 Bentor	ft., Froft., Fro ft., Fro nite 4 to 10 Lives 11 Fuel 12 Fertil	m	ft. t. ft. f	o
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat ut Intervals: From. AMA at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See	From From From cement 2 ft. to contamination: eral lines s pool	ft. to	3 Bentor	ft., Fro ft., Fro ft., Fro nite 4 to	m	ft. t. ft. f	o
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS ROUT MATERIAL: 1 Neat at Intervals: From. A.A at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See ction from well?	From	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	tt., Fro ft., Fro ft., Fro nite 4 to	m	ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	ooo
2 Louvered shutter 4 KREEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat ut Intervals: From. A.M.C at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See oction from well?	From From From cement 2 ft. to contamination: eral lines s pool	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	ft., Fro ft., Fro ft., Fro nite 4 to	m	ft. t. ft. f	ooo
2 Louvered shutter 4 KREEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat ut Intervals: From. A.M.C at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See oction from well?	From	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	tt., Fro ft., Fro ft., Fro nite 4 to	m	ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	ooo
2 Louvered shutter 4 KREEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat ut Intervals: From. A.M.C at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See oction from well?	From	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	tt., Fro ft., Fro ft., Fro nite 4 to	m	ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	ooo
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat ut Intervals: From. AMA at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See ection from well?	From	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	tt., Fro ft., Fro ft., Fro nite 4 to	m	ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	ooo
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat ut Intervals: From. AMA at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See ection from well?	From	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	tt., Fro ft., Fro ft., Fro nite 4 to	m	ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	ooo
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat ut Intervals: From. AMA at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See ection from well?	From From From From cement 2 ft. to contamination: eral lines s pool page pit	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	tt., Fro ft., Fro ft., Fro nite 4 to	m	ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	ooo
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat out Intervals: From. AMA at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See ection from well?	From From From From cement 2 ft. to contamination: eral lines s pool page pit	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	tt., Fro ft., Fro ft., Fro nite 4 to	m	ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	ooo
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat out Intervals: From. AMA at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See oction from well?	From From From From cement 2 ft. to contamination: eral lines s pool page pit	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	tt., Fro ft., Fro ft., Fro nite 4 to	m	ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	ooo
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat out Intervals: From. A.M at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See ection from well?	From From From From cement 2 ft. to contamination: eral lines s pool page pit	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	tt., Fro ft., Fro ft., Fro nite 4 to	m	ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	ooo
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat ut Intervals: From. AMA at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See ection from well?	From From From From cement 2 ft. to contamination: eral lines s pool page pit	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	tt., Fro ft., Fro ft., Fro nite 4 to	m	ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	ooo
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat out Intervals: From. AMA at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See oction from well?	From From From From cement 2 ft. to contamination: eral lines s pool page pit	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	tt., Fro ft., Fro ft., Fro nite 4 to	mm Tothertock pens storage izer storage izer storage iny feet?	ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	o
2 Louvered shutter 4 KREEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat ut Intervals: From. A.M.C at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See oction from well?	From From From From cement 2 ft. to contamination: eral lines s pool page pit	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	tt., Fro ft., Fro ft., Fro nite 4 to	mm Tothertock pens storage izer storage izer storage iny feet?	ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	ooo
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS ROUT MATERIAL: 1 Neat at Intervals: From. A.M.C at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See ction from well?	From From From From cement 2 ft. to contamination: eral lines s pool page pit	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	tt., Fro ft., Fro ft., Fro nite 4 to	mm Tothertock pens storage izer storage izer storage iny feet?	ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	o
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat out Intervals: From. AMA at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See oction from well?	From From From From cement 2 ft. to contamination: eral lines s pool page pit	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	tt., Fro ft., Fro ft., Fro nite 4 to	mm Tothertock pens storage izer storage izer storage iny feet?	ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	o
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat out Intervals: From. AMA at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See ection from well?	From From From From cement 2 ft. to contamination: eral lines s pool page pit	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	tt., Fro ft., Fro ft., Fro nite 4 to	mm Tothertock pens storage izer storage izer storage iny feet?	ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	o
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat ut Intervals: From. AMA at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See ection from well?	From From From From cement 2 ft. to contamination: eral lines s pool page pit	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	tt., Fro ft., Fro ft., Fro nite 4 to	mm Tothertock pens storage izer storage izer storage iny feet?	ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	o
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat out Intervals: From. A.M at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See ection from well?	From From From From cement 2 ft. to contamination: eral lines s pool page pit	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bentor	tt., Fro ft., Fro ft., Fro nite 4 to	mm Tothertock pens storage izer storage izer storage iny feet?	ft. tr. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	o
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat but Intervals: From. A.M at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Sees section from well? ROM TO	From From From Cement 2 On Contamination: For a contamination:	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard LOG	3 Bentor ft. t	tt., Fro ft., Fro ft., Fro ft., Fro nite 4 to 10 Lives 11 Fuel 12 Fertil 13 Insec How ma TO	m	tt. tr. tr. tr. tr. tr. tr. tr. tr. tr.	of
2 Louvered shutter 4 KREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat ut Intervals: From. AMK at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See action from well? ROM TO	From	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard LOG	3 Benton ft. t	tt., Fro ft., Fro ft., Fro ft., Fro nite 4 to	m	tt. tr. ft.	of the to the bandoned water well if well/Gas well ther (specify below) NTERVALS Solution Loy GMD 4
2 Louvered shutter 4 K REEN-PERFORATED INTERVALS GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat ut Intervals: From. A.K at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Ces 3 Watertight sewer lines 6 See action from well? ROM TO CONTRACTOR'S OR LANDOWNE upleted on (mo/day/year) / .~	From. From. From cement ft. to contamination: Fral lines s pool page pit LITHOLOGIC I	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard LOG	3 Benton ft. t	tt., Fro ft., Fro ft.	m	PLUGGING I	of the to the standard water well well/Gas well ther (specify below) NTERVALS Solution of the standard water my jurisdiction and wowledge and belief. Kans
2 Louvered shutter 4 KREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Neat ut Intervals: From. AMK at is the nearest source of possible 1 Septic tank 4 Late 2 Sewer lines 5 Cesi 3 Watertight sewer lines 6 See action from well? ROM TO	From. From. From cement ft. to contamination: Fral lines s pool page pit LITHOLOGIC I	ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard LOG	3 Benton ft. t	tt., Fro ft., Fro ft.	onstructed, or (3) ord is true to the to on (mo/day/yr)	PLUGGING I	of the to the bandoned water well well/Gas well ther (specify below) NTERVALS See Angle County Cou