


1 LOCATION OF WATER WELL: County: Mitchell Fraction: NE 1/4 SW 1/4 SE 1/4 Section Number: 3 Township Number: T 7 S Range Number: R 7  EW

Distance and direction from nearest town or city street address of well if located within city? 1 mile east of Beloit on R.R. #1

2 WATER WELL OWNER: Bill File RR#, St. Address, Box #: R.R. #1 City, State, ZIP Code: Beloit, KS 67420 Board of Agriculture, Division of Water Resources Application Number: Dry hole

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  DEPTH OF COMPLETED WELL: 33 ft. ELEVATION: \_\_\_\_\_ ft.

Depth(s) Groundwater Encountered: None ft. 2. \_\_\_\_\_ ft. 3. \_\_\_\_\_ ft.

WELL'S STATIC WATER LEVEL: 0/NA/999 ft. below land surface measured on mo/day/yr \_\_\_\_\_

Pump test data: Well water was NA ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm

Est. Yield 0 gpm: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm

Bore Hole Diameter: 9 in. to 33 in. to \_\_\_\_\_ in. to \_\_\_\_\_ in.

WELL WATER TO BE USED AS:  5 Public water supply  8 Air conditioning  11 Injection well  
 1 Domestic  3 Feedlot  6 Oil field water supply  9 Dewatering  12 Other (Specify below)  
 2 Irrigation  4 Industrial  7 Lawn and garden only  10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes  No  If yes, mo/day/yr sample was submitted \_\_\_\_\_

Water Well Disinfected? Yes  No \_\_\_\_\_

5 TYPE OF BLANK CASING USED:  1 Steel  2 PVC  3 RMP (SR)  4 ABS  5 Wrought iron  6 Asbestos-Cement  7 Fiberglass  8 Concrete tile  9 Other (specify below) None CASING JOINTS: Glued \_\_\_\_\_ Clamped \_\_\_\_\_ Welded \_\_\_\_\_ Threaded \_\_\_\_\_

Blank casing diameter: Ø in. to Ø ft., Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft., Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft.

Casing height above land surface: \_\_\_\_\_ in., weight \_\_\_\_\_ lbs./ft. Wall thickness or gauge No. \_\_\_\_\_

TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel  2 Brass  3 Stainless steel  4 Galvanized steel  5 Fiberglass  6 Concrete tile  7 PVC  8 RMP (SR)  9 ABS  10 Asbestos-cement  11 Other (specify) NA  12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:  1 Continuous slot  2 Louvered shutter  3 Mill slot  4 Key punched  5 Gauzed wrapped  6 Wire wrapped  7 Torch cut  8 Saw cut  9 Drilled holes  10 Other (specify) NA  11 None (open hole)

SCREEN-PERFORATED INTERVALS: From 999 ft. to 999 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

GRAVEL PACK INTERVALS: From 33 ft. to 20 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

6 GROUT MATERIAL:  1 Neat cement  2 Cement grout  3 Bentonite  4 Other \_\_\_\_\_

Grout Intervals: From 20 ft. to 0 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

What is the nearest source of possible contamination:  1 Septic tank  2 Sewer lines  3 Watertight sewer lines  4 Lateral lines  5 Cess pool  6 Seepage pit  Pit privy  8 Sewage lagoon  9 Feedyard  10 Livestock pens  14 Abandoned water well  11 Fuel storage  12 Fertilizer storage  13 Insecticide storage  15 Oil well/Gas well  16 Other (specify below)

Direction from well? \_\_\_\_\_ How many feet? 100' west

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5	loess	33	20	<del>CMA Gravel</del>
5	9	clay drk	20	0	<del>Medium Bentonite Chip</del>
9	13	white clay			
13	33	shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  (1) constructed,  (2) reconstructed, or  (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-10-96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 608 This Water Well Record was completed on (mo/day/yr) 11-16-96 under the business name of Yellow Jacket by (signature) E. J. Woodhead

OFFICE USE ONLY  
T  
R  
EW  
SEC.  
1/4  
1/4  
1/4