

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

1 LOCATION OF WATER WELL: County: Mitchell, Fraction NW 1/4 SW 1/4 SW 1/4 1/4, Section Number 12, Township No. T 7 S, Range Number R 7 E X W. Street/Rural Address of Well Location: 3 miles East of Beloit, KS. 2 WATER WELL OWNER: Forrest Hiserote, RR#, Street Address, Box #: 1728 Jasmin Rd., City, State, ZIP Code: Beloit, KS 67420. Global Positioning System (GPS) information: Latitude, Longitude, Elevation, Datum, Collection Method.

3 LOCATE WELL WITH AN "X" IN SECTION BOX: Diagram showing a 2x2 grid with SW quadrant marked with an X. 4 DEPTH OF COMPLETED WELL: 47 ft. Depth(s) Groundwater Encountered, WELL'S STATIC WATER LEVEL: 24 ft. below land surface measured on 9/27/10. Pump test data: Well water was... EST. YIELD: 5-8 gpm. Bore Hole Diameter: 9 in. to 47 ft. WELL WATER TO BE USED AS: Domestic, Feedlot, Oil field water supply, Dewatering, Other. Was a chemical/bacteriological sample submitted? No. Water well disinfected? Yes.

5 TYPE OF CASING USED: Steel, PVC, Other. CASING JOINTS: Glued, Clamped, Welded, Threaded. Casing diameter: 5 in. to 37 ft., Diameter in. to ft., Casing height above land surface: 12 in., Weight: 2.37 lbs./ft., Wall thickness or gauge No. 0.214. TYPE OF SCREEN OR PERFORATION MATERIAL: Steel, Stainless Steel, PVC, Brass, Galvanized Steel, None used (open hole). SCREEN OR PERFORATION OPENINGS ARE: Continuous slot, Mill slot, Gauze wrapped, Torch cut, Drilled holes, Louvered shutter, Key punched, Wire wrapped, Saw cut, Other. SCREEN-PERFORATED INTERVALS: From 37 ft. to 47 ft. GRAVEL PACK INTERVALS: From 20 ft. to 47 ft.

6 GROUT MATERIAL: Neat cement, Cement grout, Bentonite, Other. Grout Intervals: From 0 ft. to 20 ft. What is the nearest source of possible contamination: Septic tank, Lateral lines, Pit privy, Livestock pens, Insecticide storage, Sewer lines, Cesspool, Sewage lagoon, Fuel storage, Abandoned water well, Watertight sewer lines, Seepage pit, Feedyard, Fertilizer storage, Oil well/gas well. Direction from well, Distance from well.

Table with 6 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Rows: 0-2 Topsoil, 2-38 Clay, brown, 38-45 Creek gravel & fine-medium sand, 45-47 Shale, gray.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 9/27/10 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 138. This Water Well Record was completed on (m/day/year) 10/12/10 under the business name of Peterson Irrigation, Inc. by (signature) Mitchell Hiserote.

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.