WAIL	KWE	LL KECOKD	rorm wwc-s		Division of Water	r Kesources App. N	0	
1 LOCATION OF WATER WELL:		OF WATER WELL:	Fraction			Township No.	Range Number	
County: Mitchell			NW 1/2 SW 1/2 SE 1/4 NV		9	T 7 S		
	Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:		
from	from nearest town or intersection: If at owner's address, check here					Latitude: .39.460428 (in decimal degrees)		
N. E	N. Bell & W. 2nd St. in Beloit, Ks.			L	Longitude: 98.111207 (in decimal degrees)			
					Elevation: 1401			
2 WATER WELL OWNER: Mike Blass					Datum: WGS 84, M NAD 83, NAD 27			
	RR#, Street Address, Box #: 401 S. Central				Collection Method: GPS unit (Make/Model:)			
	C' C . TID C .				Digital Map/Photo, Topographic Map, Land Survey			
	City, State, ZIP Code : Beloit, Kansas 67420				Est. Accuracy: 3 m, 3-5 m, 5-15 m, >15 m			
3 LOCATE WELL								
WIT	VITH AN "X" IN 4 DEPTH OF COMPLETED WELL 56 R.							
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	N WELL'S STATIC WATER LEVEL35ft. below land surface measured on mo/day/yr7/28/20.15 Pump test data: Well water wasft. afterhours pumping							
		Pump	test data: Well water was		ft. after	hours pump	ping gpm	
N	w N	EST. YIELD10	1.10. gpm. Well water was		ft. after	hours pum	ping gpm	
w	w K E Bore Hole Diameter 9 in. to 60 ft., and in. to ft. WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
	- - - - - - - - - - 							
51	w s	E Domestic					Other (Specify below)	
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
mile Water well disinfected?								
		ASING USED: Steel						
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From 20 ft. to 56 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other								
Grout Intervals: From								
What is the nearest source of possible contamination:								
What is the incarest source of possible contamination. ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☑ Watertight sewer lines ☐ Scepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
Direc	ction from	n well .East	Dista	ance from	well30.ft	***************************************	••••	
FROM	ТО	LITHOLOGI	C LOG FROM	M TO	LITHO. LO	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
0	1	Fill dirt						
1	12	Sand, fine to medium						
12	18	Sand & clay					**************************************	
18	40	Clay, gritty						
40	50	Sand & gravel, medium	to coarse					
50	60	Shale, gray						
		5.7.5.8.7.4						
								
								
7 CONTRACTORS OF LANDOWNERS CERTIFICATION, TO:								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No								
DISTRIK	e busine:	I se tenerality or hell point are	DIE ACE DRESS FIRM IV and DRI	by	(signature)	IVI NEIK.		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5528. Send one conv. to WATER WELL OWNERS and retain one for some recover. Include for of \$5.00 for mode control wall. Visit to at								