WATER WELL RECORD			Form W	WC-5	Division of Wat	er Resources App. N		
1 LOCATION OF WATER WELL:			Fraction		Section Number	Township No.		
County: Mitchell			1/4 SE 1/4 SE 1/4 NW 1/4		16	· 	R 7 □E 🗹W	
		Address of Well Location;		Global Positioning System (GPS) information:				
from	nearest t	own or intersection: If at o	owner's address, check	Latitude: (in decimal degrees)				
					Longitude: (in decimal degrees)			
				Elevation:				
2 WATER WELL OWNER: Mike Blass & Dennis Lutgen					Collection Method:			
RR#, Street Address, Box #: 711 N. Woodland					GPS unit (Make/Model:)			
City	, State, Z	ID Code	S 67420		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
			Est. Accuracy:	<3 m, 3-5 m, 5	5-15 m, □>15 m			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 48								
	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)							
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	Pump test data: Well water wasft. after hours pumping gpm							
	ECT VIELD 18 cmm Well proton una A offer house numering one							
w	Pore Hole Diameter 9 in to 48 ft and in to 4							
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
sv	SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Irrigation □ Industrial ☑ Domestic-lawn & garden □ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted								
water wen distincted: (g) 1es [] 10								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Threaded								
Casing diameter								
Casing height above land surface. 24 in., Weight 2.37 lbs./ft., Wall thickness or gauge No0.214 TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From 20 ft. to 48 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout V Bentonite Other								
Grout Intervals: From .0								
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
Dire	ction from	n well			rom well			
FROM	ТО	LITHOLOG	IC LOG	FROM	TO LITHO. L	OG (cont.) or PLU	GGING INTERVALS	
0	2	Topsoil						
2	21	Clay,tan						
21	45	Sand, medium w/creek	gravel					
45	50	Shale, gray					·····	
	 					1. Transaction		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .7/8/09								
Kansas Water Well Contractor's License No138 This Water Well Record was completed on (mo/day/lear) 7/20/09								
under the business name of .PETERSON IRRIGATION, INC. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterweil/index.html								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								