MW-4

	WATER WELL RE	CORD Form WV	VC-5 KSA 8	2a-1212 ID N		,		
1 LOCATION OF WATER WELL		١. ٦		ction Number	Township Nur	mber	Range Nun	nber
County: COUD	NC 1/4	NW 1/4 N		20	т 8	S	R (Б∕ ₩)
Distance and direction from neare	st town or city stree	_		•				
ALWATER WELL OWNER	45 4-	tsh	31St, 11	ILTON	PACE, KS			
2 WATER WELL OWNER:	FOTTE T	-015-125T	TERIAZ	کـِ				
RR#, St. Address, Box # : City, State, ZIP Code :					Board of Agric Application No	umber:		
3 LOCATE WELL'S LOCATION WI	TH 4 DEPTH OF	COMPLETED WELI	30.5	ft. ELEVA	ΓΙΟΝ:			
AN "X" IN SECTION BOX:	Depth(s) Groun	ndwater Encountereg	1	<i>-1.</i> Ø ft. 2	<u>2</u>	ft. 3	. 21 1000.	ft.
I XI	WELLSSIAII	WATER LEVEL .	ת. אי. אני. ת. beid	w land surface	measured on mo/da	ay/yr <i>∟⊘.[</i>	α / . Υ	
NW NE	Est. Yield	np test data: Well v	vater was	ft. af	ter	. hours pump	ping	gpm
	li .	neter. 86.2 .5 ir			nd	in.	to	ft.
W W W	i	TO BE USED AS:			Air conditioning	11 Inject		
	1 Domestic	3 Feedlot 4 Industrial	6 Oil field wate	r supply 9	Dewatering Monitoring well . /.	ν 12 Other	CSpecify be	low)
SW SE	2 Irrigation					•		
<u> </u>	Was a chemical mitted	/bacteriological sample	e submitted to De		No X ; Well Disinfected?	•		le was sub- lo ' ∕
5 TYPE OF BLANK CASING USE		5 Wrought iron	8 Concre		CASING JOIN	TS: Glued	Clampe	ed
Steel 3 RMP	(SR)	6 Asbestos-Ceme	nt 9 Other	(specify below	·)	Welded .		
GPVC 4 ABS	20	7 Fiberglass					d	
Blank casing diameter	_ε .in. το τ							
Casing height above land surface	-	_	h.40	lbs./f	t. Wall thickness or	gauge No	• • • • • • • • • •	
TYPE OF SCREEN OR PERFORM 1 Steel 3 Stain	RATION MATERIAL Iess steel					stos-cement		
	anized steel	5 Fiberglass 6 Concrete tile	9 AB	IP (SR) S		used (open I	hole)	
SCREEN OR PERFORATION O			auzed wrapped	_	8 Saw cut		None (open	hole)
1 Continuous slot	Mill slot		ire wrapped		9 Drilled holes		110110 (00011	,
	4 Key punched		orch cut		10 Other (specify)			
SCREEN-PERFORATED INTER				•				
GRAVEL PACK INTER	From	ft. to	72 5	ft., From	• • • • • • • • • • • • • • • • • • • •	ft. to		
GIVIVEE I NON IIVIEII	From	ft. to	20.50.	ft., From		ft. to		ft.
6 GROUT MATERIAL: 1 Nea	at cement /	2)Cement grout	(3)Bentor	ite 4 O	other			
Grout Interval From. 19								
What is the nearest source of po	ssible contamination	n:		10 Livesto	ock pens	14 Aband	doned water v	well
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel storage		15 Oil well/Gas well		
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below) CONTANINAL SIL		
3 Watertight sewer lines 6 Seepage pit		9 Feedyard		13 Insecticide storageC.D.M.T.			amna	ud.Sile
Direction from well?				How many feet?				
FROM TO	LITHOLOGIC LO	OG	FROM	то	PLUG	GING INTER	RVALS	
0 .5 grav								
	Clay							
4 165 Clay	y self							
16.5 30.5 Sull	ysand							
30,5 TD and 8	of Dorchore							
7 CONTRACTOR'S OR LANDOW	NER'S CERTIFICAT							
	618100				is true to the best of	of my knowle	dge and belie	ef. Kansas
Water Well Contractor's Licence No	。	This Water	Well Record wa			611.41.6		
under the business name of	AEI			by (sig	· Nea	veill) P	
INSTRUCTIONS: Use typewriter or ball poin	t pen. PLEASE PRESS FIF	RMLYand PRINT clearly. Ple	ase fill in blanks, unde	rline or circle the cor	rect answers. Send top thre	ae copies to Kans	as Department of	Health and

Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.