

CORRECTION(S) TO WATER WELL RECORD (WWC-5)
(to rectify lacking or incorrect information)

County: Mitchell

Location listed as:

Section-Township-Range: 30-835-10 W

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): NE NE NE

Location changed to:

30-85-10 W

NE NE NE

Other changes: Initial statements: _____

Changed to: _____

Comments: _____


verification method: Written & legal descriptions, well owner's address, area road map, position on plat map, and mapping tool on KGS website.

initials: DBL date: 12/3/2007

1 LOCATION OF WATER WELL: Fraction NE 1/4 NE 1/4 NE 1/4 Section Number 30 Township Number T-83-S Range Number R-10-EW
 County: Mitchell County

Distance and direction from nearest town or city street address of well if located within city?
From Tipton KS South to Hwy 181 then west on 181 1/2 of a mile - Southside

2 WATER WELL OWNER: Tim Hollerich
 RR#, St. Address, Box #: 1092 Hwy PO Box 141
 City, State, ZIP Code: Tipton KS, 67485
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL 52 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1 20 ft. 2 40 ft. 3 ft.
 WELL'S STATIC WATER LEVEL 19 ft. below land surface measured on mo/day/yr
 Pump test data: Well water was 52 ft. after 4 hours pumping 1.5 gpm
 Est. Yield 1.5 gpm Well water was ft. after hours pumping gpm
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 9 Dewatering 12 Other (Specify below)
 Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing diameter 5 in. to 32 ft. Dia in. to ft. Dia in. to ft.
 Casing height above land surface 32 in., weight Sch. 40 lbs./ft. Wall thickness or gauge No. S.A.R. 21
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 10 Asbestos-Cement
 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RMP (SR) 11 Other (Specify)
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Guazed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From 52 ft. to 32 ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 52 ft. to 20 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 0 ft. to 0 ft., From 20 ft. to 0 ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage Open Field
 Direction from well? New Build being built South East of well How many feet? 125ft

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Topsoil			
3	20	Tan clay			
20	30	Rock + Sand coarse			
30	45	Rock + Blue clay			
45	52	Blue shale + Black shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Oct 12 07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No Lic. # 776 This Water Well Record was completed on (mo/day/yr) NOV - 7 - 07 under the business name of Rainey water well Drilling by (signature) Jerry Rainey