

1 LOCATION OF WATER WELL:		Fraction	SE ¼ SE ¼ NE ¼	Section Number	27	Township Number	T 8 S	Range Number	R 13 E/W
County: Osborne									
Distance and direction from nearest town or city street address of well if located within city? Approximately 3 miles east and 3½ miles north of Covert									
2 WATER WELL OWNER:	Osborne Industries, Inc. 120 N. Industrial Ave. P.O. Box 388 City, State, ZIP Code : Osborne, KS 67473								
					Board of Agriculture, Division of Water Resources Application Number: 40,785				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:									
4 DEPTH OF COMPLETED WELL:	49 ft.								
ELEVATION:	unknown								
WELL'S STATIC WATER LEVEL ... 4.88 ft. below land surface measured on mo/day/yr ... 5-19-93									
Pump test data: Well water was not ch'd. ft. after hours pumping gpm									
Est. Yield unknown gpm: Well water was ft. after hours pumping gpm									
Bore Hole Diameter ... 11 in. to 48 ft., and in. to ft.									
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Stock									
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes X No									
5 TYPE OF BLANK CASING USED:	5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded								
Blank casing diameter ... 5 in. to 32 ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface ... 24 in., weight 2.36 lbs./ft. Wall thickness or gauge No. .214									
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 32 ft. to 47 ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From 30 ft. to 48 ft., From ft. to ft.									
6 GROUT MATERIAL:	1 Neat cement 2 Cement grout 3 Bentonite 4 Other Bentonite Holeplug								
Grout Intervals: From 0 ft. to 4 ft., From ft. to ft., From 4 ft. to 30 ft.									
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) None known									
Direction from well? How many feet?									
LITHOLOGIC LOG									
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS				
0	4	Topsoil							
4	15	Clay, brown, hard							
15	20	Clay, tan, soft							
20	23.5	Clay, tan, hard							
23.5	30	Clay, tan, lime cobble streaks							
30	44	Lime cobble, fine, medium, some coarse, loose, clean, thin clay streaks							
44	48	Shale, black, hard							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-19-93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185. This Water Well Record was completed on (mo/day/yr) 6-18-93 under the business name of Clarke Well & Equipment, Inc. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									