|   | 12324<br>WEL   | Stock<br>L RECORD                          | Form WV              | VC-5                         | Div    | rision of Water  | r Resources App. N   | 0.   |  |
|---|--|--|----------------------|------------------------------|--------|--|--|--|--|
|   |  | F WATER WELL:                              | Fraction             |                              |        | n Number   | Township No.   | Range Number   |  |
|   | y:   |  | 1/4 NE 1/4 NE        |                              | GI I I | 28   | T 8 S  | R 15 □E ▼W   |  |
| Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here  |  |  |                      |                              |        | Global Positioning System (GPS) information:  Latitude: 39.326853 (in decimal degrees) |  |  |  |
| Approximately 9.5 miles north and 1.5 miles east of Natoma.   |  |  |                      |                              |        | Langitude: -98.992591 (in decimal degrees)   |  |  |  |
| Approximately 9.5 miles not in and 1.5 miles east of Natoma.  |  |  |                      |                              |        | Elevation: Unknown   |  |  |  |
| 2 WATER WELL OWNER: Phil Martin   |  |  |                      |                              |        | Datum: WGS 84, NAD 83, NAD 27  |  |  |  |
| RR#, Street Address, Box #: 2313 16th St.   |  |  |                      |                              |        | GPS unit (Make/Model: WAAS Digital Map/Photo, Topographic Map, Land Survey             |  |  |  |
|   |  | P Code : Great B                           |                      |                              |        | igital Map/Ph  | oto, Topograph   | ic Map, Land Survey  |  |
| 2 LOCATE WELL   |  |  |                      |                              |        | Est. Accuracy:   |  |  |  |
| 3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 50 ft.   |  |  |                      |                              |        |  |  |  |  |
| SECTION BOX: Depth(s) Groundwater Encountered $\begin{pmatrix} 1 \\ 1 \end{pmatrix}$ ft. $\begin{pmatrix} 2 \end{pmatrix}$ ft. $\begin{pmatrix} 3 \end{pmatrix}$ ft.  |  |  |                      |                              |        |  |  |  |  |
|   | Pump test data: Well water was not checked ft. after hours pumping gpm  EST. YIELD gpm. Well water was ft. after hours pumping gpm |  |                      |                              |        |  |  |  |  |
|   |  |  |                      |                              |        |  |  |  |  |
| NV  |  |  |                      |                              |        |  |  |  |  |
| \   |  |  |                      |                              |        |  |  |  |  |
| sv  |  |  |                      |                              |        |  |  |  |  |
|   |  |  |                      |                              |        |  |  |  |  |
| <u> </u>  | S Was a chemical/bacteriological sample submitted to Department? Lifes William 18 18 18 18 18 18 18 18 18 18 18 18 18              |  |                      |                              |        |  |  |  |  |
| Yes, mordayry sample was submitted   Water well disinfected?   Yes   No   |  |  |                      |                              |        |  |  |  |  |
| 5 TYPE OF CASING USED: Steel PVC Other  |  |  |                      |                              |        |  |  |  |  |
| CASING JOINTS: M Glued Clamped Welded Threaded  |  |  |                      |                              |        |  |  |  |  |
| Casing diameter 5 in. to 28 ft., Diameter in. to ft., Diameter in. to ft.  Casing height above land surface 24 in., Weight 2.36 lbs./ft., Wall thickness or gauge No214   |  |  |                      |                              |        |  |  |  |  |
| Casing height above land surface 24 in., Weight 2.36 lbs./ft., Wall thickness or gauge No   |  |  |                      |                              |        |  |  |  |  |
| TYPE OF SCREEN OR PERFORATION MATERIAL:         ☐ Steel       ☐ Other (Specify)         ☐ Other (Specify)   |  |  |                      |                              |        |  |  |  |  |
| Steel Stainless Steel ≥ PVC Specify Specify Steel None used (open hole)   |  |  |                      |                              |        |  |  |  |  |
| SCREEN OR PERFORATION OPENINGS ARE:   |  |  |                      |                              |        |  |  |  |  |
| Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)  |  |  |                      |                              |        |  |  |  |  |
| Continuous stot   |  |  |                      |                              |        |  |  |  |  |
|   |  | EL PACK INTERVALS                          | From                 | t. to                        |        | ft., From  | ft   | . to ft.   |  |
| E   | GRAVI  | EL PACK INTERVALS                          | : From 20            | ft. to                       | 52     | ft., From  | ft   | . to ft.   |  |
| From ft. to ft., From tt. to ft.  |  |  |                      |                              |        |  |  |  |  |
| 6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.  |  |  |                      |                              |        |  |  |  |  |
| What is the nearest source of possible contamination:   |  |  |                      |                              |        |  |  |  |  |
| Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)  |  |  |                      |                              |        |  |  |  |  |
|   | Sewer lin  | es Cesspoo<br>it sewer lines Seepage       |                      | Fuel storage<br>Fertilizer s |        | Oil well/g   |  | None Known   |  |
|   | tion fron  |  | pit I recayata [     | Distance                     | -      |  | ,us won  |  |  |
| FROM  | ТО   | LITHOLO                                    | GIC LOG              | FROM                         | ТО     | LITHO. L   | OG (cont.) or PL   | UGGING INTERVALS   |  |
| 0   | 4  | Topsoil                                    |                      |                              |        |  |  |  |  |
| 4   | 19   | Clay, tan, hard                            | 12.2.2.1.1.202       |                              |        |  | in the second se |  |  |
| 19  | 31   | Clay, yellow & white<br>sandstone streaks  | , nard, with         |                              | ·      |  |  | Market Control of Cont |  |
| 31  | 39   | Sandstone streaks Sandstone, hard, wi      | h white clay etreake |                              |        |  |  | 400000   |  |
| 39  | 51   | Limestone, white, ha                       |                      |                              |        | Latinor  | Accordance to the second secon | · Ann  |  |
| 51  | 52   | Shale, black, with w                       |                      |                              |        |  | ·  |  |  |
|   | -  |  |                      |                              |        |  |  |  |  |
|   |  | - 11-11-12-12-12-12-12-12-12-12-12-12-12-1 |                      |                              |        |  |  |  |  |
| TO COMPANY OF THE PROPERTY OF |  |  |                      |                              |        |  |  |  |  |
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or plugged under my jurisdiction and was completed on (mo/day/year)05/23/13 and this record is true to the best of my knowledge and belief.   |  |  |                      |                              |        |  |  |  |  |
| Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) U5/28/13   |  |  |                      |                              |        |  |  |  |  |
| under the business name of Clarke Well & Equipment, Inc. by (signature)   |  |  |                      |                              |        |  |  |  |  |
| INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  |  |  |                      |                              |        |  |  |  |  |
| Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at   |  |  |                      |                              |        |  |  |  |  |
| http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212  |  |  |                      |                              |        |  |  |  |  |
| KSA 82a   | -1212  |  |                      |                              |        | •  |  |  |  |