				R WELL RECOR			-1212			
$\Box$		ATER WELL:	Fraction			ction Number			Range Number	
	Graham		NW 1/4		NW 1/4	13	T 8	s	R 23 EW	
Distance and direction from nearest town or city street address of well if located within city?  406 W. Main - Hill City, KS										
2 WATER WELL OWNER: Consolidated State Bank										
	RR#, St. Address, Box# : <b>P.O. Box 369</b> Board of Agriculture, Division of Water Resources									
	, ZIP Code		y, Kansas 670	642			Application Number	•		
3 LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL 50 ft. ELEVATION: 2192.81										
WITH AN "X" IN SECTION BOX: Denth(s) Groundwater Encountered 1 40 ft 2 ft 3 ft										
7 6	WELL'S STATIC WATER LEVEL 39.32 ft. below land surface measured on mo/day/yr 1/30/96									
lT Y	Pump test data: Well water wasNAft. after hours pumping gpm									
-	- NV NE - Est. Yield . NA									
e W L	Bore Hole Diameter 8. in. to									
≥ W -	E WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
·	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
-	- SW	SE	2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Monitoring well,		her (Specify below)	
	i		Was a chemical	l/bacteriological sa	ample submitted t	o Department	7 YesNo.v;	If yes, m		
<u> </u>		S	submitted			Wa	ter Well Disinfected?	Yes	No ✓	
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Conc	rete tile	CASING JOINTS	Glued .	Clamped	
1 St	eel	3 RMP (SR	(3)	6 Asbestos-Cem	ent 9 Other	(specify belo	w)	Welded		
(2)P\		4 ABS		7 Fiberglass					ed <b>√</b>	
Blank casing diameter										
Casing height above land surface7.08 in., weight										
TYPE OF	SCREEN O	R PERFORATION	N MATERIAL		(7 <b>)</b> P\	/C	10 Asbesto	s-cement	:	
1 St	eel	3 Stainless	steel	5 Fiberglass	8 RM	/IP (SR)	11 Other (s	specify).		
2 Br	rass	4 Galvanize	ed steel	6 Concrete tile	9 AE	38	12 None us	sed (open	hole)	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)										
1 Continuous slot (3)Mill slot 6 Wire wrapped 9 Drilled holes										
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)										
SCREEN-PERFORATED INTERVALS:         From										
Fromπ. toπ., Fromπ. toπ. π. toπ. π. toπ. π. toπ. π. τοπ. π										
From										
6 GROUT MATERIAL: 1 Neat cement 22 Cement grout 3 Bentonite 4 Other										
Grout Intervals: From										
_ · · · · · · · · · · · · · · · · · · ·							$\overline{}$	1 1		
							er (specify below) mer. UST.Basins			
Direction 1	U	NW	ago pic	o i ooaya			ny feet? 448		2101. 0.01.240413	
FROM	TO	1111	LITHOLOGIC	LOG	FROM	ТО		SING INTI	ERVALS	
0	3	Clay, Dark Bi	rown						- C	
3	11	Clay, Light B	rown							
11	18	Clay, Red Bro	own							
18	23	Sand, Red Bro	own							
23	28	Clay, Light R								
28	31	Clay, Yellow	Brown							
31	36	Clay, Light B								
36	50	Sand, Light B	rown							
						-				
						-	FT14 M 11 004 F0FFF	779 - 2		
						<del></del>	MW4, Tag # 00159735	-	ount	
						<del></del>	Project Name: Hill City		70	
							GeoCore # 200 , KDHE			
<b>⊢</b>					ell was (1) constr		onstructed, or (3) plug		ì	
		n (mo/day/year) .		2/16/96			ecord is true to the bes			
1							completed on (mo/da)	//yr) <i>;D</i> :	A.3/4/96	
	business n			re Services, Inc		by (signa		Kol		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.										