			WAT	ER WELL RECOR		C-5 KSA 82			
		ATER WELL:	Fraction			Section Number	1	ı	Range Number
	Graham		NE ½		NW ¼	13	T 8	s	R 23 BW
		on from nearest to Hill City, KS	own or city street	address of well if	located within c	ity?			
2 WATE	R WELL O	WNER: Consoli	idated State B	Bank					
RR#, St. /	Address, Bo	x# : <b>P.O. B</b>	ox 369				Board of Agricultur	e, Division	of Water Resources
	e, ZIP Code		ty, Kansas 67				Application Numbe		
		LOCATION	4 DEPTH OF C	OMPLETED WELL	L <b>45</b>	tt. ELEV	'ATION:	2186	.51
VVIIH		ECTION BOX: N	Depth(s) Groun	dwater Encountere	ed 1	ft.	2	ft. 3	
<u></u> Т	Χ¦								
	i	_i_	Pum	p test data: Well	water was	.N.A ft. a	fter ho	urs pumpir	nggpm
	NW	NE							nggpm
Wile Wile	İ	!  _	Bore Hole Diam	neter <b>8</b> ii	n. to 4	5 ft.,	and	in. to	ft.
<u>-</u> w -		<del>                                     </del>	WELL WATER	TO BE USED AS:	5 Public war	ter supply	8 Air conditioning	11 Inje	ction well
	<u>.</u>		1 Domestic	3 Feedlot	6 Oil field w	ater supply	9 Dewatering	12 Oth	er (Specify below)
	SW	SE	2 Irrigation				10 Monitoring well		
↓	1	!!!		al/bacteriological s	ample submitted		YesNo. <b>√</b> ;	-	/day/yr sample was
<u> </u>		S	submitted			Wa	ter Well Disinfected?	Yes	No <b>√</b>
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Cor	ncrete tile	CASING JOINTS		Clamped
1 s	teel	3 RMP(SI	R)	6 Asbestos-Cen	nent 9 Oth	er (specify belo	ow)		,
<b>(2)</b> P		4 ABS		7 Fiberglass					1✔
	_								. to
Casing he	ight above	and surface	5.4	.in., weight			ft. Wall thickness or g	auge No.	Sch. 40
TYPE OF	SCREEN C	R PERFORATIO	N MATERIAL		(7 <b>)</b> F	PVC	10 Asbesto	s-cement	
1 S	teel	3 Stainless	s steel	5 Fiberglass	8 F	RMP (SR)	11 Other (s	specify)	
2 B	rass	4 Galvaniz	red steel	6 Concrete tile	9 A	<b>BS</b>	12 None us	sed (open l	nole)
SCREEN	OR PERFO	RATION OPENIN		5 0	auzed wrapped	l	8 Saw cut	11	None (open hole)
1 C	ontinuous s	slot (3)N	fill slot	6 V	Vire wrapped		9 Drilled holes		
2 L	ouvered sh	utter 4 K	(ey punched		orch cut		10 Other (specify)		
SCREEN-	PERFORAT	TED INTERVALS:	From	30	to	ft., Fr	om	ft. to .	ft.
			From	ft. 1	to	ft., Fr	om	ft. to.	
(	GRAVEL PA	CK INTERVALS							
	T MATERIA			2 Cement grout	(3)Ber	ntonite 4	Other		
Grout Inte	rvals: Fro	m <u>0</u>	. ft. to	ft., From	<del> f</del>	t. to	ft, From	f	t. to
What is th	ne nearest s	ource of possible	e contamination:			10 Lives	stock pens	14 Aban	doned water well
1 Sep	tic tank	4 Late	ral lines	7 Pit privy	/	11 Fuel	storage	15 Oil w	ell/Gas well
2 Sew	er lines	5 Cess				12 Ferti	12 Fertilizer storage (16) Other (specify below)		
3 Wat	ertight sew	er lines 6 Seep	oage pit	9 Feedya	rd		cticide storage	Form	ner. UST Basins
	from well?	NW					ny feet? 1148		
FROM	TO	<u> </u>	LITHOLOGIC	LOG	FROM	TO	PLUGO	SING INTE	RVALS
0	14	Clay, Light B							
14	18	Sand, Light I							
18	26	Clay, Light B							
26	29	Clay, Buff to							
29	33	Sand, Brown							
33	38	Clay, White t							
38	45	Clay, Mediur	n gray	4.10.00					
			4						
			1.00			I I	AW10, Tag#00159674	t, Flushmo	unt
							Project Name: Hill City		
							GeoCore # 200 , KDHE	# U6 033 7	65
7 CONTR	ACTORS	OR LANDOWNER	S CERTIFICAT	ION: This water w	ell was (1) cons	tructed. (2) rec	onstructed, or (3) plug	aed under	my jurisdiction
_		n (mo/day/year)		A 12 10 C			ecord is true to the bes	-	
									-7
	/ater vvell (	contractor's Licen	se No	<b>52</b> 7	This Water W	ell Record was	completed on (molday	/vr)	3/4/96
under the	/ater vvell C business na						completed on (molday	(yr)	3/4/96
	business n	ame of	GeoCo	re Services, Inc	2.	by (signa	. , , , , ,	1/4	el