WATE	R WEI	LL RECORD	Form W	/WC-5	Division of Wa	ter Resources App. No	o. L	
1 LOCATION OF WATER WELL:			Fraction		Section Number	Township No.	Range Number	
County: Sheridan			1/2 NE 1/2 SV	N ¼ NE ¼	21	T 8 S		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information: Latitude:			
1531' from E Line, 1966' from N line					Longitude: (in decimal degrees)			
1001 Home Ento, 1000 Home Will					Elevation:			
2 WATER WELL OWNER: HJ Pratt					Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
RR#, Street Address, Box #: Rt 2					GPS unit (Make/Model:)			
City, State, ZIP Code : Hoxie, KS 67740					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL								
WIT	H AN "X	" IN 4 DEPTH OF	COMPLETED WEI					
SEC						ft. (2) ft. (3) ft.		
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr Pump test data: Well water wasft. afterhours pumping								
- N	v	'	gpm. Well water	er was	ft. after	hours pum	ping gpm	
			neter 8.5 in to					
		Domostic	TO BE USED AS: [
SW SE								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
water west distinct extra [19] Tes [140]								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 4.5								
Casing height above land surface 18 in., Weight 2.5 lbs/ft., Wall thickness or gauge No. 0.248								
TYPE (OF SCRI	EEN OR PERFORATION	MATERIAL:					
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)								
SCREE	N OR P	ERFORATION OPENING	S ARE:	•				
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify) SCREEN-PERFORATED INTERVALS: From 10 ft. to 30 ft., From ft. to ft.								
From ft to ft From ft to ft								
GRAVEL PACK INTERVALS: From 10 ft. to 30 ft., From ft. to ft.								
Fromft. toft. From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other. Grout Intervals: From								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
Direc	tion from	n well		Distance f	rom well	• • • • • • • • • • • • • • • • • • • •		
FROM		LITHOLOG	IC LOG	FROM	TO LITHO. I	OG (cont.) or PLU	GGING INTERVALS	
2	2	Surface Loess						
4	21	Fine to med sand						
21	30	Black shale						
				+				
				1				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .10/30/12 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No838 This Water Well Record was completed on (mo/day/year)								
under the business name of D&R Pump Service, LLC by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Depar truent of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								