

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

BBD

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Sheridan	Fraction SWE 1/4 NW 1/4 NW 1/4	Section number 18	Township number T 8 S R	Range number 26 X/W
2. Distance and direction from nearest town or city: From HWY 24 & Main St. Hoxie; 9 1/4 East; 1/3 North Street address of well location if in city:			3. Owner of well: Victor Karnes R.R. or street: City, state, zip code: Hoxie, Kansas			
4. Locate with "X" in section below:		Sketch map:			6. Bore hole dia. 36 in. Completion date 9-23-76 Well depth 95 ft.	
					7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
5. Type and color of material					8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
					9. Casing: Material Steel Height: Above or Below XXXX Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight .188 lbs./ft. Dia. 16 in. to 45 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gage No. #7	
					10. Screen: Manufacturer's name Brown Bridge Type Bridge Dia. 16" Slot/gauze 10% Length 40' Set between 45 ft. and 85 ft. 10' Cook ft. and 95 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/2 x 5/8	
					11. Static water level: <input type="checkbox"/> mo./day/yr. 20 ft. below land surface Date 9-26-76	
					12. Pumping level below land surfaces: 89 ft. after 2 1/2 hrs. pumping 1280 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 1280 g.p.m.	
					13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date	
					14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade	
					15. Well grouted? <input checked="" type="checkbox"/> With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Clay Concrete Depth: From 0 ft. to 10 ft.	
					16. Nearest source of possible contamination: ft. 500 Direction W Type House Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
					17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Floway Model number 056193 HP 60 Volts 480 Length of drop pipe 80' ft. capacity <input type="checkbox"/> g.p.m. Type: 8 stage 10" DOH <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
					20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Western Well & Pump 245 Business name License No. Address Box 852, Colby, KS 67701 Signed Sally Buley Date 11/17/76 Authorized representative	
18. Elevation:		19. Remarks: BROCK 93'				
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley						

8-26-76
 Sec 18 SE NW NW
 1/4 1/4 1/4 1/4