KOLAR Document ID: 1591795

	WELL R			WWC-5		vision of Wat							
Original		Correction		ge in Well Use		ources App. 1			Well ID				
			Fraction	Section Number			Township Numb		ige Number				
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: 5						1 4 1 1							
2 WELL (Business:	OWNER: L	ast Name:				rection from nearest town or intersection): If at owner's address, check here:							
	Address:							schon nom nearest town of intersection). If at owner's address, check here.					
Address:													
City:		1	State:	ZIP:									
3 LOCATE WELL WITTH WY IN 4 DEPTH OF COMPLETED WELL:						t. 5 Latit	nqe.			(decimal degrees)			
WITH "X" IN SECTION BOX:							Longitude:(decimal degrees)						
N 2)			ft. 🤅	3) ft., or 4)	Dry Well			WGS 84 🗌 NAI					
		WELL'S ST					Latitude/Longitude						
				yr) yr)			unit make/model:						
NW	NE	Pump test da				(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map							
w	X E	-	hours			Online Mapper:							
	1 - [Well w	t.									
SW	SE		after hours pumping			6 Elevation:ft. Ground Level TOC							
	,	Estimated Yield:gpm Bore Hole Diameter:in. to			6 J	Source: Land Survey GPS Topographic Map							
S		Bore Hole L	Bore Hole Diameter: in. to in. to										
7 WELL WATER TO BE USED AS:													
1. Domestic: 5. Dublic Water Supply: well ID 10. Oil Field Water Supply: lease													
Househ	old		6. Dewatering: how many wells?				11. Test Hole: well ID						
🗌 Lawn &		7. 🗌 Aquifer Recharge: well ID					Cased Uncased Geotechnical						
	Livestock 8. Monitoring: well ID							al: how many bores					
2. ☐ Irrigation	2. Irrigation 9. Environmental Remediation: well ID Air Support						a) Closed Loop						
1 0					xtraction b) Open Loop Surface Discharge Inj. 13. Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:													
Water well disinfected? \square Yes \square No													
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded													
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.													
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
□ Steel □ Stainless Steel □ PVC □ Other (Specify)													
Brass Galvanized Steel None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)													
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.													
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
				ft., From			۱	ft. to	ft.				
		e contaminati		potential source of con									
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well													
						Fuel Storage			ll/Gas Well	wen			
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)													
Direction from well? ft.													
10 FROM	TO	I	ITHOLOG	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS			
					Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.													
Kansas Wat	er Well Cor	tractor's Lice	ense No		ter Well Re	cord was co	mple	ted on (mo-dav-ve	ear)				
	usiness name	e of											
		Send one copy to	o WATER W	ELL OWNER and retain of	one for your rec	ords. Fee of \$	5.00 fe	or each constructed we	11.				
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212													