1 LOCATION OF WAT		ER WELL RECORD F	orm WWC-5			<del></del>
County:	ER WELL: Fraction	ANE 1/4 DU		tion Number	Township Num	
	from nearest town or city street			18	T 8 ~ 🗳	S R 27 SEW
Diotajioo ana anceton	mony hearest town or city street	address of well it located	Within City?	1 m	1 11 1 2	
d waren were are		. 0 0	-/ -	3 0107	Hoyce	>
2 WATER WELL OW	1 1 1 X X X X X X X X X X X X X X X X X	ethaker		$\mathcal{U}$	•	
RR#, St. Address, Box		4.5			Board of Agri	culture, Division of Water Resource
City, State, ZIP Code	Home, 45.	_67740			Application N	umber:
LOCATE WELL'S LC	CATION WITH 4 DEPTH OF	COMPLETED WELL	144	. ft. ELEVATI	ON:	
AN "X" IN SECTION						ft. 3
7 101	WELL'S STATI	C WATER LEVEL 7.	3. ft b	elow land surfa	ce measured on m	o/day/yr 8 - 8 3
	Pun	no test data: Well water	was	ft afta	v Hodgarea on m	nours pumping gpm
NW	- NE - Est Yield	gpm: Well water	was	ft afte	''	nours pumping gpm
.	Bore Hole Dian	neter 9 in to	144	n. ane	Herrigania (j. 1864). Sal	iours pumping gpm
× W						
-	Domestic		Public water		Air conditioning	11 Injection well
SW	m en ∑E es en	No. of the Control of			Dewatering	12 Other (Specify below)
	2 Irrigation				Observation well	
		/bacteriological sample su	bmitted to De			; If yes, mo/day/yr sample was sul
	mitted		<del>-</del>	Water	Well Disinfected?	
5 TYPE OF BLANK C		5 Wrought iron	8 Concre	ete tile	CASING JOINT	S: Glued X Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other	(specify below)		Welded
2 PVC	4 ABS	7 Fiberglass				Threaded
Blank casing diameter .	5in. to 144	ft., Dia	in. to		ft., Dia	in. to ft.
Casing height above lar	nd surface	in., weight	<i>O</i>	Ibs./ft.	Wall thickness or	gauge No 2.50
TYPE OF SCREEN OR	PERFORATION MATERIAL:		Ø₽V!	Ď.		os-cement
1 Steel	3 Stainless steel	5 Fiberglass		P (SR)		(specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 AB			used (open hole)
SCREEN OR PERFOR	ATION OPENINGS ARE:	5 Gauzed		-		11 None (open hole)
Continuous slot		6 Wire w			9 Drilled holes	in None (open note)
2 Louvered shutte		7 Torch o				
SCREEN-PERFORATE						
		e Potter d'all al antique IO al del . Antique	eta eta erra erra erra erra erra erra er	π., From		ft. to
	110111	IL. IO		π ⊢rom		11: 10
GRAVEL PAC	WINTEDWALC From	n i.				
GRAVEL PAC	K INTERVALS: From	ery er er ft. to		ft., From		ft. tör
	K INTERVALS: From From	ft. to		ft., From ft., From		ft. to ft. to ft.
GROUT MATERIAL:	K INTERVALS: From From	ft. to ft. to	3 Bento	ft., From ft., From nite 4 Ot	her	ft. to ft.
g GROUT MATERIAL: Grout Intervals: From	From  Neat cement  the fit to 14	ft. to ft. to	3 Bento	ft., From ft., From nite 4 Ot	her	ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest sou	From  Neat cement  the fit to fit to fixer of possible contamination:	ft. to  ft. to  2 Cement grout  ft., From	3 Bento	ft., From ft., From hite 4 Ot	her . ft., From	ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank	REKINTERVALS: From	ft. to ft. to  2 Cement grout ft., From 7 Pit privy	3 Bento	ft., From ft., From nite 4 Ot to	her ft., From k pens irage	ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines	From  From  Neat cement  fit to 14  Ince of possible contamination:  4 Lateral lines  5 Cess pool	ft. to  ft. to  2 Cement grout  ft., From	3 Bento	ft., From ft., From hite 4 Ot	her ft., From k pens irage	ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines	REKINTERVALS: From	ft. to ft. to  2 Cement grout ft., From 7 Pit privy	3 Bento	ft., From ft., From nite 4 Ot to	her	ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well?	From  Neat cement  The to The contamination:  4 Lateral lines  5 Cess pool  From  The contamination:  4 Lateral lines  5 Cess pool  From	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	tt., From ft., From ft., From hite 4 Ot to	her	ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well? FROM TO	From  From  Neat cement  fit to 14  Ince of possible contamination:  4 Lateral lines  5 Cess pool	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., From ft., From nite 4 Ot io	her	ft. to ft. ft. ft. to ft. ft. ft. to ft. ft. ft. ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well? FROM TO	From  Neat cement  In to Interest to the service of possible contamination:  4 Lateral lines  5 Cess pool  From  In the service of possible contamination:  4 Lateral lines  5 Cess pool  From  In the service of possible contamination:  4 Lateral lines  5 Lithologic	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	nite 4 Otio	her	ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well? FROM TO O A80 28 7704	From  Neat cement  the to the first to the f	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	nite 4 Otio	her	ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO 0 A 8 0 28 77 04	From  Neat cement  In to Interest to the service of possible contamination:  4 Lateral lines  5 Cess pool  From  In the service of possible contamination:  4 Lateral lines  5 Cess pool  From  In the service of possible contamination:  4 Lateral lines  5 Lithologic	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	nite 4 Otio	her	ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO 0 A 80 A8 770 A850 A85 940	From  Neat cement  The to The contamination:  4 Lateral lines  5 Cess pool  In lines 6 Seepage pit  LITHOLOGIC  Andy Clay	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	nite 4 Otio	her	ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO 0 A 8 0 28 77 04	From  (Neat cement  1	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	nite 4 Otio	her	ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well? FROM TO 0 380 28 770 77 850 85 940 94 /020	From  (Neat cement  1	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	nite 4 Otio	her	ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sound in Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO A SOUND A SOUND IN TO THE SECOND IN THE SECON	From  (Neat cement  1	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	nite 4 Otio	her	ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sound in Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO A SOUND A	From  (Neat cement  4	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	nite 4 Otio	her	ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well? FROM TO 0 A80 28 770 77 850 77 850 77 850 70 2 1050 108 1336	From  (Neat cement  1	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	nite 4 Otio	her	ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well? FROM TO O A 80 A8 770 A850 A85 940 A94 1020 102 1050 105 1080 108 1336 133 1436	From  (Neat cement  1. 4. ft. to	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	nite 4 Otio	her	ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well? FROM TO 0 A80 28 770 77 850 77 850 77 850 70 2 1050 108 1336	From  (Neat cement  4	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	nite 4 Otio	her	ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well? FROM TO O A 80 A8 770 A850 A85 940 A94 1020 102 1050 105 1080 108 1336 133 1436	From  (Neat cement  1. 4. ft. to	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	nite 4 Otio	her	ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well? FROM TO O A 80 A8 770 A850 A85 940 A94 1020 102 1050 105 1080 108 1336 133 1436	From  (Neat cement  1. 4. ft. to	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	nite 4 Otio	her	ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well? FROM TO O A 80 A8 770 A850 A85 940 A94 1020 102 1050 105 1080 108 1336 133 1436	From  (Neat cement  1. 4. ft. to	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	nite 4 Otio	her	ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well? FROM TO O A 80 A8 770 A850 A85 940 A94 1020 102 1050 105 1080 108 1336 133 1436	From  (Neat cement  1. 4. ft. to	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	nite 4 Otio	her	ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe Direction from well? FROM TO O A 80 A8 770 A850 A85 940 A94 1020 102 1050 105 1080 108 1336 133 1436	From  (Neat cement  1. 4. ft. to	ft. to ft. to ft. to  2 Cement grout ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	nite 4 Otio	her	ft. to ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sound 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO DASO AS 77 OF TO SECUENCE TO SECUE	R LANDOWNER'S CERTIFICAT	ft. to ft. to ft. to  2 Cement grout  7 Pit privy 8 Sewage lagoo 9 Feedyard  LOG	3 Bento ft.	ft., From ft., F	her	ft. to ft.  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)  SOCO  HOLOGIC LOG
GROUT MATERIAL: Grout Intervals: From What is the nearest sound 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO DASO AS 77 OF TO SECUENCE TO SECUE	R LANDOWNER'S CERTIFICAT	ft. to ft. to ft. to ft. to  2 Cement grout 7 Pit privy 8 Sewage lagoo 9 Feedyard LOG	3 Bento ft.	tt., From ft., F	her	ft. to ft.  ft.  ft. to ft.  ft.  ft.  ft.  ft.  ft.  ft.  ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sound 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO DASON TO SERVICE S	R LANDOWNER'S CERTIFICAT	ft. to ft. to ft. to  2 Cement grout  7 Pit privy 8 Sewage lagoo 9 Feedyard  LOG	3 Bento ft.  FROM  Onstruction	tted, (2) reconstant this record	her	ft. to ft.  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)  SOCO  HOLOGIC LOG
GROUT MATERIAL: Grout Intervals: From What is the nearest sound is septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO	R LANDOWNER'S CERTIFICATE  READOWNER'S CERTIFI	ft. to  ft. to  Coment grout  ft., From  Pit privy Sewage lagoo Feedyard  LOG  TON: This water well was  This Water Wel	3 Bento ft.  FROM  FROM  Record was	tted, (2) reconstand this record scompleted on	her	ft. to ft.  ft.  ft. to ft.  ft.  ft.  ft.  ft.  ft.  ft.  ft.
GROUT MATERIAL: Grout Intervals: From What is the nearest sound is septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO DASO AS TO SET	R LANDOWNER'S CERTIFICAT  (STANDOWNER'S CERT	ft. to ft. to ft. to  2 Cement grout ft., From  7 Pit privy 8 Sewage lagoo 9 Feedyard  LOG  ION: This water well was  This Water Wel	3 Bento ft.  FROM  FROM  Record was	tted, (2) reconstand this record sompleted on by (signature, release fill in better, release fill in by (signature, release fill in by signature,	her	ged under my jurisdiction and was of my knowledge and belief. Kansas
GROUT MATERIAL: Grout Intervals: From What is the nearest sound is septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO DASO AS TO SET	R LANDOWNER'S CERTIFICAT  (Sandy Clay  Fine Sandy Clay  F	ft. to ft. to ft. to  2 Cement grout ft., From  7 Pit privy 8 Sewage lagoo 9 Feedyard  LOG  ION: This water well was  This Water Wel	3 Bento ft.  FROM  FROM  Record was	tted, (2) reconstand this record sompleted on by (signature, release fill in better, release fill in by (signature, release fill in by signature,	her	ft. to ft.  ft.  ft. to ft.  ft.  ft.  ft.  ft.  ft.  ft.  ft.