WATE	R WEI	LL RECORD	Form W	WC-5	D	ivision of Wate	r Resources App. N	No. L	
1 LOCATION OF WATER WELL: County: Sheridan			Fraction 4 SW 4 SE	1/ QE 1	Secti		Township No.	Range Number	
		Address of Well Leastion:	funknova distance &	direction	Clob	27 T 8 S R 28 E VV  Global Positioning System (GPS) information:			
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						Latitude: (in decimal degrees)			
						Longitude: (in decimal degrees)			
636' from S line, 711' from E line						Elevation: (III decimal degrees)			
2 WATER WELL OWNER: Harry Joe Pratt						<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 <u>Collection Method</u> :			
RR#, Street Address, Box #: Box 275						GPS unit (Make/Model:)			
City	ZIP Code : Hoxie, k					ic Map, 🗌 Land Survey			
		1,6%,6,1			Est. A	Accuracy: <a> </a>	3 m, 🔲 3-5 m, 🗀	]5-15 m, []>15 m	
3 LOCATE WELL 150									
	H AN "X								
SEC	FION BO								
	IN	WELL'S STATIC WATER LEVEL							
		Pump test data: Well water was ft. after hours pumping gpm							
	W N	EST. YIELDgpm. Well water wasft. after							
W	W								
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)   Irrigation Industrial Domestic-lawn & garden Monitoring well									
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No  If yes, mo/day/yr sample was submitted									
Water wen distincted: W 163									
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: 7 Glued Clamped Welded Threaded									
Casing diameter 4.5 in to 150 ft., Diameter in to ft., Diameter in to ft.									
Casing height above land surface. 24 in., Weight 2.5 lbs./ft., Wall thickness or gauge No. 0.248									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From 130 ft. to 150 ft., From ft. to ft.									
			From t	t. to		ft From	ft.	to ft	
	GRAV	EL PACK INTERVALS:	From. 20	ft. to . 150		ft. From	ft	to ft	
1			From 1	t. to		ft., From	ft.	to ft.	
From									
Grout In	tervals:	From .0 ft. to	. 20 ft., From		. ft. to	ft.,	From	ft. toft.	
Grout Intervals: From 0									
	Septic ta			Livestock	pens	☐ Insecticide	storage Ot	her (specify below)	
Sewer lines Cesspool Sewage lagoon									
		ht sewer lines 🔲 Seepage p		Fertilizer		Oil well/ga			
		n well				ell			
FROM		LITHOLOG	IC LOG	FROM	TO		OG (cont.) <u>or</u> PLU	UGGING INTERVALS	
0	2	Surface		115	121	Clay		A	
2	10	Loess		121	131		ne med san w/	clay str	
10	18	Fine sand		131	135	Clay & cali	che		
18	40	Clay w/ sand str		135	147	Fine to me	d sand & grave		
40	62	Clay & caliche	147	152	Yellow och	re			
62	71	Fine to some med sand	152	160	Black shall	е			
71	86	Clay & caliche							
86	101	Fine to med sand							
101	110	Clay							
	110 115 Clay w few sand str								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .7/12/13									
Kansas Water Well Contractor's License No. 838 This Water Well Record was completed on (mo/day/year) 7/23/13									
under th	e busine	ss name of D&R Pump	Service, LLC		by (	signature)	129st	,	
INSTRUC	CTIONS:	Use typewriter or ball point pen	. PLEASE PRESS FIRMLY	and PRINT	learly. Ple	ease fill in blanks	and check the correct	t answers. Send one copy to	
	Kansas D	epartment of Health and Environs	ment, Bureau of Water, Geol	logy Section,	1000 SW	Jackson St., Suite	e 420, Topeka, Kansa	as 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									