		LL RECORD	Form W	<u>/ WC-5</u>	I	Division of Water	r Resources App. N	o. L		
			Fraction		Sect	tion Number		Range Number		
County: Sheridan ¼ NE ¼ N			E ¼ SE		9	T 8 S	R 28 □E 🗗 W			
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:				
	from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees)			
260	260 from E line, 2542 from S line					Longitude: (in decimal degrees)				
						Elevation:				
2 WATER WELL OWNER: Mark Olson						Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:				
RR#, Street Address, Box #: 798 S Rd 10W						GPS unit (Make/Model:)				
City, State, ZIP Code : Hoxie, KS 67740						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
						Est. Accuracy: $\square$ <3 m, $\square$ 3-5 m, $\square$ 5-15 m, $\square$ >15 m				
3 LOCATE WELL										
SEC	TION BO	1 = -F(-)								
l	WELL S STATIC WATER LEVELtt. below land surface measured on mo/day/vr									
	Pump test data: Well water wasft. afterhours pumpinggpn									
	EST. YIELDgpm. Well water was									
WELL WATER TO BE USED AS TO BE										
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well										
SW SE Domestic										
Was a chemical/bacteriological sample submitted to Department? Yes No										
S If yes, mo/day/yr sample was submitted										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: 7 Glued Clamped Welded Threaded										
Casing diameter 4.5 in. to 216 ft., Diameter ft., Diameter ft., Diameter ft.,										
Casing neight above land surface										
TIPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot Mill slot Gauze wrapped Torch cut Dirilled holes None (open hole)										
Louvered shutter   Key punched   Wire wrapped   Saw cut   Other (specific)										
SCREEN-PERFORATED INTERVALS: From										
From										
GRAVEL PACK INTERVALS: From ft. to ft. to						ft From	ft. t	O. A		
		h	rom	ft. to		ft From	ft to	ο		
From										
Grout Ir	itervais:	From ft. to	ft., From	ı	ft. to	ft., 1	From	ft. toft.		
Grout Intervals: From .0										
					ck pens					
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard				Fuel stora						
Direc	tion fro	n well	reedyard	☐ Fertilizer		Oil well/gas	well			
FROM	ТО	LITHOLOGI		FROM	TO	LITIO	C (1) DI 114	CODIC DISTRICT		
0	2	Surface	c bod		158			GGING INTERVALS		
2	20	Loess		131 158	170	Eine to some	and & caliche e med sand w/ c			
20	30	Clay		130	170			зау		
30	51	Fine Sand		470	100	& caliche str				
51	65	Sandy clay	170	190		ine to med sand w/ clay lens				
65	90	Clay & caliche	190	194	Sandy clay					
90	105	Fine to med sand	194	210		ine to med sand & gravel w/ clav				
105	111	Cemented sand	210	200	lens					
111	120	Fine sand w/ clay str	210	220	Black shale					
120	131	Clay & caliche					·			
7 CONTRACTOR'S OR LANDOWNED'S CERTIFICATION. THE										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or plugged under my jurisdiction and was completed on (mg/day/sear) 8/26/14										
under my jurisdiction and was completed on (mo/day/year) .8/26/14										
under the business name of Port. Fullip Service. LLC by (signature)										
MISTRUC	IIVIII.	Ose typewriter or ball boint pen.	PLEASE PRESS FIRMLY	and PRINT of	learly Dia	aca fill in blanka ar	ad ahaala sha a - E s			
	raisas De	parament of regith and Environme	ni. Bureau of Water Geol	nov Section	ากกกรุงมา	ackson St. Suita 1	20 Tamalas Vancas 4	(((10 10/0		
reception 763-250-3524. Settle one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
http://www.kdheks.gov/waterwell/index.html										