


WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: County: Sheridan Fraction: SE 1/4 SE 1/4 SE 1/4 Section Number: 8 Township Number: T 8 S Range Number: R 28 EW

Distance and direction from nearest town or city street address of well if located within city? confirmed by GMD #

2 WATER WELL OWNER: Larry Hedge Board of Agriculture, Division of Water Resources  
 RR#, St. Address, Box #: 3204 W. 83rd Application Number:  
 City, State, ZIP Code: Leawood, KS 66204

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL: ~190 ft. ELEVATION: NA  
 Depth(s) Groundwater Encountered: 1. dry ft. 2. NA ft. 3. NA ft.  
 WELL'S STATIC WATER LEVEL: NA ft. below land surface measured on mo/day/yr  
 Pump test data: Well water was NA ft. after NA hours pumping NA gpm  
 Est. Yield: NA gpm; Well water was NA ft. after NA hours pumping NA gpm  
 Bore Hole Diameter: NA in. to NA ft., and NA in. to NA ft.  
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  
 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes NA No NA; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes NA No NA

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued NA Clamped NA  
 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded NA  
 2 PVC 4 ABS NA 7 Fiberglass Threaded NA  
 Blank casing diameter: 5 in. to NA ft., Dia. NA in. to NA ft., Dia. NA in. to NA ft.  
 Casing height above land surface: 0 in., weight NA lbs./ft. Wall thickness or gauge No. NA  
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) NA  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes  
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) NA  
 SCREEN-PERFORATED INTERVALS: From NA ft. to NA ft., From NA ft. to NA ft., From NA ft. to NA ft.  
 GRAVEL PACK INTERVALS: From NA ft. to NA ft., From NA ft. to NA ft., From NA ft. to NA ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other NA  
 Grout Intervals: From 3 ft. to 0 ft., From NA ft. to NA ft., From NA ft. to NA ft.  
 What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well  
 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage (16) Other (specify below)  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage NONE  
 Direction from well? NA How many feet? NA

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
		<u>removed grout</u>	<u>100</u>	<u>80</u>	<u>sand</u>
			<u>80</u>	<u>3</u>	<u>clay</u>
			<u>3</u>	<u>0</u>	<u>cement</u>

RECEIVED

JUL 03 1989

DIVISION OF ENVIRONMENT

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) June 10, 1989 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. NA This Water Well Record was completed on (mo/day/yr) 6-21-89 under the business name of NA by (signature) Edward D. Skelton