

HOXIE ZSW

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

CRD

1. Location of well: County <u>Sheridan</u>		Fraction <u>SW 1/4 NW 1/4 SW 1/4</u>		Section number <u>29</u>		Township number T <u>8</u> S		Range number R <u>28</u> E/W																															
2. Distance and direction from nearest town or city: Street address of well location if in city:				3. Owner of well: <u>at Dist</u> R.R. or street: City, state, zip code: <u>Hoxie Kansas 67740</u>																																			
4. Locate with "X" in section below: N W E S 1 Mile				Sketch map:		6. Bore hole dia. <u>30</u> in. Completion date <u>4-12-76</u> Well depth <u>227</u> ft.																																	
				5. Type and color of material		7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other																															
						9. Casing: Material <u>Steel</u> Height: <u>Above</u> or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <u>12</u> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <u>120</u> lbs./ft. Dia. <u>1 3/4</u> in. to <u>2 7/8</u> ft. depth Wall Thickness: inches or Dia. <u>1 3/4</u> in. to <u>2 7/8</u> ft. depth gage No. <u>156</u>		10. Screen: Manufacturer's name <u>W.H.B. ROW</u> Type <u>Screen</u> Dia. <u>12 3/4</u> Slot/gauze <u>156</u> Length <u>60</u> Set between <u>167</u> ft. and <u>227</u> ft. Gravel pack? <u>Yes</u> Size range of material <u>1/4 to 5/8"</u>																															
<table border="1"> <thead> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td>0</td><td>95'</td></tr> <tr><td>95'</td><td>105'</td></tr> <tr><td>105'</td><td>115'</td></tr> <tr><td>115'</td><td>125'</td></tr> <tr><td>125'</td><td>135'</td></tr> <tr><td>135'</td><td>145'</td></tr> <tr><td>145'</td><td>155'</td></tr> <tr><td>155'</td><td>165'</td></tr> <tr><td>165'</td><td>185'</td></tr> <tr><td>185'</td><td>195'</td></tr> <tr><td>195'</td><td>205'</td></tr> <tr><td>205'</td><td>215'</td></tr> <tr><td>215'</td><td>221'</td></tr> <tr><td>221'</td><td>235'</td></tr> </tbody> </table>				From	To	0	95'	95'	105'	105'	115'	115'	125'	125'	135'	135'	145'	145'	155'	155'	165'	165'	185'	185'	195'	195'	205'	205'	215'	215'	221'	221'	235'	11. Static water level: <u>74</u> ft. below land surface Date <u>1-8-76</u> mo./day/yr.		12. Pumping level below land surfaces: <u>224</u> ft. after <u>3</u> hrs. pumping <u>1200</u> g.p.m. ft. after <u> </u> hrs. pumping <u> </u> g.p.m. Estimated maximum yield <u>1200</u> g.p.m.		13. Water sample submitted: <u> </u> mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date <u> </u>	
				From	To																																		
				0	95'																																		
				95'	105'																																		
				105'	115'																																		
				115'	125'																																		
				125'	135'																																		
				135'	145'																																		
				145'	155'																																		
				155'	165'																																		
				165'	185'																																		
				185'	195'																																		
195'	205'																																						
205'	215'																																						
215'	221'																																						
221'	235'																																						
14. Well head completion: Pitless adapter <u>12</u> inches above grade		15. Well grouted? <u>Yes</u> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>10</u> ft.		16. Nearest source of possible contamination: ft. <u> </u> Direction <u> </u> Type <u>None</u> Well disinfected upon completion? <u> </u> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		17. Pump: <u> </u> Not installed Manufacturer's name <u>COULDS</u> Model number <u>8X16 1/2</u> HP <u> </u> Volts <u> </u> Length of drop pipe <u> </u> ft. capacity <u>1200</u> g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																																	
18. Elevation: <u>2267 (TOPO)</u>				19. Remarks: <u>2267 (TOPO)</u>				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <u>Blue Jay Drilling Co. Inc.</u> <u>214</u> Business name License No. Address <u>Colby Kans</u> Signed <u>Marilyn Rall</u> Date <u>5-20-76</u> Authorized representative																															

8 28 29 SW NW SW
1/4 1/4 1/4
Sec

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5