				VATER WELL RECORD	Form WWC-5		32a-1212			
1 LOCATIO	ON OF WAT	' 11	Fractio	All Andrews	Sec	ction, Nymb	er Township	\./	Range Number	
County:		niden		5 14 SW 14 SC	J 1/4	_/_	<u> </u>	<u> </u>	R & (EW)	
Distance ar	nd direction,	from nearest to	wn or city sti	reet address of well if locate	ed within city?					
		wes	\mathcal{I}	MOKIO						
2 WATER	WELL ÓW	NER:				P.O. 9	BOX 731			
RR#, St. A	ddress, Box	#: 1.		11		HOSTE	KS Board o	of Agriculture,	Division of Water Resource	
City, State,	ZIP Code	: h/c	1015	no Co	us hos	2 67	740 Applica	ion Number:	Division of Water Resource	
LOCATE	WELL'S LO	CATION WITH	4 DEPTH	OF COMPLETED WELL.	1135	ft. ELE	VATION:			
→ AN "X" I	IN SECTION	BOX:		roundwater Encountered						
es .	i i i i i i i i i i i i i i i i i i i			TATIC WATER LEVEL						
1	i	i	I WELLO O						umping gpm	
	- NW	NE	Est. Yield	•					umping gpm	
<u>e</u>	i		Bore Hole	Diameterin. to			t., and		n. toft.	
w -	1	1	WELL WA	FER TO BE USED AS:	5 Public wat	er supply	8 Air condition	ing 11	Injection well	
7	I.	Į.	1-Don	estie 3 Feedlot	6 Oil field wa	ater supply	9 Dewatering	12	? Other (Specify below)	
	- SW	a SE a a	2 Irriga	ation 4 Industrial	7 Lawn and	garden onl	y 10 Monitoring	vell		
		vi l	Was a chei	mical/bacteriological sample	submitted to D	epartment?	YesNo	; If ye	s, mo/day/yr sample was sub	
2	1		mitted				Water Well Disinfe		No	
5 TYPE O	F BLANK C	ASING USED:		5 Wrought iron	8 Conci	ete tile	CASING	JOINTS: Glu	ed Clamped	
1 Ste		3 RMP (S	(B)	6 Asbestos-Cement		(specify be			lded	
2 PV		4.ABS	,,,	/ > 7 Eiberglass		•			eaded	
		5,000	in to	3 5 # Dia					. in. to ft.	
									No	
			· · · · · · · · · · · · · · · · · · ·							
TYPE OF SCREEN OR PERFORATION MATERIAL:						7 PVC 10 Asbestos-cement 8 RMP (SR) 11 Other (specify)				
				5 Fiberglass	• • •					
2 Brass 4 Galvanized steel 6 Concrete								None used (d	•	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed							8 Saw cut		11 None (open hole)	
	ntinuous slo		√lill slot		wrapped		9 Drilled hol			
	uvered shutt		(ey punched							
SCREEN-F	PERFORATI	ED INTERVALS							toft.	
									toft.	
G	RAVEL PA	CK INTERVALS	From	ft. to .					toft.	
	بسيد بنين بنيسي		From	ft. to		ft.,	From		to ft.	
6 GROUT	MATERIAL		cement	②Cement grout	3 Bent	onite				
Grout Inter	vals: From	n 🔑	. ft. to	ft., From	ft.	to	ft., From	í	ft. to	
What is the	e nearest so	urce of possible	e contaminat	ion:		10 Li	vestock pens	14	Abandoned water well	
1 Septic tank 4 Lateral lines				7 Pit privy	11 Fuel storage				Oil well/Gas well	
2 Sewer lines 5 Cess			s pool	pool 8 Sewage lago		oon 12 Fertilizer storage			Other (specify below)	
3 Watertight sewer lines 6 Seepa			page pit	9 Feedyard		13 Insecticide storage			MONG	
Direction for	_					How	many feet?			
FROM	ТО		LITHOL	OGIC LOG	FROM	JTO	Λ	PLUGGING	INTERVALS	
					155	0	Sando	LC/a	y 1	
					6	3	Cemo.	a for	/	
					2	0	Triso	Zail		
					,		107	100		
				A STATE OF THE STA						
						<u> </u>				
									, ,	
		ONLESS. SALLANS								
				0.41490.000.000.000.000.000.000.000.000.000.				***************************************		
<u> </u>				CARROLL CONTROL CONTRO						
										
				· · · · · · · · · · · · · · · · · · ·						
	<u> </u>									
7 CONTI	RACTOR'S	OR LANDOWN	ER'S/CERM	FICATION; This water well	was (1) consti	ructed, (2)	reconstructed, or	(3) plugged ι	under my jurisdiction and wa knowledge and belief. Kansa	
completed	on (mo/day	/year) O.	CT 2	5.788		and this	record is true to th	e best of pay	knowledge and belief. Kansa	
		's License No."	1	This Water	Well Record v	vas comple	ted on (mo/dev/w/	***************************************		
	business na					by (si	gnature) — t	eers (Jehl (1)	
									MINE O	