WATER WELL RECORD Form WWC-5	Division of Water Resources: App. No.
1 LOCATION OF WATER WELL: Fraction	Section Number Township Number Range Number
County: Cloud NW 4 NW 4 N	W 14 T 8 S R 3 W vell if Global Positioning System (decimal degrees, min. of 4 digits)
located within city? 1612 Deer Road, Delphos	Latitude:
A W. EDD Why I OWNER	Longitude:
2 WATER WELL OWNER: NuStar Pipeline Operating Partnership, L.P.	Elevation: 98.40
RR#, St. Address, Box # : 2137 W Old Highway 40	Datum: Arbitrary 100 ft benchmark
City, State, ZIP Code : Salina, KS	Data Collection Method:
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL	14 ft.
LOCATON WITH AN "X" IN Depth(s) Groundwater Encountered 1	MW5
SECTION BOX: WELL'S STATIC WATER LEVEL	ft. 2 ft. 3 ft. ft. below land surface measured on mo/day/yr
N Pump test data: Well water v	as ft. after hours pumping gpm
Est. Yield gpm: Well water v	as ft. after hours pumping gpm
NW NE WELL WATER TO BE USED AS: 5	ublic water supply 8 Air conditioning 11 Injection well
W 1 Domestic 3 Feed lot 6 Oil field w	tter supply 9 Dewatering 12 Other (Specify below)
2 Irrigation 4 Industrial 7 Domestic	awn & garden) (10) Monitoring well
Was a chamical/hacteriological sample	ubmitted to Department? Yes No X; If yes, mo/day/yrs
Sample was submitted	Water Well Disinfected? Yes No X
5 TYPE OF CASING USED: 5 Wrought Iron 8	Congreta tile CASING IOINTS: Glued Clemned
1 Steel 3 RMP (SR) 6 Ashestos-Cement 9	Other (specify below) Welded
(2) PVC 4 ABS 7 Fiberglass	Threaded X
Blank casing diameter 2 in. to 4 ft., Dia	in. to ft., Dia in. to ft.
2 PVC 4 ABS 7 Fiberglass Blank casing diameter 2 in. to 4 ft., Dia Casing height below land surface flushmount ft., Weight	lbs./ft. Wall thickness or gauge No.
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR)	9 ABS 11 Other (specify) 10 Ashestos-Cement 12 None used (open hole)
ISCREEN OR PERFORATION OPENINGS ARE:	
1 Continuous slot (3) Mill slot 5 Guaze wrapped 2 Louvered shutter 4 Key punched 6 Wire wrapped SCREEN-PERFORATED INTERVALS: From 4	7 Torch cut 9 Drilled holes 11 None (open hole)
SCREEN-PERFORATED INTERVALS: From 4	of to 14 ft From ft to ft
From	ft. to ft. From ft. to ft.
GRAVEL PACK INTERVALS: From 2	ft. to 14 ft. From ft. to ft.
From	ft. to ft. From ft. to ft. ft. to 14 ft. From ft. to ft. ft. to ft. From ft. to ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout	
Grout Intervals From 1 ft. to 2 ft. From	ft. to ft. From ft. to ft.
What is the nearest source of possible contamination:	
1 Septic tank 4 Lateral lines 7 Pit privy 10 2 Sewer lines 5 Cess pool 8 Sewage lagoor 1	Livestock pens 13 Insecticide Storage 16 Other (specify Fuel storage 14 Abandoned water well below)
1 0 0	Fertilizer storage 15 Oil well/ gas well
	ow many feet?
FROM TO LITHOLOGIC LOG	FROM TO LITHOLOGIC LOG (continued)
0 5 Silty clay, firm, brown, damp to dry	
5 10 Silty clay, slightly firm to soft, tan/orange brown	
soft, moist; At 8 ft: wet, silty clay with sand, slightly firm to soft, tan/orange brown	
10 15 Silty clay, slightly firm to soft, tan/orange brown	
soft, wet	
	Flushmount waiver from BOW
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/22/08 and this record is true to the best of my knowledge and belief.	
under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 8/14/08	
· · · · · · · · · · · · · · · · · · ·	y (signature)
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top the	ee copies to Kansas Department of Health and Environment, Bureau of Water,
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.	