41 . 0047	1011 05 11/4	TED 14/51 1		H WELL HECORD F	orm WWC-5					
	Cloud Cou	TER WELL:	Fraction	NW 1/4 NW		ction Number	1	ship Number	1 5	je Number 5 ⊏#3
			SW 1/4		1/4	10	T	8 S	R -	P E/
Distance			•	ddress of well if located	•			/ 1006 E 1 00 D		
				U.S. 24, Cloud Cou	ту, К5		MW-22	(40865129 <b>-</b> B	)	
_	R WELL OV		Inc.							
	Address, Bo						Boa	rd of Agriculture,	Division of V	Nater Resour
	e, ZIP Code		n, KS 67675					ication Number:		
3 LOCAT	'E WELL'S L ' IN SECTIO			OMPLETED WELL						
AN A		1 D	epth(s) Ground	water Encountered 1.	18	ft. 2	2	ft.	3	. <u>.</u>
ī	!	l l w	VELL'S STATIC	WATER LEVEL 13.6	5 ft. b	elow land sur	face measu	red on mo/day/y	12/18/8	<del>}</del> 7
<u> </u>	NW	NE	Pump	test data: Well water	was	ft. al	fter	hours p	umping	gr
	1	,    E	st. Yield N/	A gpm: Well water	was	ft. at	fter	hours p	umping	gr
# w  -	1	, B	lore Hole Diame	eter6in. to	24		and	ii	n. to	
	!	[ i ] /w	VELL WATER T	O BE USED AS: 5	Public water	er supply	8 Air condit	tioning 11	Injection we	ell :
ī L	ı SW	SE	1 Domestic	3 Feedlot 6	Oil field wa	ter supply	9 Dewaterii	ng 12	Other (Spec	cify below)
	1	;	2 Irrigation	4 Industrial 7	Lawn and	garden only 🗹	Observat	ion well		
↓ L	i	\	Vas a chemical/b	oacteriological sample su	bmitted to D	epartment? Ye	esN	loX; If ye	s, mo/day/yr	sample was s
		m	nitted			Wat	ter Well Disi	infected? Yes	No	<u> Х</u>
5 TYPE	OF BLANK (	CASING USED:		5 Wrought iron	8 Concre	ete tile	CASIN	IG JOINTS: Glue	ed Cl	amped
1 St		3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify below	v)			
<b>⊘</b> P\	VC	4 ABS	4.4	7 Fiberglass						
Blank casi	ing diameter		ı. to !!!	ft., Dia	in. to		ft., Dia		in. to	
				.in., weight			ft. Wall thick	ness or gauge f	<b>1</b> 0	
TYPE OF	SCREEN O	R PERFORATION	MATERIAL:		<b>O</b> PV	C	1	0 Asbestos-cem	ent	
1 St	eel	3 Stainless s	steel	5 Fiberglass	8 RM	MP (SR)	1	1 Other (specify	)	
2 Br	ass	4 Galvanized	d steel	6 Concrete tile	9 AB	S	1	2 None used (o	pen hole)	
SCREEN	OR PERFO	RATION OPENINGS	S ARE:	5 Gauzeo	l wrapped		8 Saw cu	t	11 None	(open hole)
1 Cc	ontinuous sid	ot <b>3</b> Mill	slot	6 Wire w	apped		9 Drilled I	noles		
2 Lo	ouvered shut	ter 4 Key		7 Torch o			10 Other (s	specify)		
SCREEN-	PERFORAT	ED INTERVALS:	From	ft. to		ft., Fron	n	ft.	to	
				<u>.</u> ft. to						
(	GRAVEL PA	CK INTERVALS:	From	ft. to		ft., Fror	m <i></i>	ft.	to	
			From	ft. to		ft., Fron	n	ft.	to	
	T MATERIAL		ment _ <b>_</b>	2Cement grout	Bento	onite 4	Other			
'Grout Inte	rvals: Fro	m <sup>O</sup> ft.	. to 5	ft., From	ft.	to 8 • 5	ft., Fr	om	ft. to	
What is th	ne nearest so	ource of possible co	ontamination:			10 Livest	tock pens	14 /	Abandoned v	vater well
1 Se	eptic tank	4 Lateral		7 Pit privy		① Fuel s	storage		Dil well/Gas	
2 Se	ewer lines	5 Cess po	ool	8 Sewage lagoo	n	12 Fertili:	zer storage	16 (	Other (specif	y below)
3 W	atertight sev	er lines 6 Seepag		9 Feedyard		13 Insect	ticide storag	e		
	from well?	West 25			T	How mar	ny feet?			
FROM	ТО		LITHOLOGIC	LOG	FROM	то		LITHOLO	GIC LOG	
0	15.5	Dark Red-Brown				ļ				
15.5	18	Tan Silty Lear				ļļ.				
18	23.5			thered Shale With						
	ļ	Sandstone Sear								
23.5	24	Light Gray App	parent Highl	y Weathered Shale						
	ļ									
						l				
		· · · · · · · · · · · · · · · · · · ·				<b>.</b>				
7 CONTR	RACTOR'S	OR LANDOWNER'S	CERTIFICATION	ON: This water well was	Constru	cted. (2) reco	nstructed o	r (3) plugged un	der mviuris	diction and w
	on (mo/day	40 /40 //		water well was	_			the best of m <u>ly</u> kj		
	=	s License No	116	This Water We					b/ RX	\$7
	business na		-19CON (	onsultants		by (signat		1200 ¢		
				S FIRMLY and PRINT clearly				perrect answers. Se	nd top three co	pies to Kansas
Departme				ion, Topeka, Kansas 66620-						
records.										