


USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

TWP: Logan

CDA

1. Location of well:		County Sheridan	Fraction NE 1/4 SE 1/4 SW 1/4	Section number 10	Township number T 8 S R 30	Range number 30
2. Distance and direction from nearest town or city: From U.S. 24 & K25 2 1/2 MILES East 3/4 miles South Street address of well location if in city:			3. Owner of well: Kenneth Fraham R.R. or street: Colby, Kansas City, state, zip code:			
4. Locate with "X" in section below: N W E S 1 Mile 1 Mile			Sketch map: 		6. Bore hole dia. 30 in. Completion date 5/13/76 Well depth 270 ft.	
5. Type and color of material			From	To	7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
Clay			0	70	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Coarse sand & gravel			70	90	9. Casing: Material Steel Height: Above XXXXX Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 188 lbs./ft. Dia. 16 in. to 180 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 188 #1	
Clay			90	95	10. Screen: Manufacturer's name Brown Type Regular Dia. 16 Slot/gage 10% Length 80' Set between 180 ft. and 260 ft. 10 Cook 260 ft. and 270 ft. Gravel pack? yes Size range of material 1/4 x 5/8 30% #1	
Medium to coarse sand			95	112	11. Static water level: <input type="checkbox"/> mo./day/yr. 150 ft. below land surface Date 5-24-76	
Clay & sand streaks			112	140	12. Pumping level below land surfaces: 250 ft. after 2 hrs. pumping 1753 g.p.m. 250 ft. after 2 hrs. pumping 1893 g.p.m. Estimated maximum yield 1893 g.p.m.	
Sandy clay			140	151	13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date	
Clay			151	158	14. Well head completion: <input type="checkbox"/> Pitless adapter <input type="checkbox"/> 12 inches above grade	
Medium to coarse sand & gravel			158	196	15. Well grouted? <input checked="" type="checkbox"/> With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Clay Depth: From 0 ft. to 10 ft.	
Clay			196	204	16. Nearest source of possible contamination: ft. 3500 Direction ESE Type Farm Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Clay & cemented streaks			204	245	17. Pump: Not installed Manufacturer's name Floway Model number 7660 HP 100 Volts Length of drop pipe 250 ft. capacity 550 g.p.m. Type: <input type="checkbox"/> 11 stage 10" DOH Bowl <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
Coarse sand & gravel			245	269	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Western well & Pump, Inc. 245 Business name License No. Address P.O. Box 852 Colby, KS. Signed Sally Barry Date 8-10-76 Authorized representative	
Shale			269	270	18. Elevation:	
BROCK 269'					19. Remarks:	
(Use a second sheet if needed)					Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley	

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

30' (W) 10' (E) S E S W
 1/4 1/4 1/4 1/4
 Sec