CASING JOINTS: Glued X Clamped

Molded.

14 Abandoned water well

16 Other (specify below)

15 Oil well/ Gas well

Range Number

31

Ø

æ

WATER WELL RECORD

NE 1/4

Fraction

Distance and direction from nearest town or city street address of well if located within city?

Menlo, Ks 67753

NE %

1 LOCATION OF WATER WELL:

Thomas

What is the nearest source of possible contamination:

4 Lateral lines

5 Cess pool

1 Septic tank

2 Sewer lines

under the business name of

RR#, St. Address, Box # : Hc-1, Box 62

2 WATER WELL OWNER: Gary & Janice Baaiman, LP

County:

W

City, State, ZIP Code

Form WWC-5

KSA 82a-1212

10 Livestock pens

12 Fertilizer storage

11 Fuel storage

Section Number

ID No.

Township Number

8

	•	(4, .)	•	0000000		(opoun) oo	,	***************************************	
2 PVC	4 ABS		7	Fiberglass				Threaded	1
Blank casing diameter	16	in. to	180	ft., Dia	in.	to	ft., Dia	in.	to ft
Casing height above land	surface	24	in., w	eight	16.15	lbs./ft	. Wall thickn	ess or gauge No.	.500
TYPE OF SCREEN OR PE	ERFORATIO	ON MATERIAL	.:		7	PVC	10	0 Asbestos-cement	
1 Steel	3 Stain	less steel	5	Fiberglass	8	RMP (SR)	11	1 Other (specify)	
2 Brass	4 Galva	anized steel	6	Concrete til	e 9	ABS	12	None used (open h	ole)
SCREEN OR PERFORAT	ION OPENII	NGS ARE:		5	Gauzed wrapped		8 Saw c	cut 11	None (open hole)
 Continuous slot 	3	Mill slot		6	Wire wrapped		9 Drilled	i holes	
2 Louvered shutter	4	Key punched	d	7	Torch cut		10 Other	(specify)	
SCREEN-PERFORATED	INTERVALS	S: From	180	ft. to	260	ft.	From	ft. to	ft.
•		From		ft. to		ft.	From	ft. to	ft
GRAVEL PACK IN	NTERVALS:	From	20	ft. to	260	ft.	From	ft. to	ft
		From		ft. to		ft.	From	ft. to	ft
6 GROUT MATERIAL:	1 Neat	cement	2 Cem	nent grout	3 Bei	ntonite	4 Other		
Grout Intervals From	0	ft. to	20 f	t. From	ft.	to	ft. F	rom 1	ft. to ft

7 Pit privy

8 Sewage lagoon

3 Watertight sewer lines Old well 6 Seepage pit 9 Feedyard 13 Insecticide storage 200 Direction from well? **nw** How many feet? CODE LITHOLOGIC LOG FROM TO FROM PLUGGING INTERVALS TO Surface 0 160 166 Med sand, tight 2 <u>19</u> 166 170 Caliche & cemented sand Loess 19 74 Clay 170 174 Med sand 74 80 Sticky clay w/sandstrks 174 184 Med sand w/clay layers Caliche & cemented sand 80 85 184 187 101 85 187 200 Clay, caliche & sand strks Med sand & gravel, clay lenses 204 101 115 Clay caliche & sand strks 200 Loose sand 115 Med sand & gravel 204 207 Semi tight sand 121 129 207 121 Clay, caliche & sand strks 216 Med sand 129 131 216 218 Clay 131 **218** 234 143 Med sand, clay & caliche lenses Clay, fine sand w/med layers 234 235 143 153 Tight fine sand, clay lenses Med sand, 235-240 clay & fine sand 153 155 Fine sand 240 Sand & clay lenses, 244 – 250 fine sd Clay & sand 155 160 Tight, 250 - 260 sand & gravel

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 8-23-06 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/yr)

r the business name of Woofter Pump & Well Inc. by (signature) on C. Woofter Instructions: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Frivingnent, Burgau of Water 100 Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.