

LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Thomas		1/4 SW 1/4	13	T 8 S	R 3 E/W
Distance and direction from nearest town or city street address of well if located within city? LOT 1 & 2 BLOCK 18 IN MENLO					
WATER WELL OWNER: Edna McKinney					
R#, St. Address, Box # : Rt 1 Box M 11			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : Menlo, KS 67746			Application Number:		
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		DEPTH OF COMPLETED WELL 92 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. .ft. 2. .ft. 3. .ft.			
		WELL'S STATIC WATER LEVEL Dry .ft. below land surface measured on mo/day/yr 8-20-90			
		Pump test data: Well water was .ft. after .hours pumping .gpm			
		Est. Yield .gpm: Well water was .ft. after .hours pumping .gpm			
		Bore Hole Diameter .in. to .ft., and .in. to .ft.			
		WELL WATER TO BE USED AS:			
		① Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 12 Other (Specify below)			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No			
TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped Welded Threaded			
① Steel 3 RMP (SR) 2 PVC 4 ABS		5 Wrought iron 8 Concrete tile 6 Asbestos-Cement 9 Other (specify below)			
Blank casing diameter .in. to .ft. Dia .in. to .ft. Dia .in. to .ft.					
Casing height above land surface Level with P.T. in., weight lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		11 Other (specify) 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 2 Louvered shutter 4 Key punched		6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS:		From .ft. to .ft., From .ft. to .ft., From .ft. to .ft.			
GRAVEL PACK INTERVALS:		From .ft. to .ft., From .ft. to .ft., From .ft. to .ft.			
GROUT MATERIAL:		1 Neat cement ② Cement grout ③ Bentonite 4 Other			
Grout Intervals: From 80 ft. to 75 ft., From 10 ft. to 5 ft., From 4 ft. to 0 ft.		What is the nearest source of possible contamination?			
① Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage		How many feet? 60			
Direction from well? NE					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			92	80	Clay
			80	75	Bentonite
			75	10	Clay
			10	5	Bentonite
			5	4	Clay
			4	0	(AT Floor) Cement Grout
		SEP 27 1990			
		DIVISION OF ENVIRONMENT			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-20-90 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No.		This Water Well Record was completed on (mo/day/yr) 8-30-90 by (signature) [Signature]			
under the business name of					