USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY. GEM SE

T R EW sec 1/4 1/4 1/4 No.

Kansas State Dept. Of Heolth (Water Well Contractors) Forbes–Bldg. 740 Topeka, Kansas 66620

WATER WELL RECORD	
Λ KSA 82a-1201-1215	
140	

	And the				Topeka, Kansas 66620
County THOMAS	Township game / Fraction MENLO SW 1/4			on number	Town number Range number 8 31
Distonce and direction from nearest town or c	ity: \frac{1}{2} s - 5\frac{1}{2} west 3/4	3 Owne	er of well	. Law	wrence Sanders
Street address of well location if in city:	s of Menlo ks.	Addı	ress:	Hol	lbrook, Neb. 68948
Locate with "X" in section below:	Sketch map:	•			4 Well depth: 230 ft. Date of completion Well diameter _28 in.
1				,	5 Cable tool Rotary Driven Dug Hollow rod Jetted Bored X Reverse rotory
W					6 Use: Domestic Public supply Industry  **Extrigation Air conditioning Commercial  Test well
					7 Casing: Moterial Ste Balght: above/below Threaded Welded isourface in. Diam. Weight ibs./ft
1 Mile			,	<del></del>	in. to ft. depth Drive shoe? Yes No
2 ту	rpe ond color of material		From	То	8 Screen: Manufacturer Johnson
Sandy Clay, trace	Sandstone brown wh	nite	90	97	Type Dia. 1334  Slot/gauze 100 Length 10
Med Gravel (brown)				101	Set between 220 ft. and 230ft.
Sandy Clay, trace	<u>Sandstone (brown w</u>	<u>thite</u>	101	126	Gravel pack 🖔 Yes 🗌 No Size range of material
Med Gravel (brown)	<del></del>		126	131	92 Static water level: 102 ft. below land surface Date
Med Gravel, Sandy	Clay, Trace Sandst	cone	131	145	10 Pumping level below land surfaces:
Fine sand, Med Gra	vel (brown)		145	166	ft. after hrs. pumping g.p.m ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.
Sandy Clay, Trace	Sandstone (brown w	vhite	166	183	11 Water sample submitted:
Sandstone, Sandy C	lay, Trace Sandsto	ne	183	195	Yes
Sandstone, Fine sa	nd, Med Gravel		195	205	☐ Pitless adapter ☐ Finches above grade  13 Well grouted? ☐ Yes
Sandy Clay, Trace			205	211	Neat cement   Bentonite
Med Gravel, Trace	Sandstone		211	221	14 Nearest source of possible contamination: ft Direction Type
Ochre, Shale ( yel	low blue)		221	230	Wetl disinfected upon completion? Yes No
B	ROCK 221'				15 Pump: Not installed  Manufacturer's name
					Model number HP Volts
			<del>                                     </del>	1	Length of drop pipe ft. capacity g.m.p.  Type:
					Submersible Turbine    Jet   Reciprocating
· · · · · · · · · · · · · · · · · · ·	se a second sheet if needed)		1	1	Certrifugal Other  17 Water well controctor's certification:
/	3063 (TOYO)		•		This well was drilled under my jurisdiction and this
Topogrophy:	7000				report is true to the best of my knowledge and belief.  RED TIGER IRRIGATION L@% 12
☐ Hill ☐ Slope					Business name License No. Address Colby Ks 67701
☑ Upland □ Valley					Signed Authorized representative

Forward the white, blue and pink copies to the Kansos State Dept. Of Health.

Form WWC-5