				R WELL RECORD For	m WWC-5	KSA 82a-	1212 ID No				
	N OF WATE				1	on Numbe		nber	Range Numl	ber	
	Tho			32 1/ 32	1/4	33	T 8	S	R 32	E.(V.	
Distance and	direction from	m nearest	own or city street add	dress of well if located wi	thin city?						
2 WATER	WELL OWNE	R: Lloy	d Cersovsky J & Smith Dr	r			Board of Agricul	ture Divis	sion of Water Res	cources	
City State 7	7IP Code	Coll	y, Ks 67701				Application Num		sion of water res	Jources	
LOCATE	WELL'S LOC	CATON WI	THI,								
AN "X" IN	SECTION B	OX:	DEPTHOFO	OMPLETED WELL	170	ft. ELE	EVATION:				
	N		Depth(s) Ground	water Encountered 1			ft. 2	ft. :	3	ft.	
×			WELL'S STATIC	WATER LEVEL	NA ft. b	elow land	surface measured or	i mo/day/y	/r		
	NW	- NE	Pump	test data: Well water	was		ft. after	hours pu	umping	gpm	
	i	i l		gpm: Well water							
₩ W			E Bore Hole Diame	lter in. to O BE USED AS: 5 Pຍ			ft. and	in.	to	ft.	
			1 Domestic	3 Feed lot 6 Oi	iblic water su I field water s	pply	8 Air conditioni 9 Dewatering	ng 11 12	Injection well Other (Specify)	helow)	
	SW	- SE							. Other (opcony	DC1011)	
↓				2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was							
	S	,	submitted	sa, arang sa arang sa ar			/ater Well Disinfected				
5 TYPE OF	BLANK CAS	SING USE		5 Wrought Iron	8 Concre				X Clampe	ed	
1 Ste			IP (SR)	6 Asbestos-Cement				Welde			
2 PV		4 AB	` ,	7 Fiberglass	,	, ,			ded		
		4.5	in. to 130) ft Dia	in, to	,	ft Dia		in. to	ft.	
Casing heig	ht above land	surface	18	in., weight	2.38	lbs./f	t. Wall thickness or q	auge No.	.248		
			ION MATERIAL:		,	VO	in vanes	103-ceme	I IL		
1 Ste				5 Fiberglass	8	RMP (SR)	11 Other	(specify)			
2 Bra			Ivanized steel			ABS	12 None				
	R PERFORAT		NINGS ARE: 3 Mill slot		ed wrapped vrapped		8 Saw cut 9 Drilled holes		11 None (open	hole)	
	vered shutter		4 Key punched				10 Other (specific	v)			
SCREEN-P	ERFORATED		, ,	130 ft. to	170	ft.	From	ft. te	0	ft.	
				ft. to							
GR	AVEL PACK I	NTERVAL			170	ft.	From	ft. te	0	ft.	
			From			ft.	From	ft. te		ft.	
6 GROUT	MATERIAL:	1 No	eat cement 2	Cement grout	3 Bent	onite	4 Other				
Grout Interv	als From	0	ft. to 20	ft. From	ft. t	0	ft. From		ft. to	ft.	
			ole contamination:				estock pens				
1 Se	ptic tank		4 Lateral lines	4 Lateral lines 7 Pit privy			11 Fuel storage 15 Oil well/ Gas well				
	wer lines		5 Cess pool				tilizer storage	16 Other (specify below)			
	tertight sewe	r lines	6 Seepage pit	9 Feedyar	đ		ecticide storage		None		
Direction fro		CODE	LITUO	0010100	T FROM	How mai		OCINIO II	ITEDVALC		
0	70 2	CODE	Surface	OGIC LOG	154	170	Clay w/few fir		ITERVALS		
2	23		Loess		170	178	Ochre	io ound	OUNG		
23	43			& silt & sand strl			Gray shale		Trenvices		
43	50		Sand strks & c								
50	72			w/strks of sand							
72	81	ļ	Fine to med sa	nd wistrks of							
81	97		Clay Clay w/sand st	rks							
97	109	1	Fine to med sa								
109	123		Sand & clay st	rks							
123	138		Fine sand & cl								
138	144		Caliche	P							
144	145	 	Sand			 	-				
145	154 ACTOR'S OF	S I ANDOM	Clay	ION: This water well was	s (1) conetrue	ted (2) rec	constructed or (3) plus	and under	r my jurisdiction a	nd was	
	on (mo/day/yı		012	2/00			s true to the best of m				
				783	This V		Record was complete	•	•		
1	usiness name		Woof	ter Pump & Well	inc.	-utor vveli	by (signature)			يدريا	
INSTR	UCTIONS: P	lease fill in t	lanks and circle the co	rect answers. Send three	copies to Kans	as Departm	nent of Health and Envir	onment, Bi	ureau of Water, 100	00 S W	
Jackso	on St., Ste. 420	, Topeka, K	ansas 66612-1367. Te	lephone: 913-296-5545. S	end one to W	ATER WEL	L OWNER and retain or	ne for your	records.		