

1 LOCATION OF WATER WELL.		Section Number	Township Number	Range Number
County: <u>Thomas</u>		<u>11</u>	<u>8</u> S	<u>32</u> E/W
Distance and direction from nearest town or city street address of well if located within city?				
2 WATER WELL OWNER: <u>Halford Cattle Co</u>				
RR#, St. Address, Box # : <u>Rt 2</u>				
City, State, ZIP Code : <u>Colby KS 67701</u>				
Board of Agriculture, Division of Water Resources Application Number:				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL. <u>134</u> ft. ELEVATION:		
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.		
		WELL'S STATIC WATER LEVEL <u>Dry</u> ft. below land surface measured on mo/day/yr <u>2-22-90</u>		
		Pump test data: Well water was ft. after hours pumping gpm		
		Est. Yield gpm; Well water was ft. after hours pumping gpm		
		Bore Hole Diameter in. to ft., and in. to ft.		
		WELL WATER TO BE USED AS:		
		5 Public water supply 8 Air conditioning 11 Injection well ① Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well		
		Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted		
		Water Well Disinfected? Yes No		
5 TYPE OF BLANK CASING USED:				
① Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded				
Blank casing diameter in. to ft., Dia in. to ft., Dia in. to ft.				
Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No.				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:				
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)				
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.				
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.				
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout ③ Bentonite 4 Other				
Grout intervals: From <u>120</u> ft. to <u>114</u> ft., From <u>13</u> ft. to <u>5</u> ft., From ft. to ft.				
What is the nearest source of possible contamination:				
1 Septic tank 4 Lateral lines Abandoned 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage				
Direction from well? <u>120' SE</u>				
FROM		TO		LITHOLOGIC LOG
				PLUGGING INTERVALS
				<u>Clay</u>
				<u>Bentonite</u>
				<u>Clay</u>
				<u>Bentonite with Cement Grout Cap</u>
				<u>Compacted Clay + Topsoil</u>
MAR 05 1990				
DIVISION OF ENVIRONMENT				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>2-22-90</u> and this record is true to the best of my knowledge and belief. Kansas				
Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr) <u>2-26-90</u>				
under the business name of by (signature) <u>Don Boren</u>				

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4