LOCAT									
5		ATER WELL:	Fraction	1/ CITE 44		tion Number			Range Number
	Thomas			Y SW 1/4 et address of well if lo	SW 1/4	7	T 8	s	R 33 EW
		ge Ave Colb		et address of well it lo	cated within city				_
WATE	RWELLC	WNER: Price-R	Rite Food Sto	re #2					
₹ R# , St. /	Address, B	ox#: P.O. B o	ox 726				Board of Agricultu	re, Divisi	on of Water Resources
ity, State	, ZIP Code	: Colorac		Colorado 80901			Application Number		
		LOCATION	4 DEPTH OF	COMPLETED WELL .	195	ft. ELEV	ATION:	32	07.46
VVIIH	AN "X" IN S	SECTION BOX: N	Depth(s) Grou	ndwater Encountered	1 1 . 169	ft.	2	ft. 3	
Т			WELL'S STAT	IC WATER LEVEL .	. 174.15 ft. i	below land su	ırface measured on n	no/day/yı	7/9/96
			Pur	mp test data: Well w	aterwas	ft. af	terho	ours pum	ping gpr
l r	NW	NE	Est. Yield	gpm: Well w	aterwas	ft. at	terho	ours pum	ping gpi
<u></u> ₩ L	l .		Bore Hole Dia	meter 8 in.	to 230	ft., :	and	in.	to
- W -		 	WELL WATER	R TO BE USED AS:	5 Public water	supply	8 Air conditioning	11 lr	njection well
ıl	0)4/		1 Domesti						ther (Specify below)
] <u> </u>	SW	SE	2 Irrigation				10 Monitoring well		
)	(!	1	cal/bacteriological sar	nple submitted to	-			mo/day/yr sample was
		S	submitted				ter Well Disinfected?		No √
TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOINTS		Clamped
1 S		3 RMP(SF	R)	6 Asbestos-Ceme		(specify belo	•		d,
(2) P		4 ABS		7 Fiberglass					led √
	_			•			•		in. to
				in., weight					Sch. 40
YPE OF	SCREEN (OR PERFORATION	N MATERIAL		(7)PV		10 Asbesto	os-cemei	nt
1 S	teel	3 Stainless	s steel	5 Fiberglass			•		
	rass	4 Galvaniz			9 ABS	3	12 None u		•
		RATION OPENIN			uzed wrapped		8 Saw cut		11 None (open hole)
	ontinuous		fill slot	6 Wi	re wrapped		9 Drilled holes		
	ouvered sh		ey punched		rch cut				
		utter 4 K TED INTERVALS:	From	165 ft. to	195	ft., Fro	om	ft. t	o
CREEN-	PERFORA	TED INTERVALS:	From From		195	ft., Fro	om	ft. t	o
CREEN-	PERFORA		From From		195	ft., Fro	om	ft. to	o
CREEN-	PERFORA	TED INTERVALS:	From From From		195	ft., Fro ft., Fro ft., Fro ft., Fro	om	ft. t ft. t ft. t	o
GROU	PERFORA' BRAVEL PA	TED INTERVALS: ACK INTERVALS: L: 1 Neat	From From From		195 195 3 Bentor	ft., Fro ft., Fro ft., Fro ft., Fro	om	ft. t	o
GROUT GROUT	PERFORA' BRAVEL PA T MATERIA T Vals: Fro	TED INTERVALS: ACK INTERVALS: L: 1 Neat of the control of the co	From		195 195 3 Bentor	ft., Fro ft., Fro ft., Fro ft., Fro nite 4	omomomomomomomom	ft. t	o
GROU Grout Inte	PERFORATION GRAVEL PARTIE MATERIA T MATERIA T Mas: From the nearest s	ACK INTERVALS: L: 1 Neat of the control of the con	From From From From From Cement ft. to 14		195 195 3 Bentor	ft., Froft., Froft., Froft., Froft., Froft. 4 to	omomomomomomomom	ft. tift. tft. tft. t	o
GROU GROU Grout Inte What is the	PERFORA GRAVEL PA T MATERIA T vals: From the nearest stockers	ACK INTERVALS: L: 1 Neat of the course of possible 4 Later	From From From From From From From From	165 ft. to 2 Cement grout ft., From 7 Pit privy	195	ft., Froft., Froft., Froft., Froft. 4 to	omomomomomomomomomomoooomoomoooomoo	ft. tt ft. t ft. t ft. t ft. t ft. t	o
GROU Grout Inte What is th 1 Sept 2 Sew	PERFORA GRAVEL PA T MATERIA rvals: From the nearest stot tank ter lines	ACK INTERVALS: L: 1 Neat of the course of possible 4 Later 5 Cess	From From From From From From From From	165 ft. to	195 195 3 Bentor 145 ft. t	ft., Froft., Froft., Froft., Froft. 4 to	om	ft. tt ft. tt ft. tt ft. t	o
GROUTINE OF SERVICE OF	PERFORA GRAVEL PA T MATERIA rvals: Fro te nearest stic tank ter lines ertight sew	ACK INTERVALS: L: 1 Neat of m 0	From From From From From From From From	165 ft. to 2 Cement grout ft., From 7 Pit privy	195 195 3 Bentor 145 ft. t	ft., Froft., Froft., Froft., Froft. 4 to150	omother	ft. tt ft. tt ft. tt ft. t	o
GROU GROUT Grout Inte Mhat is th 1 Sep 2 Sew 3 Wat Direction	PERFORA GRAVEL PA T MATERIA rvals: Fro the nearest stic tank ter lines ertight sew from well?	ACK INTERVALS: L: 1 Neat of the course of possible 4 Later 5 Cess	From From From From From From From From	165 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage k 9 Feedyard	3 Bentor 145 ft. t	ft., Froft., Froft., Froft., Froft. 4 to	om	14 Ab. 15 Oil	of the to the state of the stat
GROU GROUT GROUT Inte What is th 1 Sep 2 Sew 3 Wat Direction	PERFORA GRAVEL PA T MATERIA rvals: From tank to tank er lines ertight sew from well?	ACK INTERVALS: L: 1 Neat of m 0	From From From From From From From From	165 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage k 9 Feedyard	195 195 3 Bentor 145 ft. t	ft., Froft., Froft., Froft., Froft. 4 to150	om	14 Ab. 15 Oil	o
GROU GROUT Grout Inte Vhat is the 1 Sep 2 Sew 3 Wat Direction FROM 0	PERFORA GRAVEL PA F MATERIA rvals: From the enderest stank er lines ertight sew from well? TO 0.5	ACK INTERVALS: L: 1 Neat of m 0	From From From From From From From From	165 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage k 9 Feedyard	3 Bentor 145 ft. t	ft., Froft., Froft., Froft., Froft. 4 to	om	14 Ab. 15 Oil	of the to the state of the stat
GREEN- GROUTE GROUTE Inte What is the 1 September 2 Sewth 3 Wate Direction FROM 0 0.5	PERFORA GRAVEL PA F MATERIA rvals: From the nearest stank er lines ertight sew from well? TO 0.5 12	ACK INTERVALS: 1 Neat of m	From From From From From From From From	165 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage k 9 Feedyard	3 Bentor 145 ft. t	ft., Froft., Froft., Froft., Froft. 4 to	om	14 Ab. 15 Oil	of the to the state of the stat
GROUTINE OFFICIAL SEP OFFICIAL	FRAVEL PARAMETERIA FMATERIA Froals:	ACK INTERVALS: L: 1 Neat of m 0 Source of possible 4 Later 5 Cesser lines 6 Seep N Topsoil/Veget Clay, Dark B Silt, Brown	From From From From From From From From	165 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage k 9 Feedyard	3 Bentor 145 ft. t	ft., Fro ft., Fro ft., Fro ft., Fro ft. 4 	om	14 Ab. 15 Oil	of the to the state of the stat
GROUTINE OFFICIAL SEP	FRAVEL PARAMETERIAL PROPERTY OF THE PROPERTY O	ACK INTERVALS: L: 1 Neat of m	From From From From From From From From	165 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage k 9 Feedyard	3 Bentor 145 ft. t	ft., Fro ft., Fro ft., Fro ft., Fro ft. 4 	om	14 Ab. 15 Oil	of the to the state of the stat
GROUTINE OFFICIAL SEPTIMENT OF	FRAVEL PARAMETERIAL PROPERTY OF THE PROPERTY O	ACK INTERVALS: L: 1 Neat of m 0	From From From From From From From From	165 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage k 9 Feedyard	3 Bentor 145 ft. t	ft., Fro ft., Fro ft., Fro ft., Fro ft. 4 	om	14 Ab. 15 Oil	of the to the state of the stat
GROUTINE GRO	FREFORA GRAVEL PA MATERIA rvals: From the entire sertight sew from well? TO 0.5 12 53 98 135 175	ACK INTERVALS: ACK INTERVALS: 1 Neat of mount of possible 4 Later 5 Cesser lines 6 Seep N Topsoil/Veget Clay, Dark B Silt, Brown Sand, Brown Clay, Brown Sand, Brown	From From From From From From From From	165 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage k 9 Feedyard	3 Bentor 145 ft. t	ft., Fro ft., Fro ft., Fro ft., Fro ft. 4 	om	14 Ab. 15 Oil	of the to the state of the stat
GROUTINE OFFICIAL SEPTIMENT OF	FRAVEL PARAMETERIAL PROPERTY OF THE PROPERTY O	ACK INTERVALS: L: 1 Neat of m 0	From From From From From From From From	165 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage k 9 Feedyard	3 Bentor 145 ft. t	ft., Fro ft., Fro ft., Fro ft., Fro ft. 4 	om	14 Ab. 15 Oil	of the to the state of the stat
GROUTINE GRO	FREFORA GRAVEL PA MATERIA rvals: From the entity of the severe of the	ACK INTERVALS: ACK INTERVALS: 1 Neat of mount of possible 4 Later 5 Cesser lines 6 Seep N Topsoil/Veget Clay, Dark B Silt, Brown Sand, Brown Clay, Brown Sand, Brown	From From From From From From From From	165 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage k 9 Feedyard	3 Bentor 145 ft. t	ft., Fro ft., Fro ft., Fro ft., Fro ft. 4 	om	14 Ab. 15 Oil	of the to the state of the stat
GROUTINE GRO	FREFORA GRAVEL PA MATERIA rvals: From the entity of the severe of the	ACK INTERVALS: ACK INTERVALS: 1 Neat of mount of possible 4 Later 5 Cesser lines 6 Seep N Topsoil/Veget Clay, Dark B Silt, Brown Sand, Brown Clay, Brown Sand, Brown	From From From From From From From From	165 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage k 9 Feedyard	3 Bentor 145 ft. t	ft., Fro ft., Fro ft., Fro ft., Fro ft. 4 	om	14 Ab. 15 Oil	of the to the state of the stat
GROUTINE GRO	FREFORA GRAVEL PA MATERIA rvals: From the entity of the severe of the	ACK INTERVALS: ACK INTERVALS: 1 Neat of mount of possible 4 Later 5 Cesser lines 6 Seep N Topsoil/Veget Clay, Dark B Silt, Brown Sand, Brown Clay, Brown Sand, Brown	From From From From From From From From	165 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage k 9 Feedyard	3 Bentor 145 ft. t	ft., Fro ft., Fro ft., Fro ft., Fro ft. 4 	om	14 Ab. 15 Oil	of the to the state of the stat
GROUTINE GRO	FREFORA GRAVEL PA MATERIA rvals: From the entity of the severe of the	ACK INTERVALS: ACK INTERVALS: 1 Neat of mount of possible 4 Later 5 Cesser lines 6 Seep N Topsoil/Veget Clay, Dark B Silt, Brown Sand, Brown Clay, Brown Sand, Brown	From From From From From From From From	165 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage k 9 Feedyard	3 Bentor 145 ft. t	ft., Fro ft., Fro ft., Fro ft., Fro ft. 4 	om	14 Ab. 15 Oil	of the to the state of the stat
GROUTINE GRO	FREFORA GRAVEL PA MATERIA rvals: From the entity of the severe of the	ACK INTERVALS: ACK INTERVALS: 1 Neat of mount of possible 4 Later 5 Cesser lines 6 Seep N Topsoil/Veget Clay, Dark B Silt, Brown Sand, Brown Clay, Brown Sand, Brown	From From From From From From From From	165 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage k 9 Feedyard	3 Bentor 145 ft. t	ft., Froft., Froft., Froft., Froft., Froft., Froft., Froft. 4 to	om	14 Ab. 15 Oil 16 Oxt	of the to the state of the stat
GROUTINE GRO	FREFORA GRAVEL PA MATERIA rvals: From the entity of the severe of the	ACK INTERVALS: ACK INTERVALS: 1 Neat of mount of possible 4 Later 5 Cesser lines 6 Seep N Topsoil/Veget Clay, Dark B Silt, Brown Sand, Brown Clay, Brown Sand, Brown	From From From From From From From From	165 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage k 9 Feedyard	3 Bentor 145 ft. t	ft., Froft., Froft., Froft., Froft., Froft., Froft. 4 to	om	ft. tt. tt. tt. tt. tt. tt. tt. tt. tt.	o
GROUTINE GRO	FREFORA GRAVEL PA MATERIA rvals: From the entity of the severe of the	ACK INTERVALS: ACK INTERVALS: 1 Neat of mount of possible 4 Later 5 Cesser lines 6 Seep N Topsoil/Veget Clay, Dark B Silt, Brown Sand, Brown Clay, Brown Sand, Brown	From From From From From From From From	165 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage k 9 Feedyard	3 Bentor 145 ft. t	ft., Froft., Froft., Froft., Froft., Froft., Froft., Froft. 4 to	om	ft. tt. tt. tt. tt. tt. tt. tt. tt. tt.	on the first to th
GROUTINE GRO	PERFORA GRAVEL PA F MATERIA rvals: From the enearest stic tank rvals: From well? TO 0.5 12 53 98 135 175 230	ACK INTERVALS: ACK INTERVALS: 1 Neat of m 0 Source of possible 4 Later 5 Cesser lines 6 Seep N Topsoil/Veget Clay, Dark B Silt, Brown Sand, Brown Clay, Brown Sand, Brown Sand, Brown Sand, Brown Sand, Brown	From From From From From From From From	165 ft. to ft. to 150 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage k 9 Feedyard	3 Bentor 145 ft. t	ft., Froft., Froft.	om	14 Ab 15 Oil 16 Oth US GING INI 17, Flushmate Food 3	on the following store #2 7 10231
GROUTERON GROUT Intervention of the control of the	PERFORA GRAVEL PA F MATERIA rvals: From the nearest state tank from well? TO 0.5 12 53 98 135 175 230 ACTORS 6	ACK INTERVALS: ACK INTERVALS: 1 Neat of m 0 Source of possible 4 Later 5 Cesser lines 6 Seep N Topsoil/Veget Clay, Dark B Silt, Brown Sand, Brown Clay, Brown Sand, Brown San	From From From From From From From From	165 ft. to ft. to 150 ft. to 150 ft. to 150 ft. to 2 Cement grout 5 ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bentor 145 ft. t	ft., Froft., Froft.	om	14 Ab 15 Oil 16 Oth US GING INI 17, Flushmate Food 3	on the following store #2 7 10231
GROUTEROM GROUTEROM O O O O O O O O O O O O	PERFORA GRAVEL PA F MATERIA rvals: From the nearest state tank from well? TO 0.5 12 53 98 135 175 230 ACTORS 6 completed of completed o	ACK INTERVALS: ACK INTERVALS: 1 Neat of m	From From From From From From From From	165 ft. to ft. ft. From ft., From ft	3 Benton 145 ft. t	ft., From tt., F	om	14 Ab 15 Oil 16 Oth US GING INI 15 Flushmite Food S 2 # U6 09' gged und st of my	o
GROUTEROM GROUTEROM O O O O O O O O O O O O	PERFORA GRAVEL PA F MATERIA rvals: From the nearest state tank from well? TO 0.5 12 53 98 135 175 230 ACTORS 6 completed of completed o	ACK INTERVALS: ACK INTERVALS: 1 Neat of m	From From From From From From From From	165 ft. to ft. ft. From ft., From ft	3 Benton 145 ft. t	ft., From tt., F	om	14 Ab 15 Oil 16 Oth US GING INI 15 Flushmite Food S 2 # U6 09' gged und st of my	o
GROUTOUT Interference of the contract of the c	PERFORA GRAVEL PA F MATERIA rvals: From the nearest state tank from well? TO 0.5 12 53 98 135 175 230 ACTORS 6 completed of completed o	ACK INTERVALS: ACK INTERVALS: 1 Neat of m	From From From From From From From From	165 ft. to ft. ft. From ft., From ft	3 Benton 145 ft. t	ft., From tt., F	om	14 Ab 15 Oil 16 Oth US GING INI 15 Flushmite Food S 2 # U6 09' gged und st of my	o