County: Thomas	ATER WELL:	Fraction		I	Section Number	Township N	ullipei	Range Numi	~~
		NW 1/4	SW 1/4	SW 1/4	7	T 8	S	R 33	E/W
Distance and directi	on from nearest towr	n or city street ac	dress of well if l	ocated within	city?				-
	ge Ave Colby,				-				
2 WATER WELL C			#2						
_			74			D			
	ox# P.O. Box					-		ion of Water Res	ources
City, State, ZIP Code						Application Nu			
3 LOCATE WELL'S WITH AN "X" IN S	SECTION BOY: H	_				'ATION:			
VVIITAN A INS	N D	epth(s) Groundw	ater Encountere	d 1	169 ft.	2	ft. :	3	ft
<u> </u>	T N	VELL'S STATIC V	NATER LEVEL .	172.6	. ft. below land s	urface measured	on mo/dav/\	r7/9/96	
						fter			
	NE _					fter			
a !									
W W	1 1 1 - 1					and			π.
- "		VELL WATER TO				8 Air conditionir	_	njection well	
	1 1 1	1 Domestic	3 Feedlot			9 Dewatering		Other (Specify be	low)
X SW	1 1 1	2 Irrigation	4 Industrial			10 Monitoring we			
	i v	Vas a chemical/b	acteriological sa	ample submitte	ed to Departmen	? YesNo. √ .	; If yes,	mo/day/yr sample	e was
<u> </u>	S s	ubmitted			Wa	ater Well Disinfect	ed? Yes	No √	
5 TYPE OF BLANK	CASING USED:	5	Wrought iron	8 C	oncrete tile	CASING JO	INTS: Glued	I Clamped	1
	3 RMP (SR)		Asbestos-Cem		her (specify bek			ed ,	
1 Steel	` ,					•		ded √	
2)PVC	4 ABS		Fiberglass					•	
Blank casing diamete									
Casing height above	land surface	2.76 ir	n., weight		lbs./	ft. Wall thickness	or gauge N	o Sch. 40	
TYPE OF SCREEN	OR PERFORATION N	MATERIAL		(7)	PVC	10 Asi	oestos-ceme	ent	
1 Steel	3 Stainless st	teel 5	Fiberglass	8	RMP (SR)	11 Oth	er (specify)		
2 Brass	4 Galvanized	steel 6	Concrete tile	9	ABS	12 No	ne used (op	en hole)	
SCREEN OR PERFO				auzed wrappe	ad		(-)	11 None (open l	hole)
1 Continuous				/ire wrapped		9 Drilled holes		TT THORIC (OPERT)	1010)
2 Louvered sh	-	punchea 1		orch cut		10 Other (specify	y)		
SCREEN-PERFORA	TED INTERVALS:	From	199t	o	D	om	t t.	to	π
		From	ft. t	0	ft., Fr	om	f t.	to	ft
GRAVEL PA	ACK INTERVALS:	From	ļ50ft.t⊪	o 199	≶ft., Fr	om	f t.	to	ft
GRAVEL P.	ACK INTERVALS:	From	ļ50ft.t⊪	o 199	≶ft., Fr	om	f t.	to	ft
		From	1.50 ft. to	o 199	آ ft., Fr ft., Fr	om	ft.	to	ft ft
6 GROUT MATERIA	L: 1 Neat ce	From		0199 0	5ft., Fr ft., Fr entonite 4	om	ft.	to	ft ft
6 GROUT MATERIA	AL: 1 Neat ce	From		0199 0	5 ft., Fr ft., Fr entonite 4 ft. to 150	om	ft.	to	ft
6 GROUT MATERIA Grout Intervals: Fro What is the nearest	AL: 1 Neat cer om	From		. 196 	5ft., Frft., Fr entonite 4 ft. to150	omom	ft.	toto	ft
GRAVEL P. GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank	AL: 1 Neat ce	From		0 199 0 145	5 ft., Fr ft., Fr entonite 4 ft. to 150 10 Live	om	14 A	to	ft ft ft. ell
6 GROUT MATERIA Grout Intervals: Fro What is the nearest	AL: 1 Neat cer om	From	Cement grout ft. to Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage	0	5 ft., Fr ft., Fr entonite 4 ft. to 150 10 Lives 11 Fuel 12 Ferti	om	14 Al	to	ft ft ft. ft.
6 GROUT MATERIA Grout Intervals: Fro What is the nearest 1 Septic tank 2 Sewer lines	AL: 1 Neat celon	From		0	5 ft., Fr ft., Fr entonite 4 ft. to 150 10 Lives 11 Fuel 12 Ferti 13 Inse	om	14 Al	to	ft ft ft. ft.
6 GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew	AL: 1 Neat cel om	From	Cement grout ft. to Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage	0	5 ft., Fr ft., Fr entonite 4 ft. to 150 10 Lives 11 Fuel 12 Ferti 13 Inse	om	14 Al	to	ft ft ft. ft.
6 GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew	AL: 1 Neat cel om	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	0	5ft., Fr ft., Fr entonite 4 ft. to150 10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	14 Al	to	ft ft ft. ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO	AL: 1 Neat cel om	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	19900 145	6ft., Fr entonite 4 ft. to150 10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	14 A 15 O 16 O	to	ft ft ft. ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5	AL: 1 Neat cer om	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	19900 145	6ft., Fr entonite 4 ft. to150 10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	14 A 15 O 16 O	to	ft ft ft vell
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9	AL: 1 Neat cer om . 0	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	19900 145	6ft., Fr entonite 4 ft. to150 10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	14 A 15 O 16 O	to	ft ft ft. ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51	AL: 1 Neat cei om 0 ft source of possible ce 4 Lateral 5 Cess per er lines 6 Seepag SE Topsoil/Silt/Veg Clay, Dark Bro Silt, Brown	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	19900 145	6ft., Fr entonite 4 ft. to150 10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	14 A 15 O 16 O	to	ft ft ft. ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98	L: 1 Neat cei om . 0	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	19900 145	6ft., Fr entonite 4 ft. to150 10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	14 A 15 O 16 O	to	ft ft ft. ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98 98 138	L: 1 Neat cerement of the source of possible considered and the source of the source	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	19900 145	6ft., Fr entonite 4 ft. to150 10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	14 A 15 O 16 O	to	ft ft ft. ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98	L: 1 Neat cei om . 0	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	19900 145	6ft., Fr entonite 4 ft. to150 10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	14 A 15 O 16 O	to	ft ft ft. ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98 98 138	L: 1 Neat cerement of the source of possible considered and the source of the source	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	19900 145	6ft., Fr entonite 4 ft. to150 10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	14 A 15 O 16 O	to	ft ft ft. ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98 98 138 138 180	L: 1 Neat cer om . 0 ft source of possible co 4 Lateral 5 Cess per lines 6 Seepag SE Topsoil/Silt/Veg Clay, Dark Bro Silt, Brown Clay, Brown Re Clay, Brown Sand, Brown	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	199 0	6ft., Fr entonite 4 ft. to150 10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	14 A 15 O 16 O	to	ft ft ft. ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98 98 138 138 180	L: 1 Neat cer om . 0 ft source of possible co 4 Lateral 5 Cess per lines 6 Seepag SE Topsoil/Silt/Veg Clay, Dark Bro Silt, Brown Clay, Brown Re Clay, Brown Sand, Brown	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	199 0	6ft., Fr entonite 4 ft. to150 10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	14 A 15 O 16 O	to	ft ft ft. ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98 98 138 138 180	L: 1 Neat cer om . 0 ft source of possible co 4 Lateral 5 Cess per lines 6 Seepag SE Topsoil/Silt/Veg Clay, Dark Bro Silt, Brown Clay, Brown Re Clay, Brown Sand, Brown	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	199 0	6ft., Fr entonite 4 ft. to150 10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	14 A 15 O 16 O	to	ft ft ft. ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98 98 138 138 180	L: 1 Neat cer om . 0 ft source of possible co 4 Lateral 5 Cess per lines 6 Seepag SE Topsoil/Silt/Veg Clay, Dark Bro Silt, Brown Clay, Brown Re Clay, Brown Sand, Brown	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	199 0	6ft., Fr entonite 4 ft. to150 10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	14 A 15 O 16 O	to	ft ft ft. ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98 98 138 138 180	L: 1 Neat cer om . 0 ft source of possible co 4 Lateral 5 Cess per lines 6 Seepag SE Topsoil/Silt/Veg Clay, Dark Bro Silt, Brown Clay, Brown Re Clay, Brown Sand, Brown	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	199 0	6ft., Fr entonite 4 ft. to150 10 Lives 11 Fuel 12 Ferti 13 Inse How ma	om	14 A 15 O 16 O	to	ft ft ft. ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98 98 138 138 180	L: 1 Neat cer om . 0 ft source of possible co 4 Lateral 5 Cess per lines 6 Seepag SE Topsoil/Silt/Veg Clay, Dark Bro Silt, Brown Clay, Brown Re Clay, Brown Sand, Brown	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	199 0	5 ft., Fr	om	14 Al 15 O 16 O U	to	ft ft ft. ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98 98 138 138 180	L: 1 Neat cer om . 0 ft source of possible co 4 Lateral 5 Cess per lines 6 Seepag SE Topsoil/Silt/Veg Clay, Dark Bro Silt, Brown Clay, Brown Re Clay, Brown Sand, Brown	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	199 0	5ft., Frft., Fr. entonite 4 ft. to	om	14 Al 15 O 16 O UGGING IN	to	ft ft ft. ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98 98 138 138 180	L: 1 Neat cer om . 0 ft source of possible co 4 Lateral 5 Cess per lines 6 Seepag SE Topsoil/Silt/Veg Clay, Dark Bro Silt, Brown Clay, Brown Re Clay, Brown Sand, Brown	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	199 0	5ft., Frft., Fr. entonite	om	14 Al 15 O 16 O UGGING IN	to	ft ft ft vell
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98 98 138 138 180	L: 1 Neat cer om . 0 ft source of possible co 4 Lateral 5 Cess per lines 6 Seepag SE Topsoil/Silt/Veg Clay, Dark Bro Silt, Brown Clay, Brown Re Clay, Brown Sand, Brown	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	199 0	5ft., Fr. entonite 4 ft. to	om	14 Al 15 O 16 O UUGGING IN	to	ft ft ft well
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98 98 138 138 180 180 210	Scarce of possible control of the source of the	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar	lagoon rd	5ft., Frft., Fr. entonite 4 ft. to150 10 Lives 11 Fuel 12 Ferti 13 Inse How ma	Other	14 Al 15 O 16 O LUGGING IN	to	ft
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98 98 138 138 180 180 210	Topsoil/Silt/Veg Clay, Dark Brown Clay, Brown Clay, Brown Sand, Brown	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar OG	lagoon rd	5 ft., Fr	Other	14 Al 15 O 16 O U UGGING IN UGGING IN UGGING IN UGGING IN	to	ft
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98 98 138 138 138 138 130 180 210	Topsoil/Silt/Veg Clay, Dark Brown Clay, Brown Clay, Brown Sand, Brown Sand, Brown Sand, Brown Cor LANDOWNERS on (mo/day/year)	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar OG	lagoon rd FROI	f ft., Fr	Other	14 Al 15 O 16 O U UGGING IN UGGING IN UGGING IN UGGING IN UGGING IN UGGING IN	to	fl
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98 98 138 138 180 180 210	AL: 1 Neat cer om . 0 ft source of possible co 4 Lateral 5 Cess po er lines 6 Seepag SE Topsoil/Silt/Veg Clay, Dark Bro Silt, Brown Clay, Brown Ro Clay, Brown Ro Sand, Brown Sand, Brown Cor LANDOWNERS on (mo/day/year)	From	Cement grout ft. to Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyar OG	lagoon rd FROI	f ft., Fr	Other	14 Al 15 O 16 O U UGGING IN UGGING IN UGGING IN UGGING IN UGGING IN UGGING IN	to	ft
GROUT MATERIA Grout Intervals: Fro What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 0.5 0.5 9 9 51 51 98 98 138 138 138 138 130 180 210	AL: 1 Neat cer om . 0 ft source of possible co 4 Lateral 5 Cess po er lines 6 Seepag SE Topsoil/Silt/Veg Clay, Dark Bro Silt, Brown Clay, Brown Ro Clay, Brown Ro Sand, Brown Sand, Brown Cor LANDOWNERS on (mo/day/year)	From	Cement groutft. to Cement groutft., From 7 Pit privy 8 Sewage 9 Feedyar OG	lagoon rd FROI	f ft., Fr	Other	14 Al 15 O 16 O U UGGING IN UGGING IN UGGING IN UGGING IN UGGING IN UGGING IN	to	ft

WATER WELL RECORD Form WWC-5 KSA 82a-1212