WA.	ГEК	WELL	RECORD	Form WWC-	5	Division of Wate	r Resources; App. No.		
1 L	OCA	ATION O	F WATER WELL:	Fraction		Section Number	Township Number		
		y: Thoma		SE 1/4 SE 1/4 N		6	T 8 S	R 33 E/W	
			ection from nearest town or ci		ll if			grees, min. of 4 digits)	
10	located within city? 820 S Franklin, Colby, KS					Latitude: 39.38782 N			
2 V	WATER WELL OWNER: E. Jay Deines					Longitude: 101.04613 W Elevation:			
- I	RR#, St. Address, Box # : 120 W. Sycamore					Datum:			
		State, ZIP					Method: upon N-		
3 I	LOCATE WELL'S 4 DEPTH OF COMPLETED WELL .135					Data Collection Method: USGS National Map			
		ATION	ALL O V DER THE OF COMMEDIES WHEN IN THE STATE OF THE STA						
,		AN "X"							
S	ECT	TON BOX	BOX: WELL'S STATIC WATER LEVEL 128.07ft. below land surface measured on mo/day/yr 3-29-07						
		N Pump test data: Well water wasft. after hours pumping							
	T	Est. Yield. 2.0							
	- NW	W NE - WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 9 Dewatering 12 Other (Specify below)							
w L		E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well MW-1							
-	- SW	SE -	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs						
L	!_	Sample was submitted							
s									
5 T	YPE	OF CAS	ING USED: 5 Wrought	Iron 8 Concr	ete tile	CASIN	G JOINTS: Glued	Clamped	
	1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded								
2 PVC 4 ABS 7 Fiberglass Threaded Threaded									
Blank casing diameter in. to ft., Diameter in. to ft., Diameter in. to Sch 40									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)									
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 0.0205 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to 135 ft., From ft. to ft.									
From									
GRAVEL PACK INTERVALS: From. 101.3 ft. to . 135 ft., From									
From									
((DOI	TOT BUT A OUT	SDIAT . I Madagara 2	C	4	4.04			
			ERIAL: 1 Neat cement 2						
Grout Intervals: From 101.3									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify									
2 Sewer lines 5 Cess pool 8 Sewage agoon 11 Fuel storage 14 Abandoned water well below)									
ĺ			sewer lines 6 Seepage pit			•	il well/gas well		
			1? West						
FRO)M	ТО	LITHOLOGIC	C LOG	FRON	1 TO	PLUGGING IN	TERVALS	
0		0.5	Asphalt						
0. 31		31	Silt						
36		36 50	Sand Silt			_			
50		103	Sand	TWO WAY CONTINUED TO THE TOTAL THE TOTAL TO THE TOTAL TOT					
	03	106	Silt-Siltstone						
	06	135	Sand						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged									
under my jurisdiction and was completed on (mo/day/year) 93-19-97 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 554. This Water Well Record was completed on (mo/day/year) 04-11-07. under the business name of Woofter Pump & Well, Inc. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in please, underline or circle the correct answers. Send top									
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson 8t., Suite 420, Topeka, Kansas 66612-1367. Telephone									
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdhe.state.ks.us/geo/waterwells.									
http://www.ktine.state.ks.us/geo/waterwehs.									