WATE	R WELI	RECORD	Form WWC-5		Division of Wate	r Resources; App. No.		
1 LOC	ATION O	F WATER WELL:	Fraction	T	Section Number	Township Number	Range Number	
	ty: Thom		SE 1/4 SE 1/4 NW		6	T 8 S	R 33 E/W	
Dista	Distance and direction from nearest town or city street address of well if				Global Positioning Systems (decimal degrees, min. of 4 digits)			
located within city? 820 S Franklin, Colby, KS					Latitude: 39.38769 N			
2 WATER WELL OWNER: E. Jay Deines					Longitude: 101.04629 W			
					Elevation:			
	State, ZIP	C. I.			Datum:			
wareeney, no ororz					Data Collection Method: USGS National Map			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL .144								
1	WITH AN "X" IN Depth(s) Groundwater Encountered (1).127.19 ft. (2)							
	TION BO							
0.20	N	Pump test data: Well water wasft. after hours pumping gpm						
r	-T-T	Est. Yield. 2.0gpm: Well water was						
l l NV	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
	w F 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well MW-2								
SW SE W 1 10 11 11 12 13 14 15 15 15 15 15 15 15								
Sample was submitted								
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped								
	E OF CAS	ING USED: 5 Wrought I	ron 8 Concret					
	Steel PVC	3 RMP (SR) 6 Asbestos- 4 ABS 7 Fiberglass	Cement 9 Other (s		below)			
Blank C	eina diam	4 ABS 7 Fiberglass	ft Diameter		n to ft	Diameter	in to f	
2 PVC 4 ABS 7 Fiberglass Threaded								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 0.0205 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From. ft. to 144 ft., From ft. to ft. to ft. to ft. to ft. to ft. ft. <t< td=""></t<>								
GRAVEL PACK INTERVALS: From 111.2 ft. to .144 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals: From .111.2 ft. to ft., From ft. to ft., From ft., From ft.								
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage-lagoon 11 Fuel storage 14 Abandoned water well below)								
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well								
Direction from well? East How many feet? 10.								
FROM	ТО	LITHOLOGIC		FROM		PLUGGING INT		
0	0.5	Asphalt						
0.5	30	Silt						
30	90	Sand						
90	101	Silt-Siltstone						
101	107	Silty Sand						
107	145	Sand						
7 CONTRICOR LANDOWAVERIO CERTIFICATIVON TIL								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1) constructed (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) 93-21-97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 554								
under the business name of Woofter Pump & Well, Inc. Water Well Record was completed in (mo/day/year/year/year/year/year/year/year/ye								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top								
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suffe 420, Topeka, Kansas 66612-1367. Telephone								
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://www.kdhe.state.ks.us/geo/waterwells.								