VATER WELL RECORD Form WWC-5 Division of Water Resources; App. No.								
1 LOCATION OF WATER WELL:		Fraction		Section Number	Township Number	Range Number		
Coun	ty: Thom	as	SE 1/4 SE 1/4 I		6	T 8 S	R 33 E/W	
		rection from nearest town or c		ell if		Systems (decimal deg	rees, min. of 4 digits)	
locate	ed within c	$^{ m ity?}$ 820 S. Franklin, Colby, I	KS		Latitude: 39.3881			
					Longitude: 101.0448			
2 WA	TER WEI	L OWNER: E. Jay Deines			Elevation: TOC 3169.19			
	, St. Addre	Colo III Oyoum				Datum:		
City,	State, ZIF	warteeney, ite			Data Collection Method:			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 156 ft.								
	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)							
SEC.	N Pump test data: Well water wasft. after hours pumpinggpn							
Est. Yield. 2.0gpm: Well water was								
'	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
w NY	w v F 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
"	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well MW-12							
- SW	SW SE SE							
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs								
Sample was submitted Water well disinfected? Yes No								
S								
5 TYPI	E OF CAS	ING USED: 5 Wrought 3 RMP (SR) 6 Asbestos	Iron 8 Con	crete tile	CASINO	G JOINTS: Glued	Clamped	
2	PVC	4 ABS 7 Fiberglas	s			Threaded	l	
2 PVC 4 ABS 7 Fiberglass Threaded								
Casing height above land surface -0.50 in., Weight 2.0 lbs./ft. Wall thickness or guage No. Sch 40 TYPE OF SCREEN OR PERFORATION MATERIAL:								
			1 / 1	0	A D.C.	11.04 (0:6)		
1 Steel 3 Stainless Steel 5 Fiberglass 7 PMC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From 126 ft. to 156 ft., From ft. to ft.								
From # ft. to ft. From ft. to ft.								
From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
		ERIAL: 1 Neat cement 2	Cement grout B Be	ntonite	4 Other			
Grout Intervals: From 123								
What is the nearest source of possible contamination: 1. Sertic tends 4. Letteral lines 7. Pit private 10. Livestock pers 13. Insecticide Storage 16. Other (specific								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage-lagoon 11 Fuel storage 14 Abandoned water well below)								
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well								
Direction from well?								
FROM	TO	LITHOLOGI		FRO		PLUGGING INT		
0	35	SILT		1				
35	86	SAND						
86	95	CLAYEY SILT						
95	156	SAND						

			•					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) 04-28-08 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/year) 06-09-08								
		name of Woofter Pump & V			by (signature)	Jay Culoo	10s	
INSTRU	CTIONS: U	se typewriter or ball point pen. PLE	ASE PRESS FIRMLY and	<i>PRINT</i> cle	arly. Please fill in blank	s, underline or circle the	orrect answers. Send top	
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://www.kdhe.state.ks.us/geo/waterwells.								