VATEI	R WELL	RECORD	Form WWC-	5	Division of	Water R	Resources; App. No.		
1 LOCATION OF WATER WELL:			Fraction		Section Numb	er 7	Township Number	Range Number	
			SE 1/4 SE 1/4 N	W 1/4	6	1	Г в S	R 33 E/W	
		ection from nearest town or cit	y street address of we	ll if	Global Positioning Systems (decimal degrees, min. of 4 digits)				
		ity? 820 S. Franklin, Colby, K			Latitude: 3	9.3883		, ,	
					Longitude: 101.0448				
2 WATER WELL OWNER: E. Jay Deines□					Elevation: TOC 3169.34				
	St. Addre				Datum:				
	State, ZIP			[i N (-	-41 J.		
Walkerley, No 07072					Data Collection Method:				
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 154 ft.									
	WITH AN "X" IN Depth(s) Groundwater Encountered (1)								
SECTION BOX: WELL'S STATIC WATER LEVEL 144.42 ft. below land surface measured on mo/day/y.							yr		
	N	Pump test data: Well water was							
					ft. after hours pumping gpm				
WELL WATER TO BE USED AS: 5 Public water supply WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Special Control of the Control of							nditioning 11 Inje	ection well	
							ner (Specify below)		
	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well MW-13								
CII									
SW									
S									
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped									
						51110 3		Clamped	
	1 Dicol 5 Idill (Dic) 0 Hoodston Collection 5 Chief (Speed) 5 Chief (Speed)								
2 PVC 4 ABS 7 Fiberglass Threaded✓. Blank casing diameter 4									
Casing height above land surface. 0.38 in., Weight 2.0 lbs./ft. Wall thickness or guage No. Sch 40									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
0.714(0.7)									
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
1 Continuous stor [5 Mill stor] 5 Guazed wrapped 7 Forch cut 9 Diffied notes 11 None (open note)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
From									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 122 ft. to 0.5 ft., From ft. to ft., From ft. to ft.									
					16. 00	10.,	1 10111	11. 10	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well									
		LITHOLOGIC		FROM			PLUGGING INT		
FROM	TO 35	SILT	LOU	FRUIV	1 TO		LEOGGING IN I	LIK V ALS	
0	47	SAND							
35 47		CLAYEY SILT							
	55			-					
55	154	SAND	ar						
			•						
7 CON	TRACTO	R'S OR LANDOWNER'S CE	ERTIFICATION: T	his water	well was (1) c	onstruc	cted (2) reconstruct	ed, or (3) plugged	
under my jurisdiction and was completed on (mo/day/year) 04-29-08 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/year) 06-09-08									
under the business name of Woofter Pump & Well, Inc. by (signature) by (signature)									

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdhe.state.ks.us/geo/waterwells.