WATER WELL R			WWC-5		ivision of Wate	1			
Original Record			e in Well Use		sources App. N		Well ID		
1 LOCATION OF WATER WELL: Fraction				S ایس	ection Number Township Number Range Number				
County: Low		DU 41004104							
2 WELL OWNER: Last Name: Engla laket First: Ken Street or Rural Address where well is located (if unknown, distance									
Business: direction from nearest town or intersection): If at owner's address, check her									
Address:									
City: Colly State: K 5 ZIP: 67701									
3 LOCATE WELL	4 DEDTU	OF COM	IPLETED WELL:	221	A 5 1 -444			(1 : 11	
WITH "X" IN	Denth(s) Gr	oundwater	Encountered: 1)						
SECTION BOX:			3) ft., or $4)$						
N			TER LEVEL:						
			, measured on (mo-day			GPS (unit make/model:)			
NW NE	above 1	and surface,	, measured on (mo-day	-yr)		(WAAS enabled			
			ater was		☐ Land Survey ☐ Topographic Map				
W E	after		s pumping			Online Mapper:			
SW SE			vater was						
	Estimated Y	iold: 93	pumping	. gpm	6 Elevation:ft. ☐ Ground Level ☐ TOC				
S	Bore Hole I	Diameter		ft and		Source: Land Survey GPS Topographic Map			
1 mile	Bote Hole I		in. to			Other			
7 WELL WATER TO BE USED AS:									
1. Domestic:			ter Supply: well ID		10. 🗆 Oi	l Field Water Suppl	y: lease		
Household	6. ☐ Dewatering: how many wells?								
☐ Lawn & Garden									
Livestock						nermal: how many			
2. Irrigation			al Remediation: well I		,				
3. Feedlot] Air Sparge		Extraction		b) Open Loop Surface Discharge Inj. of Water			
4. Industrial Recovery Injection 13. Other (specify):									
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:									
Water well disinfected? Yes □ No TYPE OF CASING USED: □ Steel PVC □ Other									
8 TYPE OF CASING	USED: □ S	teel XPV	C Other	CAS	SING JOINTS	: ÆGlued ☐ Cla	mped 🗌 Weld	ed Threaded	
Casing diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous Slot									
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From 200 ft. to 222 ft., From ft. to ft., From ft. to ft.									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
Nearest source of possible contamination:									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
✓ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
Other (Specify)									
Direction from well? 5 auth Distance from well? 900 ft.									
10 FROM TO		ITHOLOG		FROM	TO	LITHO. LOG (con		NG INTERVALS	
0 32	Clay								
72 56	5 Clay								
96 144	havel		APPARE .				, , , , ,		
144 152	5 clay	5 2	ene						
192 908	5° 5 2m	-							
0- 0	m die	ruel					1/ 0 3/1		
224 262					Notes:				
262 270									
270 272 5 hale									
11 CONTRACTOR'S	OWNER'S	ter well was E	constructed,	reconstructed	, or Dugged				
under my jurisdiction and was completed on (mo-day-year)									
Kansas Water Well Contractor's License No 3. 2 This Water Well Record was completed on (mo-day-year) 2. 2-13 under the business name of									
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.									
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 9/10/2012									