

WATER WELL RECORD Form WWC-5

Division of Water Resources App. No.

MW-3R

Original Record Correction Change in Well Use

Well ID

1 LOCATION OF WATER WELL: County: Thomas Fraction SE 1/4 SE 1/4 SE 1/4 NE 1/4 Section Number 4 Township Number T 8 S Range Number R 33 E W

2 WELL OWNER: Last Name: Business: Thomas County Landfill Address: 100 North Court City: Colby State: KS ZIP: 67701 Street or Rural Address where well is located: 1860 County Rd 22, 1.5 miles east of Colby

3 LOCATE WELL WITH 'X' IN SECTION BOX: N W E S 1 mile

4 DEPTH OF COMPLETED WELL: 215 ft. Depth(s) Groundwater Encountered: 1) 195 ft. 2) ... 3) ... 4) Dry Well WELL'S STATIC WATER LEVEL: 195.25 ft. below land surface, measured on (mo-day-yr) 04/16/2019

5 Latitude: 39.38705 (decimal degrees) Longitude: 100.99891 (decimal degrees) Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude: GPS (unit make/model: EPOCH (WAAS enabled? Yes No) Land Survey Topographic Map Online Mapper

6 Elevation: 3182.57 ft. Ground Level TOC Source: Land Survey GPS Topographic Map Other

7 WELL WATER TO BE USED AS: 1. Domestic: Household Lawn & Garden Livestock Irrigation Feedlot Industrial 2. Public Water Supply: well ID Dewatering: how many wells? Aquifer Recharge: well ID Monitoring: well ID MW-3R Environmental Remediation: well ID Air Sparge Soil Vapor Extraction Recovery Injection Oil Field Water Supply: lease Test Hole: well ID Cased Uncased Geotechnical Geothermal: how many bores? a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water Other (specify)

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted: Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 4 in. to 185 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 42 in. Weight lbs./ft. Wall thickness or gauge No. Sch 40 TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From 185 ft. to 215 ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 181 ft. to 215 ft., From ft. to ft., From ft. to ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 0 ft. to 181 ft., From ft. to ft., From ft. to ft. Nearest source of possible contamination: No potential source of contamination within 200 ft. Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) Landfill Direction from well? NW Distance from well? 75 ft.

Table with columns: 10 FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Rows: 0-2, 2-20, 20-72, 72-109, 109-137, 137-161, 161-201, 201-215. Notes: Clayey silt, Silt, sand, clayey silt, Gravelly sand, sandy clay, caliche, Sandy clay, gravelly sand, Gravelly sand, caliche, sandy clay, Sandy clay, caliche, sand, gravel, Sand, gravel, sandy clay, caliche, Clay, caliche, gravelly sand, sandy clay

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 4/16/2019 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 881. This Water Well Record was completed on (mo-day-year) under the business name of Woofert Pump & Well